

Color	Thick mm	Visible Trans V.T%	Solar heat						Shading Coefficient	
			Reflect %	Absorb.%			Direct Trans. H.T.%	Total Heat Trans. H.T.%		Relative Heat Gain BTU/hr.sq.ft
				Absorb	Reradiated To Outdoors	Reradiated To Indoors				
Bronze	3	68	5	28	20	8	67	75	219	0.86
	4	58	5	35	24	11	60	70	205	0.79
	5	55	5	42	29	13	53	66	194	0.76
	6	50	5	47	33	14	48	62	183	0.71
	8	41	5	56	39	17	39	56	167	0.64
	10	33	5	64	45	19	31	50	151	0.57
	12	27	5	70	49	21	25	46	139	0.53
Dark Grey	3	41	5	34	24	10	61	71	208	0.82
	5	24	5	48	34	14	47	61	181	0.70
	6	18	5	54	38	16	41	57	170	0.66
Green	4	80	5	35	24	11	60	71	205	0.82
	5	78	5	41	29	12	54	66	194	0.76
	6	75	5	47	33	14	48	62	183	0.71
	8	70	5	56	39	17	39	56	167	0.64
	10	65	5	64	45	19	31	50	151	0.57
	12	61	5	70	49	21	25	46	139	0.53
Blue	3	82	5	26	18	8	69	77	224	0.89
	5	76	5	38	27	11	57	68	200	0.78
	6	73	5	43	30	13	52	65	192	0.75
	8	68	5	52	36	16	43	59	175	0.68
	10	63	5	59	41	18	36	54	162	0.53
	12	58	5	66	46	20	29	49	148	0.56