SPRT 思普瑞特



POS Receipt Printer Specification			
Model No.		SPRT POS88VI	
Features: Paper cover and cutter error being detected Printing speed setting support Anti-electromagnetic interference level 3 Overheating Protection		CE (III) ROWS	
	Printing Method	Thermal Line	
Print	Printing Speed	250mm/s	
FILIC	Resolution	8dots/mm, 576dots/line	
	Effective Printing Width	72mm	
	Character Set	ASCII, GB18030(Chinese),BIG5	
Character	Print Font	Codepage, ANK: 12 x24 Chinese: 24 x 24	
	Character per Line	42	
	Paper Type	Thermal paper	
	Paper Width	79.5± 0.5mm	
Paper Spec	Paper Roll Diameter	Max: 80.0mm	
	Roll Core Inner Diameter	13mm(min.)	
	Paper Thickness	0.06~0.08mm	
Ribbon Cassette		N/A	
Paper Supply Method		Drop-in easy paper loading	
Printer Mechanism		SPRT Brand	
Reliability	MCBF(MCBF) Mean Cycles Between Failure	60 million lines	
	TPH	100km	
Barcode		1D: UPC-A, UPC-E, EAN-13, EAN-8, CODE39, ITF25, CODEBAR, CODE93, CODE128, 2D:PDF417,QR CODE, DATA matrix	
Emulation		ESC/POS	
Driver		Windows98/2000/NT/XP/Vista/Win7	
Sensor		Paper End Sensor	
Drawer Port		1 Port	
Interface		RS-232/Parallel/USB/Ethernet	
Power Supply (Adapter)		AC100 ~240V ± 10%(include) DC 24V, 2A	

Page 1 of 3 www.sprinter.com.cn



Auto cutter	Туре	Guillotine
	Life	1,000,000 cuts
	Cutting Method	Partial cut
Physical	Net Weight	1.6kg
	Gross Weight	2.8kg
	Printer Dimension (WxLxH)	150x212x136mm
	Color	Black
	Operating Temp	0~ 50 °C
Environment	Storage Temp	-20~60°C
Environment	Operating Humidity	10~80%
	Storage Humidity	10~90%
Inner Package (WxLxH)		270*250*180mm
Outer Package (WxLxH)		560*530*380mm (8 units)
Other features		paper end sensor, overheating protection.

Description:

POS88VI printer is a new type line thermal printer, it features in fast speed print, low print noise, high reliability, perfect print quality and ribbon needless, avoiding the vexation of regular maintenance.

POS88VI printer: small in outline dimension, simple operation, and extensive application, especially suitable for commercial cash register, PC-POS, bank POS and all kinds of receipts print.



Application Area:

This is POS/Desktop printer which has more reliable capability, more steady printing and multi-interface support advantages. The POS printer can work on a lot of locations, such as Restaurant, Supermarket, Hotel, Retail Shop, Store, Coffee Shop, Service Center, Spa Entertainment, Bank, Logistics, Traffic police, Postal, Urban management, Tobacco, Meter reading, Supermarket, Clothing and other industries.

SPRT POS printer can well support the Java POS, ESC/POS, OPOS application.

JAVAPOS" ESC/POS™ OPOS

Page 2 of 3 www.sprinter.com.cn



Packing Details

1x thermal receipt printer

1x thermal paper roll

1x power adaptor

1x power cable

1x interface cable

Inner Package (WxLxH) 270*250*180mm

Outer Package (WxLxH) 560*530*380mm (8 units) per Standard Carton









Power adaptor for option:

- *British Standard
- *American Standard
- *European Standard
- *Chinese Standard



Warranty:

SPRT company offer the warranty as bellow: For whole SPRT printer, 12 months upon delivery normally. Some designated models can offer 24 months warranty.



WE SINCERELY LOOK FORWARD TO YOUR JOINING!

Page 3 of 3 www.sprinter.com.cn