

<b>Model</b>	<b>SCALE</b>	<b>Range</b>	<b>Division</b>	<b>Accuracy</b>
<b>DBR85</b>	BRIX	0~85%	0.1	+0.2
	REFRACTIVE INDEX	1.3330~1.5100	0.0001	+0.0003
<b>DBR35</b>	BRIX	0~35%	0.1	+0.2
	REFRACTIVE INDEX	1.3330-1.3900	0.0001	+0.0003
<b>DBR45</b>	BRIX	0~45%	0.1	+0.2
	REFRACTIVE INDEX	1.3330~1.4098	0.0001	+0.0003
<b>DBR65</b>	BRIX	28~65%	0.1	+0.2
	REFRACTIVE INDEX	1.3770~1.4535	0.0001	+0.0003
<b>DBR92</b>	BRIX	58~92%	0.1	+0.2
	REFRACTIVE INDEX	1.4370~1.5233	0.0001	+0.0003
<b>DBR95</b>	BRIX	0~95%	0.1	+0.5
	REFRACTIVE INDEX	1.3330~1.5400	0.0001	+0.0003
<b>DHN1 (Honey IHC2002)</b>	BRIX	58-92%	0.1	+0.2
	BAUME	38-43	0.1	+0.1
	WATER	13-25	0.1	+0.1
	REFRACTIVE INDEX	1.4370-1.5233	0.0001	+0.0003
<b>DHN2 (Honey GB)</b>	BRIX	58-92%	0.1	+0.2
	BAUME	38-43	0.1	+0.1
	WATER	17-27	0.1	+0.1
	REFRACTIVE INDEX	1.4370-1.5233	0.0001	+0.0003
<b>DSA1</b>	SALINITY	0~28%	0.1	+0.2
	REFRACTIVE INDEX	1.3330-1.3900	0.0001	+0.0003
<b>DSA2</b>	SEA WATER	0~100PPT	1	+0.2
	SG	1.000~1.070	0.0001	+0.0003
<b>DSA3</b>	NaCl	0~35%	0.1	+0.2
<b>DUR1</b>	URINE SP.G	1.000~1.050	0.001	+0.001
	SERUM P. (g/dl)	0-12	0.1	+0.1
	REFRACTIVE INDEX	1.3330-1.3900	0.0001	+0.0003
<b>DUR2</b>	SERUM P. (g/dl)	0-14	0.1	+0.1
	URINE SP.G.(DOG)	1.000~1.060	0.001	+0.001
	REFRACTIVE INDEX	1.3330-1.3900	0.0001	+0.0003
<b>DUR3</b>	SERUM P. (g/dl)	0-14	0.1	+0.1
	URINE SP.G.(CAT)	1.000~1.060	0.001	+0.001
	REFRACTIVE INDEX	1.3330-1.3900	0.0001	+0.0003
<b>DAL1</b>	Ethanol (Alcohol)	0~60% (v/v)	0.1	+0.3
<b>DAL2</b>	Ethanol (Alcohol)	0~60% (w/w)	0.1	+0.3
<b>DAL3</b>	IPA	0~60% (w/w)	0.1	+0.5
<b>DAL5</b>	Methanol	0~60% (w/w)	0.1	+0.5
<b>DAL6</b>	IPA	0~40% (v/v)	0.1	+0.5

<b>DMK1</b>	Soybean Milk	0~35%	0.1	+ -0.3
<b>DMK2</b>	Butyro	30~90%	0.1	+ -0.5
<b>DWN1</b>	MASS S/W	0~35%	0.1	+ -0.2
	VOL AP	0~22%	0.1	+ -0.1
	OESCHLE (°OE) (Germany)	0-150	1	+ -1
	°KMW	0-25	0.1	+ -0.1
<b>DWN2</b>	MASS S/W	0~35%	0.1	+ -0.2
	VOL AP	0~22%	0.1	+ -0.1
	OESCHLE (°OE)	30-150	1	+ -1
	°KMW	0-25	0.1	+ -0.1
<b>DWN3</b>	MASS S/W	0~35%	0.1	+ -0.2
	VOL AP	0~22%	0.1	+ -0.1
	OESCHLE (°OE) (Swiss)	0-150	1	+ -1
	°KMW	0-25	0.1	+ -0.1
<b>DBS1</b>	BRIX	0~35%	0.1	+ -0.2
	SALINITY	0~28%	0.1	+ -0.2
	REFRACTIVE INDEX	1.3330~1.3900	0.0001	+ -0.0003
<b>DBC1</b>	PROPYLENE GLYCOL	32~-50°F	0.1°F	+ -1°F
	ETHYLENE GLYCOL	32~-50°F	0.1°F	+ -1°F
	BATTERY	1.00-1.50sg	0.01sg	+ -0.01sg
	CLEANER	14~-40°F	0.1°F	+ -1°F
<b>DBC2</b>	PROPYLENE GLYCOL	0 ~ -50°C	0.1°C	+ -0.1°C
	ETHYLENE GLYCOL	0 ~ -50°C	0.1°C	+ -0.1°C
	BATTERY	1.00-1.50sg	0.01sg	+ -0.01sg
	CLEANER	0 ~ -40°C	0.1°C	+ -0.1°C
<b>DBC3</b>	PROPYLENE GLYCOL	0 ~ 70%	0.1%	+ -0.3%
	ETHYLENE GLYCOL	0 ~ 80%	0.1%	+ -0.3%
<b>DBC6</b>	Urea(AdBlue)	0 ~ 40%	0.1%	+ -0.2
<b>DND</b>	REFRACTIVE INDEX	1.3330~1.5400	0.0001	+ -0.0003