

Gloden Sun Co. Catalogue---Grow Lights

Model:JY-GL-RB12



Power: 12W
Size: Φ 122*125 mm
Input voltage: 85-265V
Operating current: 600mA
Power factor: 0.95
Emitting color: 9 red and 3 blue
Lamp holder: E27
Material: Aluminum
LED:12x1W,LED PAR38 1W
Environment operating temperature: -20 to 40°C
Lumen: 650lm

Model:JY-GL-RB24



Power: 24W
Size: Φ 118*120mm
Input voltage: 85-265V
Operating current: 600mA
Power factor: 0.95
Emitting color: 9red and 3blue
Lamp holder: E27
Material: Die Casting Aluminum
LED: 12x2W,LED PAR38 2W
Environment operation temperature: -20 to 40°C
Lumen: 1700lm

Model:E27-7G-BL



Power: 7W
Size: Φ 58x120mm
Voltage: 110/220
Lamp holder: E27
Lumen: 60-100lm
Wavelength: 640-700nm
LED: SMD2835 0.2W
Shell material: opal

Model:E27-7G-BL



Power: 12W
Size: $\Phi 76 \times 155 \text{mm}$
Voltage: 110/220
Lamp holder: E27
Lumen: 60-100lm
Wavelength: 640-700nm
LED: SMD2835 0.2W
Shell material: opal

Model:JY-GL-RB8-TU



Power: 8W
Size: 600mm
Input voltage: 85-265V
Power factor: 0.95
IP Rating: IP44
Emitting color: red and blue
Lamp holder: G13
Base: aluminum alloy
Cover: PC
LED SMD5050 48 PCS
Environment operating temperature: -20 to 40°C
Lumen: 120-200lm
Wavelength: 640-700nm

Model:JY-GL-RB14-TU



Power: 14W
Size: L:1200mm
Power factor: 0.7
Emitting color: red and blue
LED Qty: 88 PCS
Lumen: 200lm

Model:JY-GL-RB16-TU



Power: 16W
Size: L:1200mm
Power factor: 0.9
Emitting color: red and blue
LED Qty: 96 PCS
Lumen: 260lm

Model: JY-GL-300W-MINI-01



Power: 300W
Size: 310*210*60 mm
Input voltage: AC85-264V
Working Current: 300 mA
Work Temperature: -20°-40°
Working Frequency: 50/60Hz
Mental Finishing: White/Black Painted
Life Span: 50,000 Hours
Color: Full Spectrum
Lumen: 6000 lm
Inner Package Size: 360 * 280 * 120 mm
CTN Size: 4pcs/ctn
Gross Weight: 2.5kg/pcs ; 10kg/4pcs

Model: JY-GL-300W-MINI-02



Power: 300W
Size: 310*210*60 mm
Input voltage: AC85-264V
Working Current: 600 mA
Work Temperature: -20°-40°
Working Frequency: 50/60Hz
Mental Finishing: White/Black Painted
Life Span: 50,000 Hours
Color: Full Spectrum
Lumen: 8000 lm
Inner Package Size: 3.5kg/pcs
CTN Size: 4pcs/ctn
Gross Weight: 3.5kg/pcs ; 16kg/4pcs

Model: JY-GL-300W-PLUS



Power: 300W
Size: 400*210*60 mm
Input voltage: AC85-264V
Working Current: 600 mA
Work Temperature: -20°-40°
Working Frequency: 50/60Hz
Mental Finishing: White/Black Painted
Life Span: 50,000 Hours
Color: Full Spectrum
Lumen: 8000 lm
Inner Package Size: 480 * 250 * 110 mm
CTN Size: 4pcs/ctn
Gross Weight: 4.0kg/pcs ; 16kg/4pcs

Model:JY-GL-360W-PLUS



Power: 360W
Size: 400*210*60 mm
Input voltage: AC85-264V
Working Current: 600 mA
Work Temperature: -20°-40°
Working Frequency: 50/60Hz
Mental Finishing: White/Black Painted
Life Span: 50,000 Hours
Color: Full Spectrum
Lumen: 9600 lm
Inner Package Size: 4.5kg/pcs
CTN Size: 4pcs/ctn
Gross Weight: 4.5kg/pcs ; 18kg/4pcs

Model:JY-GL-800W-MINI



Power: 800W
Size: 310*210*60 mm
Input voltage: AC85-264V
Working Current: 800 mA
Work Temperature: -20°-40°
Working Frequency: 50/60Hz
Mental Finishing: White/Black Painted
Life Span: 50,000 Hours
Color: Full Spectrum
Lumen: 12800 lm
Inner Package Size: 3.5kg/pcs
CTN Size: 4pcs/ctn
Gross Weight: 3.5kg/pcs ; 16kg/4pcs

Model:JY-GL-1200W-PLUS



Power: 1200W
Size: 400*210*60 mm
Input voltage: AC85-264V
Working Current: 900 mA
Work Temperature: -20°-40°
Working Frequency: 50/60Hz
Mental Finishing: White/Black Painted
Life Span: 50,000 Hours
Color: Color Full
Lumen: 19200 lm
Inner Package Size: 5.0kg/pcs
CTN Size: 4pcs/ctn
Gross Weight: 4.0kg/pcs ; 20kg/4pcs

Model:JY-GL-1000W-MINI



Power: 1000W
Size: 308*208*60 mm
Input voltage: AC85-264V
Working Current: 900 mA
Work Temperature: -20°-40°
Working Frequency: 50/60Hz
Mental Finishing: White/Black Painted
Life Span: 50,000 Hours
Color: Full Spectrum
Lumen: 16000 lm
Inner Package Size: 4.0kg/pcs
CTN Size: 4pcs/ctn
Gross Weight: 4.0kg/pcs ; 16kg/4pcs

Model:JY-GL-1600W-PLUS



Power: 1600W
Size: 440*240*60 mm
Input voltage: AC85-264V
Working Current: 520 mA
Work Temperature: -20°-40°
Working Frequency: 50/60Hz
Mental Finishing: White/Black Painted
Life Span: 50,000 Hours
Color: Full Spectrum
Lumen: 51840 lm
Inner Package Size: 9.0kg/pcs
CTN Size: 4pcs/ctn
Gross Weight: 10kg/pcs ; 36kg/4pcs

Model:JY-GL-Par-36W



Power: 36W
Size: 120*135 mm
Input voltage: AC85-264V
Working Current: 520 mA
Work Temperature: -20°-40°
Working Frequency: 50/60Hz
Body: Fin Aluminum
Life Span: 50,000 Hours
Color: Full Spectrum
Lumen: 960 lm
Inner Package Size: 0.5kg/pcs
CTN Size: 25pcs/ctn
Gross Weight: 0.5kg/pcs ; 15kg/4pcs

Model:JY-GL-600W-UFO



Power: 600W
Size: 270*270*60 mm
Input voltage: AC85-264V
Working Current: 800 mA
Work Temperature: -20°-40°
Working Frequency: 50/60Hz
Mental Finishing: White/Black Painted
Life Span: 50,000 Hours
Color: Full Spectrum
Lumen: 9600 lm
Inner Package Size: 2.5kg/pcs
CTN Size: 4pcs/ctn
Gross Weight: 2.5kg/pcs ; 12kg/4pcs

Model:JY-GL-300W-UFO



Power: 300W
Size: 170*170*60 mm
Input voltage: AC85-264V
Working Current: 800 mA
Work Temperature: -20°-40°
Working Frequency: 50/60Hz
Mental Finishing: White/Black Painted
Life Span: 50,000 Hours
Color: Full Spectrum
Lumen: 4800 lm
Inner Package Size: 1.5kg/pcs
Gross Weight: 1.5kg/pcs