

**SP76200**

4" Insertion & extraction tools for RS232  
(20AWG) crimp type contact pin




**SP76236**

8.95" Modular crimping tool  
For 8P8C/RJ-45 (23 - 26AWG)  
For X980896S



**SP7621**

(9 1/2)" IDC crimping fixture to assemble  
flat cable onto IDC-type  
connectors for  
connectors  
Height 6-27.5mm



**SP76238**

7" Modular crimping tool  
For 8P8C/RJ-45 toolless plug  
For X981126, X981128



**SP7622**

8" Ratchet modular crimping tool  
For cuts-strips-crimps 2 types of plug in 1  
For 8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11,  
6P2C, 4P4C, 4P2C



**SP76239**

5.62" Modular crimping tool  
To crimp and trim the extended wires in one time  
For 8P8C/RJ-45  
W/strips & cuts



**SP7623**

8" Modular crimping tool  
For cuts-strips-crimps 2 types of plug in 1  
For 8P8C/RJ-45, 6P6C/RJ-12,  
6P4C/RJ-11, 6P2C



**SP7624**

5" Stripper and cutter  
W/adjustable screw controller 10 to 30 AWG 5.5 to 0.2mm<sup>2</sup>



**SP76233**

8" Professional modular crimping tool  
For 8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11 and 6P6C off-set  
The DEC plug and 4P4C, 4P2C  
W/ratchet strips & cuts



**SP7625**

(6 1/2)" Cable cutter curve blade cuts  
wire up to 8Ømm



**SP76235**

8.3" Modular crimping tool W/cuts  
To crimp and trim the extended wires in one time  
For 8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11



**SP76255**

7.3" Crimping tool  
For insulated, non-insulated terminal  
14-22 AWG, 22-26 AWG, 10-22 AWG 5.5-0.35 mm<sup>2</sup>



**SP7626A /B**

8.7" Ratchet crimping tool for pin terminal (insulated or non-insulated ferrules)  
A: 12 14 16 18 20 22 AWG 4.0 2.5 1.5 1.0 0.75 0.5 mm<sup>2</sup>  
B: 6 8 10 AWG 16 10 6 mm<sup>2</sup>



**SP762795**

6.3" Fiber optic stripping tool



**SP7627**

8.7" Ratchet crimping tool  
For insulated terminals  
10 12 14 16 18 22 AWG 6.0 4.0 2.5 1.5 1.0 0.5 mm<sup>2</sup>




**SP7628**

7.3" Nibbling tool (nickel plated)  
Cuts up to 18AWG soft steel  
1/16" soft plate




**SP76273**

8.7" Ratchet crimping tool for non-insulated open barrel and D-Sub connector 14-22 AWG



**SP7629A /B /C**

6.8" 7 In 1 tool  
wire stripper, wire cutter, steel wire cutter, pliers, wire loop, scale mm & inch, crimping tool  
A: 10 12 14 16 18 AWG  
5.5 3.5 2.0 1.25 0.9 mm<sup>2</sup>  
B: 16 18 20 22 24 26 AWG  
1.25 0.9 0.5 0.35 0.2 mm<sup>2</sup>  
C: 22 24 26 28 30 AWG  
0.65 0.6 0.4 0.32 0.25 mm<sup>2</sup>



**SP76274**

8.25" Ratchet crimping tool for non-insulated open barrel and D-Sub connector (18-22AWG, 24-30AWG)



**SP7642**

6.8" Tie gun tying and cutting



**SP76276**

8.7" Fiber optic crimping tool for .042" .068" .133" .162" .195"



**SP76421**

6.3" Tie gun tying and cutting




**SP76279**

5.8" Fiber optic cutting tool



**SP7643**

7" Self adjusting cutter / stripper for 0.5-8mm<sup>2</sup>



**SP76433A /B**

6.6" 5 In 1 tool  
Wire stripper, wire cutter, steel wire cutter, pliers, wire loop  
A: 10 12 14 16 18 20 AWG  
2.6 2.0 1.6 1.3 1.0 0.8 mm<sup>2</sup>  
B: 20 22 24 26 28 30 AWG  
0.8 0.65 0.5 0.4 0.32 0.25 mm<sup>2</sup>




**SP76511**

6.3" Compression connector crimping tool  
For F, Mini F, BNC, RCA connector



**SP7645**

(9 1/2)" Coax crimping tool




**SP76512**

6.8" Compression connector crimping tool  
For F, BNC, RCA connector



**SP7649**

(7 3/4)" Multi cutter  
Stainless steel blade & aluminum handle W/tr grips



**SP76513**

8.5" F waterproof connector crimping tool  
For RG59, RG6



**SP7650**

7.9" Duct cutter



**SP76554**

3.93" 3 In 1 tool for F & RG59 & RG6 connector  
Screws F connector on to the threaded end and twists it to install the cable end

For RG59




For RG6

For F connector

**SP76505**

11.8" Heavy-duty ratchet cable cutter  
Cuts up to 600MCM copper, 750MCM aluminum power cable. Max. capacity is 2-1/8"(53mm) dia. or up to 2700 pair telephone cable



**SP76565**

2.6" Heat-sink tool  
For absorb heat during soldering



**SP76514**

7.7" Compression connector crimping tool  
For F, BNC, RCA, right angled and keystone connector



**SP76570**

5.9" Telecom splices crimping tool  
For 19-26 (UR,UG), 22-26 (UY) AWG

