



SHANGHAI UPG INTERNATIONAL TRADING CO., LTD

---



## **SADF-540B Full Automatic Laminator**

Add: Room 2403 Jincheng Mansion 511 Tianmuxi Road, 200070 P.R.China

TEL: 86-21-63177436      FAX: 86-21-63538343

Email: [huangwei@shanghai-upg.com](mailto:huangwei@shanghai-upg.com)

## SADF-540B Full Automatic Laminator



1. Quotation:

SADF-540B      USD.-/unit

2. Terms of Payment:

30% deposit by T/T when confirming the order

70% balance by T/T before shipping.

3. Performance:

Applications: To suit glueless film and pre-glued film

To suit both single side and double side paper lamination

Model SADF-540B is one of our fully automatic double side laminators newly developed upon market needs. It is a processing technology which targets in laminating small size paper with pre-glued film after heated、 pressured finally realize the paper and film laminated together .The most attractive features of the machine are compact structure and humanized design. SCHNEIDER, OMRON etc international brands of electrical and photovoltaic parts equipped perfect the running stability and safety of the laminator. The machine realizes automated operation, and suits pre-glued film single side and double side paper lamination.

◆ Automatic paper feeder adopts oil-free vacuum pump to feed paper automatically.

◆ Automatic paper feeding system is equipped with no paper protector

and paper break protector, which are controlled by photoelectric and mechanical systems. When no paper or paper break occurs the machine will stop automatically for self-protection.

- ◆ Man-machine interface system: color touch screen simplifies the machine operation. On the touch screen, as long as the operator inputs paper size, overlap length and working speed etc., the machine can realize completely automated operation. And on touch screen, working status of the machine can be checked at any time.
- ◆ Upper and down heating roller are equipped with cast aluminum heater for raising temperature, separating temperature control perfected the temperature keep steady, ensure the precision of double film lamination temperature.
- ◆ Pneumatic pressuring system provides automatically stable pressure to guarantee good laminating quality. And the pressure can also be adjusted upon requests.
- ◆ Anti-curvature device adopts turbine gearbox to adjust: when going through the anti-curvature device, the laminated paper shall be leveled at once and won't curve again after cut.
- ◆ . Pneumatic cutting system realizes automatic paper cut.
- ◆ . After cut, the laminated paper will be sent automatically to vibrating receiving table and be put into order.

#### 4. Specification

|                    |                  |
|--------------------|------------------|
| Model              | SADF-540B        |
| Max. Paper Size    | 540×780mm        |
| Min. Paper Size    | 290×290mm        |
| Paper Thickness    | 100-500gsm       |
| Working Speed      | 0-30m/min        |
| Gross Power        | 18kw             |
| Overall Dimensions | 3200×1250×1500mm |

#### 5. Installation and Training

The price includes the fee of installation, Training and interpreter, However, the relative cost such as international return air tickets between China and



SHANGHAI UPG INTERNATIONAL TRADING CO., LTD

---

Buyer's country, local transportation, accommodation (3 star hotel), and the pocket money USD80/day per person for engineers and interpreter will be born by buyer. Or, the customer can find capable interpreter in local.

6. Validity of Quotation: until 30th Dec. 2014

7. Warranty: 12 months after B/L date