



SHANGHAI UPG INTERNATIONAL TRADING CO., LTD



LQA Series Vertical Baler

Add: Room 2403 Jincheng Mansion 511 Tianmuxi Road, 200070 P.R.China

TEL: 86-21-63177436 FAX: 86-21-63538343

Email: liulingyuan@shanghai-upg.com

**LQA Series Vertical Baler****1.Quotation:**

LQA USD/unit

2.Terms of Payment:

30% deposit by T/T when confirming the order

70% balance by T/T before shipping.

3.Performance of the machine:

- * Vertical integrated machine, front door opening style, less occupied area, ideal model for recycling industry.
- * Feeding chamber install preventing material rebound device, save charging time greatly.
- * Separate feeding opening, automatic bales out device, easy and simple to operate, with safety interlock, safe and reliable.
- * New structure, U-type pressing platen, strong and prevent slanting compression.
- * Patent lock opening device, fast, convenient, safety.
- * Adopt England brand sealing parts, improve the life time of oil cylinder.
- * Oil pipe joint adopts conical without gasket form, no oil leakage phenomenon.
- * Adopt Taiwan brand superposition type valve group.
- * Adopt connect motor with pump directly, to ensure 100% concentricity, and extend use life of pump.

4.Specifications:

Main specifications:			
Model	LQA1070T30C	LQA1075T40C	LQA1075T50C
Hydraulic power	30ton	40ton	50ton
Bale size (L*W*H)	1100*700*(650-900) mm	1100*750*(650-900) mm	1500*750*(700-1000) mm
Feed opening size (L*H)	1100*500mm	1100*500mm	1500*600mm
Capability	3-6bales/hour	3-5bales/hour	3-5bales/hour
Bale weight	150-250kg	200-350kg	350-500kg
Voltage *can be customized	380/50 V/HZ	380/50 V/HZ	380/50 V/HZ
Power	5.5/7.5kw/Hp	5.5/7.5kw/Hp	7.5/10kw/Hp
Machine size(L*W*H)	1500*950*3150mm	1500*1000*3150mm	1850*1200*3300mm
Weight	1200kg	1700kg	2300kg