



SHANGHAI UPG INTERNATIONAL TRADING CO., LTD

---



## **SADF-540 Full Automatic Laminator**

Add: Room 2403 Jincheng Mansion 511 Tianmuxi Road, 200070 P.R.China

TEL: 86-21-63177436 FAX: 86-21-63538343

Email: [huangwei@shanghai-upg.com](mailto:huangwei@shanghai-upg.com)

---

**SADF-540 Full Automatic Laminator**



1. Quotation:

SADF-540      USD.-/unit

2. Terms of Payment:

30% deposit by T/T when confirming the order

70% balance by T/T before shipping.

3. Performance:

Applications: To suit glueless film and pre-glued film

- 1) The most attractive features of the machine are compact structure and humanized design. SCHNEDER, OMRON and other international brands of electrical and photovoltaic parts equipped perfect the running stability and safety of the laminator. The machine realizes automated operation, and suits the lamination of pre-coated thermal film and paper. For the laminating treatment of greeting cards, certificates, documents, book covers, packing boxes etc, this model is an excellent choice.
- 2) Automatic paper feeder adopts oil-free vacuum pump to feed paper automatically.
- 3) Automatic paper feeding system is equipped with no paper protector and paper break protector, which are controlled by photoelectric and mechanical systems. When no paper or paper break occurs, the machine

will stop automatically for self-protection.

- 4) Man-machine interface system: color touch screen simplifies the machine operation. On the touch screen, as long as the operator inputs paper size, overlap length and working speed etc., the machine can realize completely automated operation. And on touch screen, working status of the machine can be checked at any time.
- 5) High precision of chrome plated heating roller is equipped with built-in oil heating system, which has excellent performance to temperature control. The laminating temperature is adjustable upon applications.
- 6) Pneumatic pressuring system provides automatically stable pressure to guarantee good laminating quality. And the pressure can also be adjusted upon requests.
- 7) Air expansion shaft releases film roll, and positions film roll more accurately, and also makes the loading and unloading of film roll more convenient
- 8) The combination of air expansion shaft and braking device can adjust film release tension and speed.
- 9) Film cutter cuts film width to make it meet paper size.
- 10) Serrated perforating wheel perforates film edge for the automatic cut of laminated paper.
- 11) Anti-curvature device: when going through the anti-curvature device, the laminated paper shall be leveled at once and wont curve again after cut
- 12) Pneumatic cutting system realizes automatic paper cut
- 13) After cut, the laminated paper will be sent automatically to vibrating receiving table and be put into order.

#### 4. Specification

Model	SADF-540
Max. Paper Size	540×780mm
Min. Paper Size	290×290mm
Paper Thickness	100-500gsm
Working Speed	0-30m/min
Gross Power	15kw
Overall Dimensions	3300×1250×1600mm
Weight	1000kgs

#### 5. Installation and Training

The price includes the fee of installation, Training and interpreter, However, the relative cost such as international return air tickets between China and Buyer's country, local transportation, accommodation (3 star hotel), and



SHANGHAI UPG INTERNATIONAL TRADING CO., LTD

---

the pocket money USD80/day per person for engineers and interpreter will be born by buyer. Or, the customer can find capable interpreter in local.

6. Validity of Quotation: until 30th Dec. 2013
7. Warranty: 12 months after B/L date