

POS Printer

Welcome to SPRT!

We offer receipt printers to meet your requirement!

Offer the **High quality** products and **professional service** for you!



SP-POS88V

SP-POS88VI

POS Receipt Printer Specification

Model No.		SP-POS88V
Features:		
High speed of printing up to 250mm/s Firmware download available 2D barcode printing support Anti-electromagnetic interference level 3		
Print	Printing Method	Thermal Line
	Printing Speed	250mm/s
	Resolution	8 dots/mm, 576 dots/line
	Effective Printing Width	72mm
Character	Character Set	ASCII, GB18030(Chinese),BIG5
	Print Font	Codepage, ANK: 12 x24; Chinese: 24 x 24
	Character per Line	42/48
Paper Spec	Paper Type	Thermal paper
	Paper Width	79.5± 0.5mm
	Paper Roll Diameter	Max: 80.0mm
	Roll Core Inner Diameter	13mm(min.)
	Paper Thickness	0.06~0.08mm
Ribbon Cassette		N/A
Paper Supply Method		Drop-in easy paper loading
Printer Mechanism		SPRT Brand
Reliability	MCBF(MCBF) Mean Cycles Between Failure	60 million lines
	TPH	100km
Barcode		1D: UPC-A, UPC-E, EAN-13, EAN-8, CODE39, ITF25, CODEBAR, CODE93, CODE128, 2D:PDF417,QR CODE, DATA matrix
Emulation		ESC/POS
Driver		Windows98/2000/NT/XP/Win7/Win8/Linux

SDK		Android system
Sensor		Paper End Sensor
Drawer Port		1 Port
Interface		RS-232/Parallel/USB/Ethernet
Power Supply (Adapter)		AC100 ~240V ± 10%(include) DC 24V, 2A
Auto cutter	Type	Guillotine
	Life	1,000,000 cuts
	Cutting Method	Partial cut
Physical	Net Weight	1.3kg
	Gross Weight	2.6kg
	Printer Dimension (WxLxH)	139 x 200x 150 mm
	Color	Black/Beige
Environment	Operating Temp	5~ 50 °C
	Storage Temp	-20~60°C
	Operating Humidity	10~80%
	Storage Humidity	10~90%
Inner Package (WxLxH)		270*250*180mm
Outer Package (WxLxH)		560*530*380mm (8 units)
Other features		Paper end sensor, overheating protection.

Description:

POS88V printer is a new type line thermal printer, it features in fast speed print, low print noise, high reliability, perfect print quality and ribbon needless, avoiding the vexation of regular maintenance.

POS88V printer: small in outline dimension, simple operation, and extensive application, especially suitable for commercial cash register, PC-POS, bank POS and all kinds of receipts print.



Application Area:

This is POS/Desktop printer which has more reliable capability, more steady printing and multi-interface support advantages. The POS printer can work on a lot of locations, such as Restaurant, Supermarket, Hotel, Retail Shop, Store, Coffee Shop, Service Center, Spa Entertainment, Bank, Logistics, Traffic police, Postal, Urban management, Tobacco, Meter reading, Supermarket, Clothing and other industries.

SPRT POS printer can well support the Java POS, ESC/POS, OPOS application.

JAVAPOS™ ESC/POS™ OPOS™ 

Packing Details

- 1x thermal receipt printer
- 1x thermal paper roll
- 1x power adaptor
- 1x power cable
- 1x interface cable

Inner Package (WxLxH) 270*250*180mm

Outer Package (WxLxH) 560*530*380mm (8 units) per Standard Carton



Power adaptor for option:

- *British Standard
- *American Standard
- *European Standard
- *Chinese Standard



Warranty:

SPRT company offer the warranty as bellow:

The Company warrants that SPRT products are free from defects in manufacturing materials and workmanship for one year (365 days months) from date of original purchase to Buyer/Distrib (OEMs 120 days from the date of purchase). Batteries, cables, power supplies, and other accessories will be warranted for six months (120 days). SPRT makes no other warranties, expressed or implied, including implied warranties of merchantability and fitness of purpose.

If you try to repair, disassemble, or change the product in any way, or use parts not provided by SPRT without prior, written authorization, all warranties are void.

For complete warranty and repair information, see the Warranty Card included in your original packaging.

WE SINCERELY LOOK FORWARD TO YOUR JOINING!

