



#### **SP-RMT9BT**

Light weight for taking conveniently
Multi-interface
Vehicle charger support
Super battery capability, standby 100hours
Continuing printing when battery in charging

### **Specification:**

		All the second s
Print	Printing Method	Thermal Line
	Printing Speed	80mm/s
	Effective Printing Width	72mm
Paper	Paper Type	Thermal Paper
	Paper Width	79.5± 0.5mm
	Paper Roll Diameter	40mm (Max.)
	Paper Supply Method	Drop-in easy paper loading
Printer Mechanism		Fujitsu Brand
Driver		Windows 98 / ME / 2000 / NT / XP / 2003 Server/Vista/Win7/Win 8,8.1/Linux/OPOS
SDK		Android/IOS/Windows Mobile/Windows CE/Blackberry/Symbian
Interface		USB+Bluetooth
Battery		DC7.4V,1.5A rechargeable Li-ion
Charger		DC9V/2A
Printer Dimension(WxLxH)		103x99x46 mm
Environment	Operating Temp	0-50 °C
	Storage Temp	-20-60°C
	Operating Humidity	10%-80%
	Storage Humidity	10%-90%
Accessories		Battery, Charger, USB Cable,CD Driver,
		Carrying Case and Paper-roll
		Option: vehicle charger



#### **Product pictures:**





#### Warranty&Support

SPRT company supply **13months** for printer, **6months** for battery warranty and long-lasting technical support.

Free SDK: Android/IOS/Windows Mobile/Windows CE/Blackberry/Symbian

Driver: Windows 98 / ME / 2000 / NT / XP / 2003 Server/Vista/Win7/Win 8,8.1/Linux/OPOS

**OEM/ODM** supported











#### Packing&Shipping&Payment

Inner box size: 212\*157\*88mm, 0.8kgs

Outer carton size: 12units each carton, 45\*34\*30cm, 9kgs

Delivery time: 1-10units order can be sent out within two working days after receiving payment

Payment: T/T; L/C; Paypal; Western Union,etc





#### **Company Profile**

Beijing Spirit Technology Development Co., Ltd. (SPRT) is founded in 1999. Passed QMSC ISO9000 in 2001. We are High-tech Company professional in designing, developing and sales of Special Type Printer and LCD Module. The main products are Dot Matrix &Thermal Micro Panel printer, POS printer, Portable printer and Kiosk printer which are used in Fire Control, Medical, Financial, Tax, Police, Logistics, etc.





