

POS Printer

Welcome to SPRT!

We offer receipt printers to meet your requirement!

Offer the High quality products and professional service for you!



Beijing Spirit Technology Development Co., Ltd.

www.sprt-printer.com

POS Receipt Printer Specification

Model No.		SPRT POS88VI
Features:		
<p>Paper cover and cutter error being detected Printing speed setting support Anti-electromagnetic interference level 3 Overheating Protection Support RS-232/Parallel/USB/Ethernet/Wifi/all in one interface Support Android system</p>		
Print	Printing Method	Thermal Line
	Printing Speed	250mm/s
	Resolution	8dots/mm, 576dots/line
	Effective Printing Width	72mm
Character	Character Set	ASCII, GB18030(Chinese),BIG5
	Print Font	Codepage, ANK: 12 x24 Chinese: 24 x 24
	Character per Line	42
Paper Spec	Paper Type	Thermal paper
	Paper Width	79.5± 0.5mm
	Paper Roll Diameter	Max: 80.0mm
	Roll Core Inner Diameter	13mm(min.)
	Paper Thickness	0.06~0.08mm
Ribbon Cassette		N/A
Paper Supply Method		Drop-in easy paper loading
Printer Mechanism		Seiko Brand
Reliability	MCBF(MCBF) Mean Cycles Between Failure	60 million lines
	TPH	100km
Barcode		1D: UPC-A, UPC-E, EAN-13, EAN-8, CODE39, ITF25, CODEBAR, CODE93, CODE128, 2D:PDF417,QR CODE, DATA matrix
Emulation		ESC/POS
Driver		Windows98/2000/NT/XP/Vista/Win7/Win8/Linux
SDK		Android system

Sensor		Paper End Sensor
Drawer Port		1 Port
Interface		Serial/Parallel/USB/USB+RS232+Ethernet/USB+Bluetooth/USB+Ethernet+Wifi
Power Supply (Adapter)		AC100 ~240V ± 10%(include) DC 24V, 2A
Auto cutter	Type	Guillotine
	Life	1,000,000 cuts
	Cutting Method	Partial cut
Physical	Net Weight	1.6kg
	Gross Weight	2.8kg
	Printer Dimension (WxLxH)	150x212x136mm
	Color	Black
Environment	Operating Temp	0~ 50 °C
	Storage Temp	-20~60°C
	Operating Humidity	10~80%
	Storage Humidity	10~90%
Inner Package (WxLxH)		270*250*180mm
Outer Package (WxLxH)		560*530*380mm (8 units)
Other features		Memory printing, paper end sensor, overheating protection.

Description:

POS88VI printer is a new type line thermal printer, it features in fast speed print, low print noise, high reliability, perfect print quality and ribbon needless, avoiding the vexation of regular maintenance.

POS88VI printer: small in outline dimension, simple operation, and extensive application, especially suitable for commercial cash register, PC-POS, bank POS and all kinds of receipts print.



Application Area:

This is POS/Desktop printer which has more reliable capability, more steady printing and multi-interface support advantages. The POS printer can work on a lot of locations, such as Restaurant, Supermarket, Hotel, Retail Shop, Store, Coffee Shop, Service Center, Spa Entertainment, Bank, Logistics, Traffic police, Postal, Urban management, Tobacco, Meter reading, Supermarket, Clothing and other industries.

SPRT POS printer can well support the Java POS, ESC/POS, OPOS application.

JAVAPOS™ ESC/POS™ OPOS

Packing Details

1x thermal receipt printer
1x thermal paper roll
1x power adaptor
1x power cable
1x interface cable

Inner Package (WxLxH) 270*250*180mm
Outer Package (WxLxH) 560*530*380mm (8 units) per Standard Carton



Power adaptor for option:

- *British Standard
- *American Standard
- *European Standard
- *Chinese Standard



Warranty:

SPRT warrants that new products manufactured by SPRT are free from defects in materials and workmanship for 13 months:

This warranty does not apply if:

- the printer is physically damaged;
- the printer case has been opened, modified, or adjusted;
- the serial numbers have been removed or obliterated;
- the condition is the result of accident, neglect, contact with water or other liquids, or use that is not normal or customary.

The fine print:

We will repair or replace (at our option) your product if it is defective within the warranty period, beginning on the original date of ex-factory. You will be responsible only for the cost of shipping the defective unit to our company or service center.

Exclusions from this warranty

This warranty does not cover cosmetic damage, damage that occurs during shipping, improper use or maintenance, or normal wear and tear. It also does not cover damage due to accident, misuse, or neglect.

This warranty is void if the unit case has been opened or tampered with in any way.

This warranty gives you specific legal rights, and your rights may vary from state to state. This warranty does not affect the statutory rights of the consumer.

WE SINCERELY LOOK FORWARD TO YOUR JOINING!