

SPK ELECTRONICS CO., LTD.

Solar Charger

MODEL: SPK-SOLAR-S03



Specs:

High solar energy convert efficiency: over than 16%

Solar energy board: 5.5V/70mA

Dimension: 95×43×11.5mm

High capacity build in battery: 1350Mah

Input voltage: DC5.3±0.2V

Input current: 600mA Max

Output voltage: DC5.5±0.2V

Output current: 700mA Max

Add : 10F,NO.510,SEC.5,CHUNG HSIAO E. RD, TAIPEI,TAIWAN

Tel : 02-2346-2323

Fax : 02-2346-3939

E-mail : spktw@ms34.hinet.net WEB:<http://www.spkecl.com>

SPK ELECTRONICS CO., LTD.

Other functions: Illumination; Money detect

Dimension: 95*43*11.5mm

Weight: about 55g





Standard accessories: 6connector tips,1 external cable

Optional accessories: AC adapter of different normative and certification (5.3 V/600mA,

USB port),other digital products connector

Work with most of digital devices,such as Mobile phone,MP3,MP4 player,digital camera、

PDA、PSP、iPod/iphone/itouch and more

Standard Accessories:	Name		
	Model	Applicable models	Pic
Standard Accessories:	C01	NOKIA 6010/6102/N70/N90/N80/82xx/83xx/88xx/6200/ 6230/6600/6800/6111/6100/6120/N72/N73/7360/ 3250/6030/6680/6280	
	C02	NOKIA 1100/1260/1261/2260/3100/3120/3200/3220/ 3300/3360/3390/3560/3595/6100/6190/6200/ 6230/6340/6560/6620/6682/6820/17610/8260/ 8265/3000/3589/5100/6000/6015/3650/5190	
	C08	Motorola 1100/1260/1261/2260/3100/3120/3200/3220/ 3300/3360/3390/3560/3595/6100/6190/6200/ 6230/6340/16560/6620/6682/6820/7610/8260/ 8265/3000/3589/5100/6000/6015/3650/5190	
	C04	output tips For the voltage output connect	




Add : 10F,NO.510,SEC.5,CHUNG HSIAO E. RD, TAIPEI,TAIWAN

Tel : 02-2346-2323

Fax : 02-2346-3939

E-mail : spktw@ms34.hinet.net WEB:<http://www.spkecl.com>

SPK ELECTRONICS CO., LTD.

	C33	USB female Original data lines	
	C34	USB male	
		A power cable	

Add : 10F,NO.510,SEC.5,CHUNG HSIAO E. RD, TAIPEI,TAIWAN

Tel : 02-2346-2323

Fax : 02-2346-3939

E-mail : spktw@ms34.hinet.net WEB:<http://www.spkecl.com>