



LQJDB-1300A-T PE Automatic Twin-head Bundling Machine (Pusher Type)

Add: Room 2403 Jincheng Mansion 511 Tianmuxi Road, 200070 P.R.China

Email: huangwei@shanghai-upg.com



SHANGHAI UPG INTERNATIONAL TRADING CO., LTD



LQJDB-1300A-T PE Automatic Twin-head Bundling Machine (Pusher Type)

1.Quotation:

LQJDB-1300A-T USD /unit

2. Terms of Payment:

30% deposit by T/T when confirming the order 70% balance by T/T before shipping.

3. Features:

- 1) High efficiency, 8-14 bales per minute.
- 2)Saving labors, increase yield.
- 3) Digital adjustment via touch screen easy to operate and understand.
- 4)Machine is equipped with automatic oil supply system which can lubricate the machine in time. Each input and output of electrical appliance is connected with monitoring points in touch screen to facilitate machine's maintenance.
- 5)High safety standard: The rope arm will be disengaged and come back to its start position when resistance is detected. The pusher will stop the machine if resistance is found. With the door open, the machine can not run.
- 6)Beak using Chromium-molybdenum alloy processed by a special procedures makes it more wear and tear with long service life.
- 7)Driving gears are made of high-quality steel dealt with high frequency heat treatment to increase its wear resistance.
- 8)Cost saving.PE only takes 0.17 cents for one meter.

4.Specifications:

Main specifications	
Model	LQJDB-1300A-T
Max bundle size	1300*1200*350mm
Min bundle size	430*350*50mm



SHANGHAI UPG INTERNATIONAL TRADING CO., LTD

PE rope	50#
Bundle speed	8-14 packages/min
Air pressure	0.4-0.8MPA
Power supply	3ph 380v
Main power	2.8kw
Dimension	3900*2100*2000mm
Machine weight	2500kg