

POS Printer

Welcome to SPRT!

We offer receipt printers to meet your requirement!

Offer the **Hight quality** products and **professional service** for you!



POS Receipt Printer Specification


Model No.		SPRT POS76IV
Features:		    
<p>Automatic memory printing Paper cover and cutter error being detected Printing speed setting support Anti-electromagnetic interference level 3 Overheating Protection</p>		
Print	Printing Method	Dot Matrix
	Printing Speed	4.4 lines/s
	Resolution	42cpl-210(whole dot)/420(half dot)
	Effective Printing Width	76.2mm/57mm
Character	Character Set	ASCII, GB18030(Chinese)
	Print Font	Font A: 7x7 Font B:7x9 Chinese: 16 x 16
	Character per Line	42/35
Paper Spec	Paper Type	Plain paper
	Paper Width	76.0± 0.5mm/57.5± 0.5mm
	Paper Roll Diameter	Max: 85.0mm
	Roll Core Inner Diameter	13mm(min.)
	Paper Thickness	0.05~0.08mm
Ribbon Cassette		ERC-39 Purple or Black
Paper Supply Method		Semi-auto paper loading
Printer Mechanism		Citizen Brand
Reliability	MCBF(MCBF) Mean Cycles Between Failure	9 million lines
	TPH	9 million lines
Barcode		N/A
Emulation		ESC/POS
Driver		Windows98/2000/NT/XP/Win7/win8/linux
Sensor		Paper Near End Sensor/ Paper End Sensor Optional
Drawer Port		1 Port
Interface		RS-232/Parallel/USB/Ethernet
Power Supply (Adapter)		AC100 ~240V ± 10%(include) DC 24V, 1A

Auto cutter	Type	Guillotine
	Life	500,000 cuts
	Cutting Method	Partial cut
Physical	Net Weight	With cutter:1.9kg, without cutter:1.66kg
	Gross Weight	With cutter:3.3kg, without cutter:3.1kg
	Printer Dimension (WxLxH)	248x 154x 139 mm
	Color	Black
Environment	Operating Temp	0~ 50 °C
	Storage Temp	-20~60°C
	Operating Humidity	10~80%
	Storage Humidity	10~90%
Inner Package (WxLxH)		370*210*220mm
Outer Package (WxLxH)		460*400*480mm (4 units)
Other features		Black mark location, paper end sensor, overheating protection, Buzzer

Description:

POS76IV printer is a new type impact dot-matrix printer, it features in new structure, new platform, never paper jam, nine needle column bidirectional printing, big capacity, import mechanism, special designed ribbon.

POS76IV printer: flexible interface, black mark test and extensive application, power built-in and auto document feeder, especially suitable for commercial cash register, PC-POS, bank POS and all kinds of receipts print.



Application Area:

This is POS/Desktop printer which has more reliable capability, more steady printing and multi-interface support advantages. The POS printer can work on a lot of locations, such as Restaurant, Supermarket, Hotel, Retail Shop , Store, Coffee Shop,Service Center, Spa Entertainment, Bank, Logistics, Traffic police, Postal, Urban management, Tobacco, Meter reading, Supermarket, Clothing and other industries.

SPRT POS printer can well support the Java POS, ESC/POS, OPOS application.

JAVAPOS™ ESC/POS™ OPOS

Packing Details

- 1x receipt printer
- 1x paper roll
- 1x power adaptor
- 1x power cable
- 1x interface cable

Inner Package (WxLxH) 370*210*220mm
 Outer Package (WxLxH) 460*400*480mm (4 units) per Standard Carton



Power adaptor for option:

- *British Standard
- *American Standard
- *European Standard
- *Chinese Standard



Warranty:

SPRT company offer the warranty as bellow:
For whole SPRT printer, 12 months upon delivery normally.
Some designated models can offer 24 months warranty.



WE SINCERELY LOOK FORWARD TO YOUR JOINING!