



## **JDP- series Automatic Bundling Machine(PP)**

Add: Room 2403 Jincheng Mansion 511 Tianmuxi Road, 200070 P.R.China

TEL: 86-21-63177436      FAX: 86-21-63538343

Email: [jammycheng@shanghai-upg.com](mailto:jammycheng@shanghai-upg.com)

[dickdai@shanghai-upg.com](mailto:dickdai@shanghai-upg.com)

**JDP Series Automatic Bounding Machine(PP)**



1. Quotation:

**(FOB China)**

JDP USD.-/unit

2. Terms of Payment:

30% deposit by T/T when confirming the order

70% balance by T/T before shipping.

3. Characters

- 1) Automatic PP rope stringing system
- 2) Automatic Detecting rope end and discharge the left
- 3) Automatic discharge the idle ropes.
- 4) Easy maintenance—main parts removed without tool assistance
- 5) Quick change of PP rope stocker
- 6) Anti-wear rope track control system
- 7) PLC control system
- 8) Can be connected with majority production lines
- 9) Easy adjustment
- 10) Quick setting of data at operation panel.

4. Technical Data

Items	Model	JDP-1000
Bundling Speed		≤1.5second/tie
Bundling Size		Min Pack W80×H60 Max Pack W900×H450
Splicing Mode		Splicing area from bottom ≥90% Precision splicing ≤2m
Splicing Method		Pad Melting
Rope Width		5-9mm
Rope stocker		Inner Diameter 200mm-210mm External Diameter 400mm-450mm Width 175-190mm
Bundling Tension		0-45kg
Power		600w,10A
Power Supply		220v,50Hz
Pressure		0.4-0.6mpa

#### 5. Installation and Training

The price includes the fee of installation, Training and interpreter, However, the relative cost such as international return air tickets between China and Buyer's country, local transportation, accommodation (3 star hotel), and the pocket money USD80/day per person for engineers and interpreter will be born by buyer. Or, the customer can find capable interpreter in local.