



SHANGHAI UPG INTERNATIONAL TRADING CO., LTD



LQTC-1020/1200/1450 Window Patching Machine

Add: Room 2403 Jincheng Mansion 511 Tianmuxi Road, 200070 P.R.China

TEL: 86-21-63177436 FAX: 86-21-63538343

Email: huangwei@shanghai-upg.com



LQTC-1020/1200/1450 Window Patching Machine

1.Quotation:

LQTC-1020	USD /unit
LQTC-1200	USD /unit
LQTC-1450	USD /unit

2. Terms of Payment:

30% deposit by T/T when confirming the order
70% balance by T/T before shipping.

3.Performance of the machine:

LQTC Window Patching Machine is widely used in the film patching to be package with or without the window of the phone box, wine box, gift box, napkin box, cosmetic box, toy box milk case, card etc. It can be used for function of the paper gluing, film patching, film cutting of card 200-500g/m² and flute within 7mm thick.

- 1)Film Servo Model; Suitable for the universal window, easy operation for the film.
- 2)Napkin Box Incision Type: Suitable patching for the universal window, and also patching for the napkin box incision.
- 3)Paper Patching Perforated Model: Suitable patching for the universal window, and also finish the paper pasting strengthen and perforating of the milk case.
- 4)Double patching Model: Patching for the university window, double patching for the kraft paper of the milk case and then die-cutting.(The max. paper size is 1080 × 730mm)
- 5)Double Line Model: Suitable for the universal patching and also double line paper patching to improve the working efficiency.
- 6)Small Paper High Speed Model: Suitable for the high speed paper patching for the small paper, the speed improve two times than the common model.
- 7)Small Paper for Double Line High Speed Model; Suitable for the double patching for the small paper, double patching, the speed improve four times than the model.

4.Specifications:

Main Specifications:			
Model	LQTC-1020	LQTC-1200	LQTC-1450
Max.paper size	1080*650mm	1200*720mm	1450*1060mm
Min.paper size	140*140mm	140*140mm	160*140mm
Max.film size	410*300mm	410*300mm	680*520mm
Min.film size	80*60mm	80*60mm	80*60mm
Sheet thickness	0.05-0.20mm	0.05-0.20mm	0.10-0.25mm
Max.working speed	6000s/h	6000s/h	3000s/h
Cardboard	200-500g/m ²	200-500g/m ²	400-500g/m ²
Corrugated paper	≤7mm	≤7mm	≤7mm
Total power	9kw	10kw	14kw
Total weight	3000kg	3500kg	4500kg
Overall dimensions	5000*1960*1750mm	6200*2000*1750mm	7500*2200*1300mm
(When the roller pull out the dimensions)	5000*3160*1750mm	6200*3260*1750mm	7500*3400*1300mm