


MODEL: EA19070 SERIES


Size : $\varnothing 190 \times 70$
Unit : mm



Thermal Protection



(Centrifugal Fan)



Model Spec	Rated Voltage V	Frequency Hz	Input Power W	Rated Current A	Locked Current A	Speed RPM	Maximum Air Flow m ³ /min	Maximum Air Flow CFM	Maximum Pressure mmH ₂ O	Maximum Pressure InchH ₂ O	Capacitor μ F/VDB	Noise dB	Weight KG
EA19070APA-11H1C2A	115V	50	55	0.45	0.92	2,500	9.5	335	25.0	1.00	6/250	60	1.20
		60	65	0.54	0.91	2,700	10.4	370	30.0	1.20		63	
EA19070APA-23H1C2A	230V	50	57	0.23	0.43	2,500	9.5	335	25.0	1.00	2/450	60	1.20
		60	72	0.30	0.45	2,700	10.4	370	30.0	1.20		63	


We reserve the right to change data without notice.

MODEL: EA19070 SERIES F


Size : $\varnothing 235 \times 87.2$
Unit : mm



Thermal Protection



(Centrifugal Fan)



Model Spec	Rated Voltage V	Frequency Hz	Input Power W	Rated Current A	Locked Current A	Speed RPM	Maximum Air Flow m ³ /min	Maximum Air Flow CFM	Maximum Pressure mmH ₂ O	Maximum Pressure InchH ₂ O	Capacitor μ F/VDB	Noise dB	Weight KG
EA19070APA-11H1C2F	115	50	55	0.45	0.92	2,500	9.5	335	25	1.0	6/250	60	1.5
		60	65	0.54	0.91	2,700	10.4	370	30	1.2		63	
EA19070APA-23H1C2F	230	50	57	0.23	0.43	2,500	9.5	335	25	1.0	2/450	60	1.5
		60	72	0.30	0.45	2,700	10.4	370	30	1.2		63	

We reserve the right to change data without notice.