



SHANGHAI UPG INTERNATIONAL TRADING CO., LTD

---



## **LQHY-210T CNC Control High speed oblique march system**

Add: Room 2403 Jincheng Mansion 511 Tianmuxi Road, 200070 P.R.China

TEL: 86-21-63177436

FAX: 86-21-63538343

Email: [liulingyuan@shanghai-upg.com](mailto:liulingyuan@shanghai-upg.com)



**LQHY-210T CNC Control High speed oblique march system**

**1.Quotation:**

LQHY-210T USD/unit (FOB SHANGHAI)

**2.Terms of Payment:**

30% deposit by T/T when confirming the order  
70% balance by T/T before shipping.

**3.Performance of the machine:**

LQHY 210T This machine is digitally controlled by PLC computerize system. The movement is driven by servo motor. Printing setup via operation display with maximum length up to 500mm. The photo sensor tracking system allows repeat printing for front and reverse sides of the label. It achieves accurate registration for repeat printing within 0.1 mm tolerance.

- 1)Photo Sensor:Model:SICK
- 2)Digital AC servo motor&driver.Model:MSDA 082AIG.750W.Panasonic Japan .
- 3)Low backlashplanetary gearboxes Mode:PLF-80 Germany NEUGART.
- 4)PLC ( Programmable controller) Model:FUJINWOP20T-31.Japan Fuji Electric FA components & systems CO.,LTD
- 5)POD ( Fuji programmable Operation Display) Model:UG221 H-LE4 Japan Fuji.
- 6)Transistor inverter.Fuji Japan.Model:2.2KW/FRN 2.2G11S-4cx
- 7)Relay Contactor.Variabk Resister Germany Schneider
- 8)Beering IKO.NSK.NACHI

**4.Specifications:**

Model	LQHY-210T
Chase Dimension (mm)	200 * 300

Chase Dimension	1 color	(mm)	200 * 300
	2 color	(mm)	200 * 145
	3 color	(mm)	200 * 90
	4 color	(mm)	200 * 65
Max Paper Width(mm)			220
Max Hot-Stamping Area(mm)			200 * 140
Max Die-Cutting Dimension			200 * 210
Printing Speed(sheet/min)			50 *200
Machine Size (L*W * H)(mm)			1980 * 1200 * 1650
Machine Weight	Net Weight (kgs)		2300
	Gross Weight(kgs)		2600
Measurement(CBM)			7
Power & Motor			3.6 KW/—380V
Hot-Stamping Heater			0.75 KW/-220V