



Shenzhen YSD Electronics Co.,Ltd

Address:Second Floor of Third Building,Wanyan Industrial City,Qiaotou Community,Fuyong Street,
Bao'an District,Shenzhen,Guangdong,China

Moble/Wechat/WhatsApp : +86 13509668795 Email:sales2@sztzhdz.com Ms.Lily

Quotation




Model	Product Picture	Unit Price (USD)	Specification	Feature	Packing information
8806H (120W)		US\$38.00	Output Power: 15W*4+60W S/N Ratio:≥72dB Loud speaker: 2"*4 , 4Ω Subwoofer: 6.5"*1,4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ 50/60Hz DC24V	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller Accessories : Line in cable , DC charger, User manual,remote	Soundbar Size: L900*83*62MM Subwoofer Size: 170*306*380MM Color box size one:945*136*107MM Color box size one:419*222*392MM CTN SIZE one:955*287*238MM/0.06523 CTN SIZE two:916*433*407MM /0.1614 G.W : 10.5kgs+22.2kgs PCS/CTN: each 4pcs/ctn 20H : 494 pcs 40QH:1165 pcs
8806H Wireless (120W)		US\$45.50	Output Power: 15W*4+60W S/N Ratio:≥72dB Loud speaker: 2"*4 , 4Ω Subwoofer: 6.5"*1,4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ 50/60Hz DC24V	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller 7,Wireless subwoofer Accessories : Line in cable , DC charger, User manual,remote	Soundbar Size: L900*83*62MM Subwoofer Size: 170*306*380MM one Color box CTN SIZE :996*240*560MM/0.1338 G.W : 26kgs PCS/CTN: 2pcs/ctn 20H : 420 pcs 40QH:986 pcs
8807H (60W)		US\$30.00	Output Power: 15W*2+30W S/N Ratio:≥72dB Bar speaker: 2"*2 , 4Ω Subwoofer: 4"*1,4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ 50/60Hz DC18V 2.5A	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller Accessories : Line in cable , DC charger, User manual,remote	Soundbar Size: 800*60*60MM Subwoofer Size: 150*220*320MM Color box size bar:905*136*107MM Color box size woofer:370*190*272MM CTN SIZE one:915X287X345mm/0.09059 CTN SIZE two:1160*390*290MM/0.1311 G.W : 15.2kgs+17.5kgs PCS/CTN: each 6pcs/ctn 20H : 758 pcs 40QH:1787 pcs

Shenzhen YSD Electronics Co.,Ltd

Address:Second Floor of Third Building,Wanyan Industrial City,Qiaotou Community,Fuyong Street,
Bao'an District,Shenzhen,Guangdong,China

Moble/Wechat/WhatsApp : +86 13509668795 Email:sales2@sztzhdz.com Ms.Lily

Quotation




Model	Product Picture	Unit Price (USD)	Specification	Feature	Packing information
8807H (120W)		US\$37.50	Output Power: 15W*4+60W S/N Ratio:≥72dB Loud speaker: 2"*4 , 4Ω Subwoofer: 6.5"*1,4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ 50/60Hz DC24V 4A	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller Accessories : Line in cable , DC charger, User manual,remote	Soundbar Size: 900*60*60MM Subwoofer Size: 170*306*380MM Color box size bar:945*136*107MM Color box size woofer:419*222*392MM CTN SIZE one:955*287*238MM/0.06523 CTN SIZE two:916*433*407MM /0.1614 G.W : 10.5kgs+22.2kgs PCS/CTN: each 4pcs/ctn 20H : 494 pcs 40QH:1165 pcs
8807H Wireless (60W)		US\$38.50	Output Power: 15W*2+30W S/N Ratio:≥72dB Bar speaker: 2"*2 , 4Ω Subwoofer: 4"*1,4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ 50/60Hz DC18V 2A	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller 7,Wireless subwoofer Accessories : Line in cable , DC charger, User manual,remote	Soundbar Size: 800*60*60MM Subwoofer Size: 150*220*320MM One color box CTN SIZE: 920*190*475MM/0.083 G.W : 24.5kgs PCS/CTN: 2pcs/ctn 20H : 674 pcs 40QH:1590 pcs
8807H Wireless (120W)		US\$44.50	Output Power: 15W*4+60W S/N Ratio:≥72dB Loud speaker: 2"*4 , 4Ω Subwoofer: 6.5"*1,4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ 50/60Hz DC24V 2A	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller 7,Wireless subwoofer Accessories : Line in cable , DC charger, User manual,remote	Soundbar Size: 900*60*60MM Subwoofer Size: 170*306*380MM one Color box CTN SIZE :996*240*560MM/0.1338 G.W : 26kgs PCS/CTN: 2pcs/ctn 20H : 420 pcs 40QH:986 pcs

Shenzhen YSD Electronics Co.,Ltd

Address:Second Floor of Third Building,Wanyan Industrial City,Qiaotou Community,Fuyong Street,
 Bao'an District,Shenzhen,Guangdong,China

Moble/Wechat/WhatsApp : +86 13509668795 Email:sales2@sztzhdz.com Ms.Lily

Quotation




Model	Product Picture	Unit Price (USD)	Specification	Feature	Packing information
8808H (80W)		US\$34.50	Output Power: 20W*2+40W S/N Ratio:≥72dB Bar speaker: 2.25"*2 , 4Ω Subwoofer: 5.25"*1,4 Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V AC power	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller Accessories : Line in cable , AC charger, User manual,remote	Bar size:920*83*66MM Subwoofer:120*250*420MM Color box size bar:956X107X136MM Color box size woofer:475X170X295MM CTN SIZE one:966*287*345MM/0.09564 CTN SIZE two:1042*323*489MM/0.1645 G.W : 16.0kgs+26.8kgs PCS/CTN:6PCS 20H : 645pcs 40H : 1290pcs 40QH:1520pcs
8808H (120W)		US\$38.00	Output Power: 15W*4+60W S/N Ratio:≥72dB Loud speaker: 2.25"*4 , 4Ω Subwoofer: 6.5"*1,4 Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V AC POWER	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller Accessories : Line in cable , AC charger, User manual,remote	Soundbar Size: 920*83*66MM Subwoofer Size: 170*306*380MM Color box size bar:956X107X136MM Color box size woofer:419*222*392MM CTN SIZE one:966*287*238MM/0.06598 CTN SIZE two:916*433*407MM /0.1614 G.W : 11kgs+22.2kgs PCS/CTN: each 4pcs/ctn 20H : 492 pcs 40QH:1165 pcs
8808H wireless (80W)		US\$42.00	Output Power: 20W*2+40W S/N Ratio:≥72dB Bar speaker: 2.25"*2 , 4Ω Subwoofer: 5.25"*1,4 Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ AC power	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller 7,Wireless subwoofer Accessories : Line in cable , AC charger, User manual,remote	Soundbar Size: L920*83*66MM Subwoofer Size: 120*250*420MM one Color box CTN SIZE :985X188X505MM/0.09351 G.W : 24.5kgs PCS/CTN: 2pcs/ctn 20H : 600 pcs 40QH:1411 pcs

Shenzhen YSD Electronics Co.,Ltd

Address:Second Floor of Third Building,Wanyan Industrial City,Qiaotou Community,Fuyong Street,
Bao'an District,Shenzhen,Guangdong,China

Moble/Wechat/WhatsApp : +86 13509668795 Email:sales2@sztzhdz.com Ms.Lily

Quotation




Model	Product Picture	Unit Price (USD)	Specification	Feature	Packing information
8808H wireless (120W)		US\$45.50	Output Power: 15W*4+60W S/N Ratio:≥72dB Loud speaker: 2.25"*4 , 4Ω Subwoofer: 6.5"*1,4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ AC power	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller 7,Wireless subwoofer Accessories : Line in cable , AC charger, User manual,remote	Soundbar Size: L920*83*66MM Subwoofer Size: 170*306*380MM one Color box CTN SIZE :996*240*560MM/0.1338 G.W : 26kgs PCS/CTN: 2pcs/ctn 20H : 420 pcs 40QH:986 pcs
8809H (120W)		US\$38.50	Output Power: 30W*2+60W S/N Ratio:≥72dB Loud speaker: 2"*2 , 4Ω Subwoofer: 6.5"*1,4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ AC power	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller Accessories : Line in cable , DC charger, User manual,remote	Soundbar Size: 900*67*60MM Subwoofer Size: 170*306*380MM Color box size bar:945*136*107MM Color box size woofer:419*222*392MM CTN SIZE one:966*287*238MM/0.06598 CTN SIZE two:916*433*407MM /0.1614 G.W : 11kgs+22.2kgs PCS/CTN: each 4pcs/ctn 20H : 492 pcs 40QH:1165 pcs
8809H wireless (60W)		US\$40.00	Output Power: 15W*2+30W S/N Ratio:≥72dB Bar speaker: 2"*2 , 4Ω Subwoofer: 4"*1,4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ AC power	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller 7,Wireless subwoofer Accessories : Line in cable , DC charger, User manual,remote	Soundbar Size:900*67*60MM Subwoofer Size: 150*220*320MM One color box CTN SIZE: 920*190*475MM/0.083 G.W : 24.5kgs PCS/CTN: 2pcs/ctn 20H : 674 pcs 40QH:1590 pcs

Shenzhen YSD Electronics Co.,Ltd

Address:Second Floor of Third Building,Wanyan Industrial City,Qiaotou Community,Fuyong Street,
Ba'o'an District,Shenzhen,Guangdong,China

Moble/Wechat/WhatsApp : +86 13509668795 Email:sales2@sztzhdz.com Ms.Lily

Quotation

Model	Product Picture	Unit Price (USD)	Specification	Feature	Packing information
8809H wireless (120W)		US\$44.50	Output Power: 15W*4+60W S/N Ratio:≥72dB Loud speaker: 2"*4 , 4Ω Subwoofer: 6.5"*1,4 Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ AC power	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller 7,Wireless subwoofer Accessories : Line in cable , DC charger, User manual,remote	Soundbar Size: 900*67*60MM Subwoofer Size: 170*306*380MM one Color box CTN SIZE :996*240*560MM/0.1338 G.W : 26kgs PCS/CTN: 2pcs/ctn 20H : 420 pcs 40QH:986 pcs
8811H Wireless (140W)		US\$52.00	Output Power: 70W +70W S/N Ratio:≥72dB Bar speaker: 2.25"*4 , 4Ω Subwoofer: 8"*1,4 Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ AC power	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller 7,Wireless subwoofer Accessories : Line in cable , DC charger, User manual,remote	product size:915*59*108MM Subwoofer:260×260×300MM one color box:956*313*414MM/0.1238 G.W : 18.5kgs PCS/CTN:1PCS 20H : 226pcs 40H : 450pcs 40QH:533pcs
8818H Wireless (120W)		US\$45.50	Output Power: 15W*4+60W S/N Ratio:≥72dB Loud speaker: 2.25"*4 , 4Ω Subwoofer: 6.5"*1,4 Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ AC power	1,Audio Output: 2.1CH, 2,AUX ,USB , ARC/HDMI,Optical input 3,Wireless Bluetooth 5.0 connection, 4,LED display 5,Plastic case,Digital Amplifier with DSP inside 6,Remote controller 7,Wireless subwoofer Accessories : Line in cable , AC charger, User manual,remote	Soundbar Size: L920*76*66MM Subwoofer Size: 170*306*380MM one Color box CTN SIZE :996*240*560MM/0.1338 G.W : 26kgs PCS/CTN: 2pcs/ctn 20H : 420 pcs 40QH:986 pcs

Note: MOQ :1000pcs

1) Above prices are FOB shenzhen for whole container

2) Payment: T/T 30% Deposit for order confirmation,70% balance before shipment.

3)Leadtime: 45~50 days after received your deposit .