

Spirally Welded Steel Pipe Dimention and Weight(KG/M)

OD(Φ) mm	Wall Thickness(mm)											
	5	6	7	8	9	10	11	12	14	16	18	20
600	73.37 kg/m	87.89	102.37	116.80	131.17	145.50	159.78	174.01	202.32	230.44	258.35	286.07
610	74.60	89.37	104.10	118.77	133.39	147.97	162.49	176.97	205.78	234.38	262.79	291.01
630	77.07	92.33	107.55	122.72	137.83	152.90	167.92	182.89	212.68	242.27	271.67	300.87
660	80.77	96.77	112.73	128.63	144.49	160.30	176.06	191.77	223.04	254.11	284.99	315.67
711	87.06	104.32	121.53	138.70	155.81	172.88	189.89	206.86	240.65	274.24	307.63	340.82
720	88.16	105.65	123.09	140.47	157.81	175.10	192.34	209.52	243.75	277.79	311.62	345.26
760	93.10	111.57	129.99	148.36	166.69	184.96	203.19	221.36	257.56	293.57	329.38	364.99
800	98.03	117.49	136.90	156.26	175.57	194.83	214.04	233.20	271.38	309.35	347.14	384.72
810	99.26	118.97	138.62	158.23	177.78	197.29	216.75	236.16	274.83	313.30	351.57	389.65
864	105.92	126.96	147.94	168.88	189.77	210.61	231.40	252.14	293.47	334.61	375.55	416.29
900	110.36	132.28	154.16	175.98	197.76	219.49	241.16	262.79	305.90	348.81	391.53	434.04
914	112.09	134.36	156.58	178.75	200.87	222.94	244.96	266.94	310.73	354.34	397.74	440.95
1000	122.69	147.08	171.42	195.71	219.96	244.15	268.29	292.39	340.43	388.27	435.92	483.37
.....
2020
Caculat weight	(OD-wall thickness)*wall thickness x 0.0246615=KG/M											
	600x5mm for example, (600-5)*5*0.0246615=73.37KG/M											