

Group Brands





◆ Features:

The appearance model	T100
CPU	Supports Intel 6th, 7th
Memory Type	DDR3 1333MHz / DDR4
Memory	2G/4G/8G
Storage	16G/32G/64G/128G/256G
Power/power consumption	DC 12V 5A/ 60W
Graphics Chip	Intel integrated graphics card
System	Windows7/8.1/10 & Linux
WIFI	Optional
I/O Ports	DC*1, HDMI*1, VGA*1, USB2.0*2, USB3.0*4, RJ45*1, AUTO*2
Function	Support call boot, network start
Display	800*600, 1027*768, 1280*720, 1366*768, 1440*900, 1600*900, 1920*1080
Cooling System	With Fan
VESA	Support
Size	196mm*185mm*40mm
Color	Black
Material	Iron+ABS



◆ Features:

The appearance model	T100M
CPU	Support Intel J1900/J1800/N2840
Memory Type	DDR4
Memory	Max support 8G, N5095 Max support16G
Storage	M.2 (N5095 M.2)
Power/power consumption	DC 12V 3A / 36W DC 12V 5A/ 60W (alternative)
Graphics Chip	Intel integrated graphics card
System	Windows7/8.1/10 & Linux
WIFI	Optional
I/O Ports	1*DC2.5, 1*HDMI, 1*DP, 1*VGA, 4*USB3.0, 2*USB2.0, 1*Type-C, 1*RJ45, 1*SPK, 1*MIC
Function	Support call boot, network start
Display	800*600, 1027*768, 1280*720, 1366*768, 1440*900, 1600*900, 1920*1080
Cooling System	With Fan
VESA	Support
Size	148*136*30mm
Color	Black/Silver
Material	Plastic/Aluminium alloy



◆ Features:

The appearance model	SD
CPU	Support Intel Celeron/pentium/J1900/J1800/3867U/Core i3/i5/i7
Memory Type	DDR3L/LPDDR4
Memory	4GB/8GB/16GB
Storage	32GB/64GB/128GB/256GB
Power/power consumption	DC 12V 3A / 36W DC 12V 5A/ 60W (alternative)
Graphics Chip	Intel integrated graphics card
System	Windows7/8.1/10 & Linux
WIFI	Optional
I/O Ports	DC*1, HDMI*1, VGA*1,USB3.0*2, USB2.0*4,RJ45*1,AUDIO or DC*1, HDMI*1, VGA*1,USB3.0*4, USB2.0*2,RJ45*1,AUDIO
Function	Support call boot, network start
Display	800*600, 1027*768, 1280*720, 1366*768, 1440*900, 1600*900, 1920*1080
Cooling System	Fan cooling
VESA	Support
Size	176MM*186MM*28MM
Color	Black/Silver
Material	Aluminium alloy/Plastic