



Vinyl insulated ring terminals




Item No.	Color	D	L	Pcs/bag	Wire range
SG57600	red	3.2	16.7	1000	22 - 16 AWG 0.5 - 1.5 mm ²
SG57603	red	4.3	21.0	1000	
SG57604	red	5.3	21.0	1000	
SG57608	blue	4.3	22.0	1000	16 - 14 AWG 1.5 - 2.5 mm ²
SG57609	blue	5.3	21.8	1000	
SG57610	blue	6.5	27.0	1000	
SG57611	blue	8.4	27.0	1000	12 - 10 AWG 4.0 - 6.0 mm ²
SG57613	yellow	4.3	25.5	500	
SG57614	yellow	5.3	25.5	500	
SG57615	yellow	6.5	29.0	500	
SG57616	yellow	8.4	33.7	500	
SG57617	yellow	10.5	33.7	500	

Vinyl insulated spade terminals




Item No.	Color	D	L	Pcs/bag	Wire range
SG57621	red	3.7	20.6	1000	22-16 AWG 0.5-1.5 mm ²
SG57622	red	4.3	21.0	1000	
SG57625	red	5.3	21.0	1000	
SG57627	blue	3.7	21.0	1000	16-14 AWG 1.5-2.5 mm ²
SG57628	blue	4.3	21.2	1000	
SG57631	blue	5.3	22.0	1000	
SG57632	blue	6.5	22.0	1000	12-10 AWG 4.0-6.0 mm ²
SG57633	yellow	4.3	25.2	500	
SG57634	yellow	5.3	25.2	500	

Vinyl insulated male disconnects




Item No.	Color	W x T x L	Pcs/bag	Wire range
SG57641	red	2.8 x 0.5 x 19.2	1000	22-16 AWG
SG57642	blue	4.8 x 0.5 x 19.2	1000	16-14 AWG
SG57643	yellow	6.4 x 0.8 x 23.2	500	12-10 AWG

Vinyl insulated female disconnects




Item No.	Color	W x T x L	Pcs/bag	Wire range
SG57644	red	3.2 x 0.5 x 18.5	1000	22-16 AWG
SG57648	blue	5.0 x 0.5 x 19.0	1000	16-14 AWG
SG57650	yellow	6.6 x 0.8 x 23.5	500	12-10 AWG

Vinyl insulated butt connectors




Item No.	Color	D	L	Pcs/bag	Wire range
SG57661	red	4.1	26.0	1000	22-16 AWG
SG57662	blue	4.5	26.0	1000	16-14 AWG
SG57663	yellow	6.5	26.0	500	12-10 AWG

Piggy back disconnects




Item No.	Color	W x T x L	Pcs/bag	Wire range
SG57671	red	6.4 x 0.8 x 22.0	1000	22-16 AWG
SG57672	blue	6.4 x 0.8 x 22.0	1000	16-14 AWG
SG57673	yellow	6.4 x 0.8 x 23.5	500	12-10 AWG

Vinyl insulated bullet male



Item No.	Color	D	L	Pcs/bag	Wire range
SG57681	red	4.0	21.0	1000	22-16 AWG
SG57682	blue	5.0	21.0	1000	16-14 AWG
SG57683	yellow	5.0	23.0	500	12-10 AWG

Vinyl insulated bullet female




Item No.	Color	D	L	Pcs/bag	Wire range
SG57685	red	4.0	23.0	1000	22-16 AWG
SG57686	blue	5.0	25.0	1000	16-14 AWG
SG57687	yellow	5.0	25.0	500	12-10 AWG

Nylon cord end terminals


SG57701 x

F : french color
G : german color
D : din color
Item No.




Item No.	French color	German color	Din color	Pcs/bag	L	C	D	Wire mm2
SG57701	violet	light blue		1000	8	0.8	1.1	0.25
SG57703	pink	turquoise		1000	8	0.8	1.1	0.34
SG57705	white	orange	white	1000	8	1.0	1.3	0.5
SG57707	blue	white	gray	1000	8	1.2	1.5	0.75
SG57710	red	yellow	red	1000	8	1.4	1.7	1.0
SG57712	black	red	black	1000	8	1.7	2.0	1.5
SG57715	gray	blue	blue	1000	8	2.3	2.6	2.5
SG57719	orange	gray	gray	1000	12	2.8	3.2	4.0
SG57721	green	black	yellow	1000	12	3.5	3.9	6.0
SG57723	brown	ivory	red	1000	12	4.5	4.9	10.0
SG57725	ivory	green	blue	1000	12	5.8	6.2	16.0
SG57727	black	brown	yellow	1000	16	7.5	7.9	25.0

Nylon twin cord end terminals




Item No.	Color	Pcs/bag	L	C	D	D2	D3
SG57731	white	1000	8	1.5	1.8	3.6	5.6
SG57732	gray	1000	8	1.8	2.1	3.5	6.2
SG57733	red	1000	8	2.0	2.3	4.0	6.0
SG57734	gray	1000	10	1.8	2.1	3.5	6.2
SG57735	red	1000	10	2.0	2.3	4.0	6.0

Fully nylon insulated male disconnects





Item No.	Color	W x T x L	Pcs/bag	Wire range
SG57741	red	6.3 x 0.8 x 24.5	500	22-16 AWG
SG57742	blue	6.3 x 0.8 x 24.5	500	16-14 AWG
SG57743	yellow	6.3 x 0.8 x 24.5	500	12-10 AWG

Fully nylon insulated female disconnects





Item No.	Color	W x T x L	Pcs/bag	Wire range
SG57744	red	7.4 x 0.45 x 23.2	1000	22-16 AWG
SG57748	blue	7.4 x 0.45 x 22.0	1000	16-14 AWG
SG57750	yellow	7.4 x 0.45 x 23.2	500	12-10 AWG

Fully nylon insulated flared butt connectors





Item No.	Color	D	L	Pcs/bag	Wire range
SG57761	red	1.7	24.2	1000	22-16 AWG
SG57762	blue	2.3	24.2	1000	16-14 AWG
SG57763	yellow	3.4	28.2	1000	12-10 AWG

Vinyl pin terminals





Item No.	Color	D	F	L	Pcs/bag	Wire range
SG57771	red	1.9	12	22.0	1000	22-16 AWG
SG57772	blue	1.9	12	22.0	1000	16-14 AWG
SG57773	yellow	2.8	13	25.5	1000	12-10 AWG

Stripping quick splice




Item No.	Color	W	L	Pcs/bag	Wire range
SG57781	red	20.0	22.0	500	22-18 AWG
SG57782	blue	20.0	24.0	500	16-14 AWG
SG57783	yellow	21.0	32.0	200	12-10 AWG

Flag female disconnects




Item No.	Color	W	L	Pcs/bag	Wire range
SG57785	red	7.6	16	1000	22-16 AWG
SG57786	blue	7.6	16	1000	16-14 AWG

Non-insulated ring terminals




Item No.	D	T	L	Pcs/bag	Wire range
SG57800	3.2	0.4	12.3	1000	22 - 16 AWG 0.3 - 1.4 mm ²
SG57801	4.3	0.4	16.0	1000	
SG57802	5.4	0.4	19.1	5000	

Non-insulated spade terminals




Item No.	D	T	L	Pcs/bag	Wire range
SG57811	3.2	0.5	17.0	7500	22 - 16 AWG 0.3 - 1.4 mm ²
SG57812	3.7	0.5	17.3	7500	
SG57813	4.3	0.5	18.5	5000	

Non-insulated male disconnects




Item No.	W x T x L	Pcs/bag	Wire range
SG57821	2.8 x 0.5 x 16.0	10000	20-16 AWG
SG57822	4.9 x 0.5 x 17.2	10000	22-18 AWG
SG57823	6.3 x 0.8 x 20.0	1000	16-14 AWG

Non-insulated female disconnects




Item No.	W x T x L	Pcs/bag	Wire range
SG57831	3.2 x 0.5 x 16.0	1000	22-18 AWG
SG57832	5.0 x 0.5 x 15.5	1000	22-18 AWG
SG57833	6.6 x 0.8 x 19.0	1000	16-14 AWG

Male faston terminals




Item No.	W x T x L	Pcs/bag
SG57841	2.80 x 0.5 x 13.8	1000
SG57842	4.75 x 0.5 x 13.3	1000
SG57843	6.35 x 0.8 x 14.0	1000

Male faston terminals




Item No.	W x T x L	Pcs/bag
SG57851	2.80 x 0.5 x 7.1	1000
SG57852	4.75 x 0.5 x 10.9	1000
SG57853	6.35 x 0.8 x 11.6	1000

Male faston terminals



Item No.	W x T x L	Pcs/bag
SG57857	4.75 x 0.5 x 15.5	1000
SG57858	6.35 x 0.8 x 17.5	1000

Male faston terminals



Item No.	W x T x L	Pcs/bag
SG57871	6.35 x 0.8 x 26.5	1000