



$1/3$

Name:	EMI FILTER	Part No.:	
WK MODEL:	YB11C9-10A-Q	Customer P/N :	



1. PART NUMBER: YB11C9-10A-Q

2. PHYSICAL DIMENSIONS:

SUGGESTED PANEL CUTOUT
(MOUNTING FROM FRONT)



0 ~ 10	±0.3
10 ~ 100	±0.5
100 ~ 150	±0.8
150 ~ 200	±1.0

Drawing by	Checked by	Approved by	Ordering No.	Unit		Dimension Limit	Tolerance
			YB11C9-10A-Q	mm	Rev.		
					2018-12-24		

SPECIFICATION FOR APPROVAL


2/3

Name:	EMI FILTER	Part No.:	
WK MODEL:	YB11C9-10A-Q	Customer P/N :	

3. CHARACTERISTICS:

- (1) VOLTAGE RATING.....115/250VAC
- (2) CURRENT RATING:
- A. @ 115VAC.....10A RMS Max.
- B. @ 250VAC.....10A RMS Max.
- (3) OPERATING FREQUENCY: 50/60Hz
- (4) LEAKAGE CURRENT: EACH LINE TO GROUND
- A. @ 115VAC/60Hz.....0.4mA Max.
- B. @ 250VAC/50Hz.....0.8mA Max.
- (5) HIPOT RATING(FOR ONE MINUTE)
- A. LINE TO GROUND.....2250VAC
- B. LINE TO LINE.....1450VDC
- (6) IR: 100M ohm AT 250VDC ANY INPUT OR OUTPUT TO GROUND
- (7) TEMPERATURE RANGE: -25°C~+85°C

4. ELECTRICAL SCHEMATIC:



L:2x0.3mH
Cx:0.1uF(X2)
Cy:3300pF(Y2)

5. SAFETY COMPLIANCE:

TUV :B141289931001
CE :2011NT0616551


Drawing by	Checked by	Approved by	Ordering No.	Unit	Rev.	
工程部 2018.12.24 莫秋香	工程部 2018.12.25 王官九		YB11C9-10A-Q	mm		
						2018-12-24

SPECIFICATION FOR APPROVAL

3/3

Name:	EMI FILTER	Part No.:	
WK MODEL:	YB11C9-10A-Q	Customer P/N :	

6.Label:



Drawing by	Checked by	Approved by	Ordering No.	Unit	Rev.	
工程部 2018.12.24 莫秋香	工程部 2018.12.25 王官九		YB11C9-10A-Q	mm		
					2018-12-24	