

Product specification

1- Name: Super Resolution Multimedia projector

2- Model: M19

3- Application: 1-home theatre 2-KTV 3-Video,Image Presentation

4- Product Image:



5- specification

Model	M19	Color	White(customized)
Projection Tech.	LCD	Resolution	1920x1080P
Max.Support Resolution	4K	Lamp	LED
Life of LED	30000h	Color gamut	16.7M
Light uniformity	70%	Aspect ratio	4:3/16:9/Auto Zoom
Contrast ratio	1000: 1	Optimal projection distance	2.6m/80 inch

Projection distance	1.7-9.2m	Projection mode	Front/Rear/Hoisting
Image size	50-300inch	Support 3D	No
Auto Keystone	±50°	Cable Screen Mirroring	Optional
Input interface	USB/HDMI/SD/AV/ VGA	Audio output	3.5 headphone
File	TXT	Language	23
Remote control	IR	Power consumption	150W
Projection ratio	1.35	Loudspeaker	5W
screw nut	M4	Current value	0.5A
Voltage	AC 100~240V	Height adjustment	NUC 1/4
Dust Proof Net	Yes	Brightness	ANSI 260-400 lm
Weight	2.7kg	Product Size	232*313*104mm
Grass Weight	3.62kg	Box size	367*345*150mm
*.txt	max 1MB	Shipment package size	62*38.2*36.5cm/4pcs
*.jpg	Basic ‘Base-line’	Max.	8192X8192
	progressive	Max.	1280X800
*.png	Non-interlace	Max.	9600X6400
	interlace	Max.	1280X800
*.bmp		Max.	9600X6400
*.gif		Max.	9600X6400
*.avi	MPEG1/2/4 Max. support to1080P@30fps max:20Mbps		
*.mkv	H.263 Max. support to 1080P@30fps,max:20Mbps		
*.mp4	H.264 Max. support to 1080P@30fps,max:20Mbps		
*.mov	AVS Max. support to 1080P@30fps.max:20Mbps		
.mpg.mpeg	AVS Max. support to 1080P@30fps.max:20Mbps		
*.ts*tp*m2ts	AVS Max. support to 1080P@30fps.max:20Mbps		
.dat.vob	AVS Max. support to 1080P@30fps.max:20Mbps		
Certificate	CE FCC ROCH WEEE PSE		
Package content	Manual/Power cable/Remote control/AV cable/HDMI cable		
Manual	English、 German、 Italian、 Japanese、 Spanish、 Russian、 French		
Power cable	US、 European、 British、 Japanese		
Dolby、 AC3/DTS should pay			

6- Working temperature

- 1) Environment Temperature: 0℃~35℃
- 2) Relative humidity: 45~90%

7- Shipment and Storage

- 1) Shipment package size: 62*38.2*36.5cm

Weight: 14Kg

number: 4PCS

- 2) note

The same as other electronics products , Avoid collisions and rain and snow during transportation; it is strictly forbidden to store in the same warehouse with chemicals and wet items.