

Smart Industrial Tablet Z200

Specifications

OS	Android 9.0	Android 11 (2.0Ghz)
Processor	ARM Cortex A53 Quad-core1.4GHz	Cortex-A53 Octa-core 2.0Ghz
Memory	16GB ROM+2GB RAM	64G ROM+4G RAM
Ex-Storage	Micro SD (Up to 64GB)	
Display	8.0 inch IPS 1280x800pixs	
Camera	Front: AF 2.0M Pixels autofocus with LED flash light Back::AF 5.0M Pixels autofocus with LED flash light	
Touch Panel	Industrial-grade capacitive touch panel	
Keypad	Power button, volume button	
Notification	Vibrator/LED/Speaker	
Battery	3.7v 10000mAh rechargeable lithium polymer battery(removable)	
Charging Port	DC5V 3A	
Audio	Built-in microphone	
Sensor	G-sensor	
Interface	Micro USB/Extend Serial Port	
Structural Parameters		
Dimensions(L*W*D)	260*117*32mm	
Weight	1.05kg(battery included)	
Communication Transmission		
Mobile Network	3G: WCDMA:850/900/1900/2100MHz CDMA/EVDO 800MHz GSM: 850/900/1800/1900MHz 4G: LTE-FDD:B1/B3/B7/B8/B28 LTE-TDD:B38/B39/B40/B41	
Wi-Fi	IEEE 802.11 b/g/n	
Bluetooth	Bluetooth 4.0	
GPS	Support GPS/AGPS	
Operating Environment		
Develop Tools	Android SDK + JDK + Eclipse	
P-Language	Java	
Operating Temp	-10°~ 50°C	
Storage Temp	-20°~ 70°C	

Humidity	0 ~ 95% (non-condensing)
Sealing	IP67
NFC	
Protocol	ISO/IEC 14443A/B,ISO15693
Frequency	13.56MHz
Card type	Type1-4Tag/Mifare/Felica
Fingerprint(Optional)	
Sensor	Optical Biometric
Certified	FBI
Resolution	500dpi
Capture Area	0.8"(H) x 1"(W)
UHF RFID(Optional)	
Frequency	902MHz-928MHz、865MHz-868MHz(optional)
Protocol	EPC global UHF Class 1 Gen 2/ISO 18000-6C
Capture Range	1-2m
Output Power	18-26dBm

Picture

