

Shenzhen HLXT Technology Co.,Ltd

Shenzhen Orchid Electronic Technology Co.,Ltd

Add: FLOOR 2,Building E,Laowei Industrial Zone,Dalang South Road,Longhua

Street,Longhuadistrict,Shenzhen,China 518109

Contact: Candy Ho Skype: candice200601 E-mail: sales02@orchid-sibling.com

[Tel:0086-755-33564623](tel:0086-755-33564623) Mobile/WhatsApp/Wechat: 0086-13510123275

GT006 Brief Introducton Vehicle GPS Tracker





Parameters:

a.GSM band:850/900/1800/1900Mhz

b.GPRS:class12,TCP/IP

c.gsp chip:ublox7020

d.Working Current: $\approx 22\text{mA}$ (12V DC) $\approx 12\text{mA}$ (24V DC)

e.Working Voltage:9-50V DC

f.GPS locating time:cold start=38s

warm start=32s

hot start=2s

G.GPS precision:10m

h.Working Temperature:-20°C~+70°C

i.working humity:20%~80%RH

j.Meas:51*41*16mm

k.N.W:19g

Built in 350mA backup battery, standby 4 days,real time tracking 2days.

Functions:

GPS+AGPS+3LBS positioning function
Realtime positioning and tracking, tracking replaying
Position checking through texting or on computer service platform
Position checking via WeChat public account
App Query
Distant control via Android or Apple system on the cellular phone
Historical track
Power off alarm
Mileage statistics
Authorization alarm
Vibration alarm
Overspeed Alarm system
Group management
Geo-fence
ACC alarm (optional)
Power off alarm
Cut oil and circuit (optional)
Low battery alarm

Global positioning service platform:

Website:www.gps903.net.

Please scan the QR code to download the app to your smartphones if need.For

IOS phones,Please search the app by "GPSONE" ,Then download.

The demo:

imei:353506210015163

password:123456