

OUR PRODUCT

INDICATOR / SCREW TYPE

AD25 SERIES INDICATORS

Dia. 25mm Stainless Metal Indicators with LED Illumination, Concave, Flat, High & Tilted Round Heads

Big Size stainless metal indicators dia. 25mm
LED lighted with voltage specified for DC or AC
Various color selection
Solder terminals or screw-stud for easy installing
Concave, flat, high or tilted knobs

PDF Download

Get Information

Print this page

Home

Our Product

AD25 SERIES INDICATORS

AD25 SERIES INDICATORS



Zoom In

Products Search

Search



Feature

Features

Lamp Type: LED (AC & DC)

LED Rated Current: 15mA

Insulating Resistance: ≥1000MΩ

Dielectric Strength: 1000VAC

Operating Temperature: -20°C ~ +55°C

Lamp Life: 40,000 hours

Panel Thickness: 1-10mm

Protection Level: IP65

Nut Torque: 5-14Nm

Top Len Material: PC

M25 Bushing, Screw mounting


Good looking shape with concave, flat, high & tilted round heads

Specification



How to order

AD	25	S	C	10	R	12V
INSTALL SIZE	BUSHING MATERIAL	HEAD SHAPE	TERMINAL	LED COLOR	VOLTAGE	
25 25mm	S Stainless Steel	C Concave F Flat H High T Tilted	10 Screw Stud 2J Soldering	R Red G Green B Blue Y Amber W White	3V 6.3V 12V 24V 110V 220V	



Item





AD25SF-10B



AD25ST-2JR



AD25SH-10G



[BACK](#)



5F., No.10, Lane 218, Sec. 2, Zhongxing Rd., Xindian Dist., New Taipei City 23146, R. O. C.
Tel: +886-2-29161263 Fax: +886-2-29117574 canal@c-components.com.tw

©2009 Canal Components Inc. All Rights Reserved