

ALARM CABLE UNSHIELD



Structure	Material	Specification
Core No.	-	2~20
Conductor	TC/BC	22-24AWG
Insulation	PVC/PE	0.25mm Thickness
1st Shield	-	-
2nd Shield	-	-
Drain Wire	-	-
Jacket	PVC	0.5-0.7mm Thickness

C.S.Area (mm2)	construction Core*No./Dia.	Insulation Thickness (mm)	Overall Dia.(mm)
2*0.20	2*1*0.50	0.25	3.0
4*0.20	4*1*0.50		3.5
6*0.20	6*1*0.50		4.1
8*0.20	8*1*0.50		4.5
10*0.20	10*1*0.50		5.2
12*0.20	12*1*0.50		5.4
14*0.20	14*1*0.50		5.8
16*0.20	16*1*0.50		6.2
20*0.20	20*1*0.50		6.8
2*0.22	2*7*0.20	0.25	3.0
4*0.22	4*7*0.20		3.5
6*0.22	6*7*0.20		4.1
8*0.22	8*7*0.20		4.5
10*0.22	10*7*0.20		5.2
12*0.22	12*7*0.20		5.4
14*0.22	14*7*0.20		5.8
16*0.22	16*7*0.20		6.2
20*0.22	20*7*0.20		6.8

ALARM CABLE 1 SHIELD



Structure	Material	Specification
Core No.	-	2~20
Conductor	TC/BC	22-24AWG
Insulation	PVC/PE	0.25mm Thickness
1st Shield	Al Foil	100%
2nd Shield	-	-
Drain Wire	-	-
Jacket	PVC	0.5-0.7mm Thickness

C.S.Area (mm2)	construction Core*No./Dia.	Insulation Thickness (mm)	Overall Dia.(mm)
2*0.20	2*1*0.50	0.25	3.0
4*0.20	4*1*0.50		3.5
6*0.20	6*1*0.50		4.1
8*0.20	8*1*0.50		4.5
10*0.20	10*1*0.50		5.2
12*0.20	12*1*0.50		5.4
14*0.20	14*1*0.50		5.8
16*0.20	16*1*0.50		6.2
20*0.20	20*1*0.50		6.8
2*0.22	2*7*0.20	0.25	3.0
4*0.22	4*7*0.20		3.5
6*0.22	6*7*0.20		4.1
8*0.22	8*7*0.20		4.5
10*0.22	10*7*0.20		5.2
12*0.22	12*7*0.20		5.4
14*0.22	14*7*0.20		5.8
16*0.22	16*7*0.20		6.2
20*0.22	20*7*0.20		6.8

ALARM CABLE 2 SHIELD



Structure	Material	Specification
Core No.	-	2~20
Conductor	TC/BC	22-24AWG
Insulation	PVC/PE	0.25mm Thickness
1st Shield	Al Foil	100%
2nd Shield	TC/BC Braiding	90%
Drain Wire	TC/BC	0.5-0.8mm
Jacket	PVC	0.6-1.0mm Thickness

C.S.Area (mm ²)	construction Core*No./Dia.	Insulation Thickness (mm)	Overall Dia.(mm)
2*0.20	2*1*0.50	0.25	3.0
4*0.20	4*1*0.50		3.5
6*0.20	6*1*0.50		4.1
8*0.20	8*1*0.50		4.5
10*0.20	10*1*0.50		5.2
12*0.20	12*1*0.50		5.4
14*0.20	14*1*0.50		5.8
16*0.20	16*1*0.50		6.2
20*0.20	20*1*0.50		6.8
2*0.22	2*7*0.20	0.25	3.0
4*0.22	4*7*0.20		3.5
6*0.22	6*7*0.20		4.1
8*0.22	8*7*0.20		4.5
10*0.22	10*7*0.20		5.2
12*0.22	12*7*0.20		5.4
14*0.22	14*7*0.20		5.8
16*0.22	16*7*0.20		6.2
20*0.22	20*7*0.20		6.8