

GOLDENYAN, Yuan Yansi Technology Co., LTD Goldenyan Technology Co.Ltd			
product model	yys 642 Safety hammer	edition	V0
product description	An emergency escape safety tool	date	2023.8.16



authorized strength :		examine and verify:	
Distribution Department :	The mouth Marketing Department, mouth design department, mouth production department mouth quality department		

Change the resume		
edition	date	Version modification instructions

V0	2023. 08. 15	Preliminary edition specifications


<div><div>GOLDENYAN</div><div>Yuan Yansi Technology Co., LTD</div><div>Goldenyan Technology Co.Ltd</div></div>			
product model	yys 642 Safety hammer	edition	V0
product description	An emergency escape safety tool	date	2023.8.16

I. Overview:


1. This product specification defines the use characteristics and specifications of the safety hammer.

4. Certification: ROHS.


V. Size










<div>GOLDENYANYuan Yansi Technology Co., LTD</div> <div>Goldenyan Technology Co. Ltd</div>			
product model	sys 642 Safety hammer	edition	VO
product description	An emergency escape safety tool	date	2023.8.16
explosive view			










<div>GOLDENYANYuan Yansi Technology Co., LTD</div> <div>Goldenyan Technology Co.Ltd</div>			
product model	yys 642 Safety hammer	edition	V0
product description	An emergency escape safety tool	date	2023.8.16

Product color			
end product	silvery	1	

assembly			
name	material quality	quantity	
loam cake	PC / semi-permeable	1	
Hardware in the shell	Aluminum alloy / sandblasting 120 #	1	
lower cover	PC / semi-permeable	1	
Compressor	Black color / ABS + PC	1	
lampstand	Black color / ABS + PC	1	
Right cover	Black color / ABS + PC	1	
Left cover	Black color / ABS + PC	1	

Set of beer parts	POM + 1144 steel	1	
-------------------	------------------	---	---

razor blade	Stainless steel 420J2 / 24 hr salt spray	1		
Big spring	Carbon steel / nickel plated	1		
little spring	Carbon steel / nickel plated	1		
Round head self- attack screw	nickelage	2		
Black silicone ring	silica gel	3		
Silicone hanging rope	silica gel	1		
glass	glass	1		
3M glue	3M glue / 28X1.0	1		

--	--	--	--

<div><div>GOLDENYAN</div><div>Yuan Yansi Technology Co., LTD</div><div>Goldonyan Technology Co.Ltd</div></div>			
product model	yys 642 Safety hammer	edition	V0
product description	An emergency escape safety tool	date	2023.8.16

Vi. Product appearance inspection requirements and packaging:

- 1, each glue can not have batch front, mixed color, glue and top white, oil injection and other bad defects, water outlet treatment should be smooth.
- 2, the finished product packaging does not allow stains, damage, scratch, scratch, rupture, batch front, uneven and white, etc.
- 3. The finished product packaging must be printed completely, without damage, stains, fingerprints, etc., and the packing quantity shall meet the requirements.

Vii. Storage and working environment:

- 1. Storage conditions: the product shall be stored in a temperature (0-40℃) ventilated, dry, clean and no corrosive medium warehouse
- 2, working conditions: temperature: 0℃ -40℃, humidity: 85% RH.
- 3. Standard test conditions: temperature: 20 ± 3℃, humidity: 40% ~ 70% RH (constant temperature and humidity)