

3.5" 1080P / 4K 1080P  Bluetooth WiFi Android 12.0 Auto Keystone Auto Focus Full sealed optic engine		VOLTO SUN702 Android OS 9 Auto Focus Auto Side projection Fully sealed optic 	
Certification	CE, ROHS, FCC		
Display System	3.5" LCD fully sealed engine		
Native Chip Resolution	1920 x 1080 (FHD)		
support resolution	1920 x 1080 (FHD)		
Max Brightness	300 ANSI Lumens		
Light Source	LED >50,000hours		
Aspect Ratio	Native: 16:9 & 4:3		
Contrast	2000:1		
Built-In Speaker	5W		
CPU version	4X ARM Corex-A53@1.55GHz		
Screen Mirroring	Wirelessly connection Android and IOS devices		
Storage	1+32G (Android 12.0 version)		
Bluetooth/WIFI	2.4G+5G BT 5.0		
Lens			
Focus	Automatic/electric		
Keystone	Electron Trapezium ±45 Vertical/Horizontal+Auto Keystone		
Lens Type	LCD		
Projection Distance	1.4-6m		
Throw Ratio	1.25 : 1		
Projection Size	40" - 150"		
Expected Lamp Life	Medium Brightness: More than 50,000 Hours		
Input/Output Connectors/interface			
Inputs/Outputs 	1 x HDMI 1.4 / HD videos/Audio input		
	1 x Audio out 1/8" / 3.5 mm Mini Headphone Output		
	1 x AV-IN		
	1 x USB2.0 Type-A		
Remote Control	Bluetooth 2.4G remote control within 10m distance		
Supported Audio File Types	MPEG1/MPEG2/LPCM/MP3/WMA2/AAC/WAV		
Supported Photo File Types	JPEG/PNG/BMP		
Supported Video File Types	MPEG1/MPEG2/MPEG4/H.263/H.264/AVS/VC1/MJPEG/RV30/RV40/HE		
Supported Text File Types	Text (ANSI/UNICODE GB/UTF8)		
Supported Languages	> 23 kinds of languaes (English, French, Spanish, German,Italian, Polish, Romanian, Dutch, Portuguese, Chinese), can add any language for		
power charge			
Input voltage	100V-240V 50/60HZ		
Projector power	90W		
Noise	<35dB(test in 1M)		
Temperature control	use in 5-35°		
Packaging Info			
Projector Dimensions (W x H x D)	200*149*130(mm) 1.44KG		

产品规格书product specification	
产品名称 Product name	
产品特征 Product features	
外形参数 Overall Specification	外型尺寸 overall dimension
	净重量 Net Weight
投影参数 Projection Parameters	显示技术 display technique
	固有分辨率 Natural resolution
	屏幕比例 aspect ratio
	亮度平均值及均匀性 Luminance mean and uniformity
	白场色温 White color temperature
	工作噪声 Work Noise
	对比度FOFO Contrast FOFO
	色域色彩 Color Space
	镜头类型 Lens (type)
	投射比 Throw Ratio
	投影尺寸 Projector size
	投影距离 Throw Distance
	调焦方式 Focusing way
	梯形矫正 Optical keystone correction
	其他功能 Other Functions
接口参数 The interface parameters	主板接口 Main interface
	遥控器类型 Type of remote control
	遥控距离及角度 Remote distance and angle
光源 light source	光源类型 Type of Lamp-house
	光源亮度 Bulb Luminance
	光源寿命 Light Work Life
	系统方案 System solutions

系统参数 system parameter	主芯片 Master chip
	WIFI
	蓝牙 Bluetooth
	支持视频格式 Support for video format
	支持音频格式 Audio format support
	支持图片格式 Supports image format
	支持音效 Support audio
	多屏互动 AirSharing
	其他功能 Other Functions
电器规格 Electric Spec	整机工作功耗 Overall operating power consumption
	整机待机功耗 Standby power consumption
	工作电压 working voltage
包装参数 PACKING DATA	外包装尺寸 Size of the packing
	毛重 Gross weight
	包装清单packing list
制定：	

fication	
SKY-18	特点
350ANSI/2+32G	1. 高亮密闭光机，
	2. 自动对焦，自动梯形
235*211*105mm	3. 前置高清摄像头
2. 5KG	
LCD	5. AI远场语音, 冷唤醒（可选）
1920*1080	6. 三组风扇PWM控制
16:9	7. 无级音量
350LM / 65%	8. 2. 4G蓝牙遥控器
8000K	9. 8W喇叭
35DB	
1000:1	
/	
F110	
1. 35	
40" - 200"	
1. 5 - 4 M	
电动调焦/自动调焦	
自动梯形	
网口/高清前摄/AI语音（国内）	
AV/耳机/HDMI/USB/网口(选装)	
蓝牙2. 4G	
10米无角度	
LED	
13000 LM	
30000	
/	

MT9255/HI352	
双频2.4G 5G	
5.0	
MPEG1/MPEG2/MPEG4/H.263/H.264/ AVS/VC1/MJPEG/RV30/RV40/HEVC	
MPEG1/MPEG2/LPCM/MP3/WMA2/AAC/ WAV	
JPEG/PNG/BMP	
大功率功放	
安卓无线同屏、IOS无线同屏、支持投屏	
蓝牙音箱/AI语音（可选）	
92W±5W	
1W	
AC 110-240V	
275*240*155 (mm)	
3KG	
/	
审核：	

SUN709 和JAVODA E510一样的光机内
核 他们报价75美金 用的海思352芯片
我们的是MTK9269芯片
报价在72.9以上

亮度350-400ANSI左右
去印度7000多台 没有拷屏

