

**Product Picture**



|          |                     |
|----------|---------------------|
| Hardware | SOC                 |
|          | DDR                 |
|          | Flash               |
|          | GPS                 |
|          | WiFi                |
|          | LCD                 |
|          | G-Sensor            |
|          | Battery / Super Cap |
|          | SD Card             |
|          | Sensor              |

|                              |                                           |
|------------------------------|-------------------------------------------|
| <b>Front Camera</b>          | <b>AI ISP</b>                             |
|                              | <b>Lens Angle</b>                         |
|                              | <b>Lens stucture</b>                      |
|                              | <b>HDR/WDR</b>                            |
|                              | <b>Image resolution/Frame Rate/Format</b> |
| <b>Rear Camera<br/>21821</b> | <b>Sensor/Pixel</b>                       |
|                              | <b>Lens Angle</b>                         |
|                              | <b>Aperture</b>                           |
|                              | <b>Video/Frame Rate/Format</b>            |
|                              | <b>Cable</b>                              |
| <b>Software</b>              | <b>Audio Recording</b>                    |
|                              | <b>Parking Mode</b>                       |
|                              | <b>Emergency Video</b>                    |
|                              | <b>WIFI Connection</b>                    |
|                              | <b>GPS track view</b>                     |
|                              | <b>Others</b>                             |
|                              | <b>ADAS</b>                               |
|                              | <b>Ai functions</b>                       |
| <b>Product size</b>          | <b>Size</b>                               |
|                              | <b>Weight</b>                             |
| <b>Temperature</b>           | <b>Operating temperature</b>              |
|                              | <b>Storage temperature</b>                |
| <b>Accessories</b>           | <b>Car charger</b>                        |
|                              | <b>Car Mount</b>                          |
| <b>Certification</b>         | <b>Safety certification</b>               |

# 1015 SPEC SHEET

2023.1.10

| Selling Points                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ♦ <b>Sony Starvis IMX415 8MP 4K+1080P dual Dashcam with ultra low light performance</b>                                                                                          |
| ♦ Supports AI ISP CPU to shoot clear license plates in ultra low light environment                                                                                               |
| ♦ The device supports WIFI direct connection to the mobile phone, which allows the device to quickly connect to the mobile phone and view the recorder video on the mobile phone |
| ♦ Support GPS, you can view the driving track on the mobile phone and computer                                                                                                   |
| ♦ Support recording function, ON/OFF.                                                                                                                                            |
| ♦ Support automatic emergency recording function                                                                                                                                 |
| ♦ Support manual emergency recording function                                                                                                                                    |
| ♦ Support photo shooting                                                                                                                                                         |
| ♦ Support normal video, emergency video, parking video, and sub-folder storage, without overlapping coverage.                                                                    |
| Product Features                                                                                                                                                                 |



| Configurations                 |
|--------------------------------|
| Axera AX620A                   |
| 8Gbit LPDDR4                   |
| 1Gbit                          |
| Build in                       |
| 2.4Ghz                         |
| 3.2" 376*960 IPS               |
| Build in 3 axis Gsensor        |
| Super Cap only , 6V/3.5F       |
| 16GB~256GB , Class 10+ TF Card |
| SONY Starvis IMX415 , 8Mp      |

|                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Yes , ultra low light performance                                                                                                                                |
| H115° V60° D139°                                                                                                                                                 |
| 7G1R , F1.79                                                                                                                                                     |
| HDR                                                                                                                                                              |
| 4k (3840*2160) /27.5fps HDR /MP4/H.265                                                                                                                           |
| GalaxyCore GC2053 , 2Mp                                                                                                                                          |
| H104° V54.5° D126°                                                                                                                                               |
| 2G2P F2.1                                                                                                                                                        |
| FHD(1920*1080)/25fps/MP4/H.265                                                                                                                                   |
| 5M/7M                                                                                                                                                            |
| ON/OFF                                                                                                                                                           |
| Support Parking mode ( by Hardware kit ) and time-lapse                                                                                                          |
| Support automatic triggering of emergency recording function and manual triggering of emergency recording function, and emergency videos will not be overwritten |
| App available for smart phone connection , setting and live view through app .                                                                                   |
| Support GPS track play back on PC and app .                                                                                                                      |
| Automatically start recording while power on , SD card abnormal reminder                                                                                         |
| N/A                                                                                                                                                              |
| TBD                                                                                                                                                              |
| Front Camera W:103.6mm H:26.07mm D:43 mm<br>Rear Camera W:63.2mm H:31mm D:31mm                                                                                   |
| Front Camera: 125g<br>Rear Camera: 35g                                                                                                                           |
| -20° ~ +60°                                                                                                                                                      |
| -30° ~ +80°                                                                                                                                                      |
| 5V2A , 3.5M cable                                                                                                                                                |
| Suction mount or 3M mount *1pcs                                                                                                                                  |
| FCC/CE/ROHS                                                                                                                                                      |



