



Category

SWITCH

- PUSH SW

- ROCKER SW

- ANTI-VANDAL SW

- TOUCH KEY SW

- SLIDE SW

- TOGGLE SW

- MICRO/DETECTOR SW

- PRESSURE SW

- ROTARY SW

- DIP SW

- TACT SW

- LIGHTED TACT SW

- KEYLOCK SW

- SAFETY & CONTROL SW

- VEHICLE SW

SOCKET



OUR PRODUCT

[Home](#) ▶ [Our Product](#) ▶ [KS30](#) ▶ [KS30](#)

SWITCH / ROTARY SW

KS30

**Feed Through Cord Rotary Switches,
UL/CSA recognized, 6A 125VAC, 3A
125VT**

Traditional cord switches for lighting industry.
Built-in feed-through terminal for quick mass
production.

UL and CSA recognized.

Standard Black & White color.

KS-30-1(hexagonal shape) fitting SPT-1 wires

KS-30-2(oblong shape) fitting SPT-2 wires



ZOOM IN

[PDF Download](#)

[Get Information](#)

[Print this page](#)

JACK

INDICATOR

BREAKER

FUSE

FUSE HOLDER

ENCODER

POTENTIOMETER

HARDWARE

WATERPROOF CONNECTOR

WATERPROOF PARTS

New Product

Products Search



Feature






Rating: 3A 250VAC; 6A 125VAC; 3A 125VT (UL, CSA)

Housing: Phenolic/Plastic


Function ON-OFF

Specification




KS-30-1
fitting SPT-1

KS-30-2
fitting SPT-2



Item

Constructions Parts of KS30



◀ BACK



5F., No.10, Lane 218, Sec. 2, Zhongxing Rd., Xindian Dist., New Taipei City 23146, R. O. ©2009 Canal Components Inc. All Rights Reserved
Tel: +886-2-29161263 Fax: +886-2-29117574 canal@c-components.com.tw