

Bluetooth printer ZCS 05 Specification



Shenzhen ZCS Technology Co., Ltd.

Add:B308, No.126,Wanxia Road, Shekou, Nanshan District, Shenzhen,
China,518067

Tel: +86-755- 26054760

Fax: +86-755-26054760-807

Email: market@szzcs.com

Home: www.szzcs.com

Technical Support

Email: support@szzcs.com

Skype id: zcstech.support

1.Introduction:

Welcome to use ZCS 05 bluetooth printer. The printer in many aspects to carry on the more practical design; Using the latest technology of the large capacity lithium battery, a larger paper storehouse and low power consumption of the bluetooth module, to enhance the life of the machine; High speed core processors, high performance printer machine, software process and algorithm is more reasonable, in order to improve the machine performance; Simple software control process, the multiple state light, make the design more simple humanized operation. Application area Logistics,traffic police, postal, Urban management, tobacco, meter reading, supermarket, clothing and other industries.


2.Features

- Overall the scheme of low power consumption has strong life;
- High capacity rechargeable lithium ion batteries, increased the working time for the printer;
- The high performance printer machine, greatly enhance the printing effect and service life;
- High speed processor, the machine response more quickly;
- Low power consumption of the bluetooth module, Support the Android and ios system;
- Simple and practical, carton design can be convenient and quick to replace printing paper;
- Compatible with ESC/POS command set;
- Power supply, power, lack of paper, charging indication function, provides the user with more intuitive state information;
- Easy to operate、 Small and beautiful;

3. Specifiton

Printing way	Bluetooth printer
Effective print paper width	48mm
Printing paper	57.5±0.5mm
Printer core life	50KM(25% print density or less)100million puises)
Printing speed	80 mm/s
Printing content	Support any language
Outer dimension	76.5 (l) ×39.9 (w) ×102.1 (h) mm
Weight	183g(Contains battery without paper)
Paper Type	Ordinary thermal paper 57*35mm
Interface	USB and Bluetooth2.1
Environment parameters	Working temperature: -10°C~ 50°C Working humidity: 20% ~ 85% Storing temperature : -20°C ~ 70°C Storing humidity: 5% ~ 95%
Paper feeding method	Easy paper loading
Power supply	7.4V, two 1400mAH lion battery pack
Printers core life	50km (25% print density or less)
Charging Interface	DC12V, 1A
Charging time	About 2 hours; the charging and full indication
Instruction Set	ESC / POS compatible instruction set
Shutdown Current	<1uA
Standby Current	10mA
Standby time	150h
Print average current	1.5A
Print Length	Greater than 200m (12.5% print density)

4.Engineering drawing



	签名	日期	深圳中磁计算机技术有限公司
设计	Dongwech	2016/8/9	