

GUANGZ

Photo / 图片








THOU OCEAN

S	
Mod	
Panel	
Int	
Panel	
FOI	
Panel/屏	
AD Board/AD板	

Power/电源
Institution/机构
Loading qty./装柜数量
Accessories/其它附件



Feat

NVIEW SCI-TECH

spec./规格
Size/尺寸
Model name/型号
Model/屏型号
Interface/接口
Panel grade/等级
Base price/价格
Active Area/可视面积
Panel type/面板类型
Viewing angle/视角
Resolution/分辨率
Refresh rate(Typ.)/刷新率
Dot pitch/距
Display color/色彩数
Brightness(Max.)/最大亮度
Response time(Typ.)响应时间
Contrast (Typ.) 对比度
Color gamut (Typ.) 色域
型号/Model
芯片/Main chip
接口/Interface
菜单/OSD
功放/Audio Power Amplifier
G-sync
Free-sync

OD
HDR
MPRT
Back RGB light/灯效
Projection/投影
Remote control/遥控
Type/电源类型
Voltage/电源标准
Consumption/最大功率
Stand-by/待机功率
VESA wall mount/壁挂尺寸
Tilt/前后调节角度
Unit (W xD x H) mm/整机尺寸
Packed (W xD x H) mm/包装尺寸
Net Weight (KG)/净重
Gross Weight (KG)/毛重
20GP
40GP
40HQ
DVI cable/DVI线
DP cable/DP线
HDMI cable/HDMI线
Adaptor/电源适配器
quick disassembly base/快捷底座支
User manual /说明书

ure /技术特点

1 CO., LTD

Spec.T238
23.8
T238F75
M238HVN01.0
VGA+HDMI+Audio in+DC
A0grade
527.04(宽)×296.46(高) mm
IPS
89/89/89/89 (Typ.)(CR≥10)
1920*1080
75Hz is workable only with HDMI cable
16.7M
250cd/m2
10/16 (Typ.)(Tr/Td) ms
3000:1
72% NTSC
V.MS13C
RTD2513BA
VGA+HDMI+Audio in+DC
三星
Yes
Yes
Yes

NO
NO
NO
NO
NO
NO
External adapter
12V/3A
32W
0.5W
75*75mm
-5°~ 15°
605*106*387mm
2.71KG±0.5KG
3.88KG±0.5KG
NO
NO
Yes*1
Yes*12V/3A * 1
Yes
Yes
1. quick disassembly base; /快捷底座支撑设计
2.filter blue light; /滤蓝光功能

3.micro gaming style; /微电竞风格
4.0.5w; extra low consumption on stanby mode, 0.5w; /超低功耗
5. DC adjust back light./直流调光
6. 75Hz./75Hz