

Product Picture	
	
	
Monitor solution	SOC
	DDR
	Flash
	OS
	WiFi
	Screen size
	Resolution

	Power supply
	Battery/Super Cap
	Adapter
	USB Cable
Camera solution	SOC
	DDR
	Flash
	OS
	wifi
	sensor
	pixel size
	Lens Angle
	Aperture
	Power supply
	Network
	Rotation Angle
	Temperature detection
	Adapter
	USB Cable
Videos	Image Resolution
	Frame rate
	Encoding Format
Nightshot	Infrared night vision Configuration
	Infrared night vision distance
Audio	Intercom mode
	Intercom distance
	Speaker
Software	APP
	Split screen display
	baby lullabies
	parents white noise
	AI features
Storage	Local storage
Monitor size	Product size
	Product weight
Camera size	Product size
	Product weight

Others	Operating temperature
	Storage temperature
	Certificates

2012 SPEC SHEET

2023.1.10

Selling Points
◆ 1080p camera, with 5-inch large screen, observe the details of every movement of the baby more clearly
◆ The 4000mAh large-capacity battery can be used for a longer time, and it is more convenient to carry it with you to observe and take care of the baby.
◆ 6*940nm infrared lights, no visible red light in the dark, avoid light distraction, and present high-definition pictures without disturbing the baby's sleep
◆ Support dual-mode wifi, watch the real-time picture on the monitoring screen and mobile phone at the same time, and take care of the baby through the mobile phone when you are outside.
◆ The PTZ rotates to cover a 355° viewing angle, and the room status can be checked without dead ends.
◆ Support full-duplex intercom, you can communicate with the baby at any time.
◆ Support intelligent VOX wake-up, 5-level sound threshold setting, when abnormal sound is detected, the monitoring screen can be automatically lit to remind parents.
◆ The camera has a temperature detection function, which provides instant warning beyond the setting range, monitors the room temperature in real time, and provides a comfortable
◆ One-button digital zoom, make every expression and movement detail of the baby clearer.
◆ Camera lullabies, play soothing music to help babies fall asleep quickly. And the monitor's white noise provides parents with a sleep-aiding environment and creates a sleeping atmosphere.
Product Features



Configurations
Sigmastar SSD201
512Mbit
512Mbit
Linux
2.4G FHSS , 400m (open sky)
5" IPS
720*1280

DC5V/2A /Li-ion battery
4000mAh
5V2A
Mirco USB interface, 1.5m cable
Sigmastar SSC333DE
1Gbit
128Mbit
Linux
2.4G FHSS & 2.4G Standard protocol
GC2053
2 Mp
D104*H85*46
1G3P F2.0
Mirco USB 5V1A
2.4G FHSS & 2.4G Standard protocol
Pan 355°, Tilt 67° digital zoom
Support
5V1A
Mirco USB interface, 2.6m cable
1080P
20fps
H.265
6pcs 940nm Infrared light
5m
Two way audio
>1m
Camera and monitor are both 8Ω1W
AIOT cam/Tuya Smart
Support
Play on the camera
Play on the monitor
Sound detection wake-up, temperature detection alarm, screen change reminder
up to 128G TF card for TX
157*82*19 mm
230g
104*66*66 mm
170g

-10°-50°
-20°-60°
FCC/CE/ROHS

