




$1/3$

Name:	EMI FILTER	Part No.:	
WK MODEL:	YB11C2-10A-Q	Customer P/N :	CP000594

1. PART NUMBER: YB11C2-10A-Q

2. PHYSICAL DIMENSIONS:



0 ~ 10	±0.3
10 ~ 100	±0.5
100 ~ 150	±0.8
150 ~ 200	±1.0

						100	200	1:1
Drawing by	Checked by	Approved by	Ordering No.	Unit		Dimension Limit	Tolerance	
			YB11C2-10A-Q	mm	Rev.			
					2018-10-26			

2/3

Name:	EMI FILTER	Part No.:	
WK MODEL:	YB11C2-10A-Q	Customer P/N :	CP000594

3. CHARACTERISTICS:

(1) VOLTAGE RATING.....115/250VAC

(2) CURRENT RATING:

A. @ 115VAC.....10A RMS Max.

B. @ 250VAC..... 10A RMS Max.

(3) OPERATING FREQUENCY: 50/60Hz

(4) LEAKAGE CURRENT: EACH LINE TO GROUND

A. @ 115VAC/60Hz.....0.4mA Max.

B. @ 250VAC/50Hz.....0.8mA Max.

(5) HIPOT RATING(FOR ONE MINUTE)


A. LINE TO GROUND.....2250VDC

B. LINE TO LINE.....1450VDC

(6) IR: 50M ohm AT 500VDC ANY INPUT OR OUTPUT TO GROUND

(7) TEMPERATURE RANGE: -25°C~+85°C

4. ELECTRICAL SCHEMATIC:



5. SAFETY COMPLIANCE:

CE :2011NT0616551

CQC :CQC14001104342

TUV :B141289931001

UL :E471748


Drawing by	Checked by	Approved by	Ordering No.	Unit		
			YB11C2-10A-Q	mm	Rev.	
					2018-10-26	

SPECIFICATION FOR APPROVAL

3/3

Name:	EMI FILTER	Part No.:	
WK MODEL:	YB11C2-10A-Q	Customer P/N :	CP000594

6.Label:



Drawing by	Checked by	Approved by	Ordering No.	Unit	Rev.	
工程部 2018.10.26 王官九			YB11C2-10A-Q	mm		
						2018-10-26