


IQ1509-

Type	Item
Structural feature	
ID (示意)	
Product Style	Clamshell
LCD	Size
	Resolution Support
Touch Panel	Support or not
Physical parameter	Material
	Hinge open angle
	Kensington Lock
	Weight
	Dimensional
External I/O	MB Side
	HDMI
	USB Type_A
	USB Type_C
	DB Side
	Audio Jack
	USB Type_A
	Cardreader
Indicated light	Power LED
	Charge LED
Key	Voice +/-
	Power Key
Key board	Back light
	Matrix
Web Camera	Front
	Rear
Touchpad	Interface type
Fingerprint	Location
Hardware	
CPU	Type
GPU	Type
	RAM
	ROM (eMMC/UFS)

Storage	SSD
	HDD
	Extended Storage
Battery	Type
	Voltage
Sensor	G sensor
	Hall Sensor
Audio	Speaker
	MIC
TPM	Interface type
vPro	Type
RTC	RTC Connector
Others	Type-C
Network Connections	
WIFI	WIFI chip model
	WIFI Standard
	WIFI Frequency
Bluetooth	Bluetooth
	Version
LTE	4G LTE
Ethernet	Gigabit Lan
Modern Standby	Support or not
Software	
OS	System
	Language Supported
BIOS/EC	UI spec
Standard Accessories	
Adaptor	INPUT
	OUTPUT
Warranty	
Certification	
Electromagnetic compatibility	EMI
	ESD

-I7 Specification

Remark



15.6" (16:9), EDP

FHD 1920*1080 IPS, 230 nits, 45%NTSC

A/D Metal, B/C Plastic

180°

NA

<1.7kg

357.4*228.6*18.9mm

1*Standard HDMI 1.4

1*USB3.2 Gen1

2 Full fuction 3.2 or 1 full fuction 3.2 & 1 Data only 3.2

1*Ø3.5mm Combo

1*USB3.2 Gen1 + 1*USB2.0

1*Micro SD

Blue LED

Red LED for charging,
Blue LED for full charged

NA

On Keyboard

Backlit KB

US

2MP

NA

Yes

No

i7-1255u

Yes

8GB 3200mhz DDR4

1 *M.2 2280 PCIe4.0
NA
1*Micro SD3.0
Li-polymer Battery
3 Cell
NA
Yes
8Ω 1W *2 or 4Ω 2W *2
2*D-MIC in Camera Module
either FTPM or DTPM option
Dual Type C
M.2 2230 PCIe&CNVi
ax101
Wifi 6E (vPro)
Yes
5.1
NA
NA
Yes
No License
multi-language
SMART logo at startup
AC 100~240V
65W PD Adaptor
1 Year



