

## Goldensun. Co SMD LED Strips---Gold Wire

**3528 with 60pcs LED** 3528 SMD Strip, 60led/m, 5M per reel; LED with gold wire and FCP double-sided board; Anti-static aluminum foil bag package

|  | Model          | Color                                                                                    | Size<br>(mm) | LED<br>Qty/M | Voltage | Power/<br>M | Unit | Lumen/pcs        | Qty/ctn | Carton<br>Measurement | IP Rating |
|-----------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------------|--------------|--------------|---------|-------------|------|------------------|---------|-----------------------|-----------|
|                                                                                   | JYH-3528-60LED | Red     | 5000*8*2.5   | 60           | DC12V   | 4.8 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |
|                                                                                   | JYH-3528-60LED | Yellow  | 5000*8*2.5   | 60           | DC12V   | 4.8 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |
|                                                                                   | JYH-3528-60LED | Blue    | 5000*8*2.5   | 60           | DC12V   | 4.8 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |
|                                                                                   | JYH-3528-60LED | Green   | 5000*8*2.5   | 60           | DC12V   | 4.8 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |
|                                                                                   | JYH-3528-60LED | white   | 5000*8*2.5   | 60           | DC12V   | 4.8 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |
|                                                                                   | JYH-3528-60LED | Warm white                                                                               | 5000*8*2.5   | 60           | DC12V   | 4.8 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |
|                                                                                   | JYH-3528-60LED | RGB                                                                                      | 5000*8*2.5   | 60           | DC12V   | 4.8 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |

**3528 with 120pcs LED** 3528 SMD Strip, 120led/m, 5M per reel ; LED with gold wire and FCP double-sided board; Anti-static aluminum foil bag package

|  | Model           | Color                                                                                      | Size<br>(mm) | LED<br>Qty/M | Voltage | Power/<br>M | Unit | Lumen/pcs        | Qty/ctn | Carton<br>Measurement | IP Rating |
|-------------------------------------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------------|--------------|--------------|---------|-------------|------|------------------|---------|-----------------------|-----------|
|                                                                                     | JYH-3528-120LED | Red     | 5000*8*2.5   | 120          | DC12V   | 9.6 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |
|                                                                                     | JYH-3528-120LED | Yellow  | 5000*8*2.5   | 120          | DC12V   | 9.6 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |
|                                                                                     | JYH-3528-120LED | Blue    | 5000*8*2.5   | 120          | DC12V   | 9.6 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |
|                                                                                     | JYH-3528-120LED | Green   | 5000*8*2.5   | 120          | DC12V   | 9.6 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |
|                                                                                     | JYH-3528-120LED | white   | 5000*8*2.5   | 120          | DC12V   | 9.6 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |
|                                                                                     | JYH-3528-120LED | Warm white                                                                                 | 5000*8*2.5   | 120          | DC12V   | 9.6 W       | m    | 4-5LM /<br>7-8LM | 250m    | 47*26*28cm            | IP65/IP68 |

| 3528 with 240pcs LED                                                               |                 | 3528 SMD Strip, 240led/m, 5M per reel; LED with gold wire and FCP double-sided board; Anti-static aluminum foil bag package |             |       |         |             |                   |                   |            |                       |           |  |
|------------------------------------------------------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------|-------------|-------|---------|-------------|-------------------|-------------------|------------|-----------------------|-----------|--|
|   | Model           | Color                                                                                                                       | Size        | LED   | Voltage | Power/<br>M | Unit              | Lumen /pcs        | Qty /ctn   | Carton<br>Measurement | IP Rating |  |
|                                                                                    |                 |                                                                                                                             | (mm)        | Qty/M |         |             |                   |                   |            |                       |           |  |
|                                                                                    | JYH-3528-240LED | Red                                        | 5000*15*2.5 | 240   | DC12V   | 19.2 W      | m                 | 4-5LM / 7-8LM     | 250m       | 48*48*28cm            | IP65/IP68 |  |
|                                                                                    | JYH-3528-240LED | Yellow                                     | 5000*15*2.5 | 240   | DC12V   | 19.2 W      | m                 | 4-5LM / 7-8LM     | 250m       | 48*48*28cm            | IP65/IP68 |  |
|                                                                                    | JYH-3528-240LED | Blue                                       | 5000*15*2.5 | 240   | DC12V   | 19.2 W      | m                 | 4-5LM / 7-8LM     | 250m       | 48*48*28cm            | IP65/IP68 |  |
|                                                                                    | JYH-3528-240LED | Green                                      | 5000*15*2.5 | 240   | DC12V   | 19.2 W      | m                 | 4-5LM / 7-8LM     | 250m       | 48*48*28cm            | IP65/IP68 |  |
|                                                                                    | JYH-3528-240LED | white                                      | 5000*15*2.5 | 240   | DC12V   | 19.2 W      | m                 | 4-5LM / 7-8LM     | 250m       | 48*48*28cm            | IP65/IP68 |  |
| JYH-3528-240LED                                                                    | Warm white      | 5000*15*2.5                                                                                                                 | 240         | DC12V | 19.2 W  | m           | 4-5LM / 7-8LM     | 250m              | 48*48*28cm | IP65/IP68             |           |  |
|                                                                                    |                 |                                                                                                                             |             |       |         |             |                   |                   |            |                       |           |  |
| 5050 with 30pcs LED                                                                |                 | 5050 SMD Strip, 30led/m, 5M per reel ; LED with gold wire and FCP double-sided board; Anti-static aluminum foil bag package |             |       |         |             |                   |                   |            |                       |           |  |
|  | Model           | Color                                                                                                                       | Size        | LED   | Voltage | Power/<br>M | Unit              | Lumen/pcs         | Qty/ctn    | Carton<br>Measurement | IP Rating |  |
|                                                                                    |                 |                                                                                                                             | (mm)        | Qty/M |         |             |                   |                   |            |                       |           |  |
|                                                                                    | JYH-5050-30LED  | Red                                        | 5000*10*2.5 | 30    | DC12V   | 7.2 W       | m                 | 12-15LM / 18-20LM | 250m       | 47*26*28cm            | IP65/IP68 |  |
|                                                                                    | JYH-5050-30LED  | Yellow                                    | 5000*10*2.5 | 30    | DC12V   | 7.2 W       | m                 | 12-15LM / 18-20LM | 250m       | 47*26*28cm            | IP65/IP68 |  |
|                                                                                    | JYH-5050-30LED  | Blue                                     | 5000*10*2.5 | 30    | DC12V   | 7.2 W       | m                 | 12-15LM / 18-20LM | 250m       | 47*26*28cm            | IP65/IP68 |  |
|                                                                                    | JYH-5050-30LED  | Green                                    | 5000*10*2.5 | 30    | DC12V   | 7.2 W       | m                 | 12-15LM / 18-20LM | 250m       | 47*26*28cm            | IP65/IP68 |  |
|                                                                                    | JYH-5050-30LED  | white                                    | 5000*10*2.5 | 30    | DC12V   | 7.2 W       | m                 | 12-15LM / 18-20LM | 250m       | 47*26*28cm            | IP65/IP68 |  |
| JYH-5050-30LED                                                                     | Warm white      | 5000*10*2.5                                                                                                                 | 30          | DC12V | 7.2 W   | m           | 12-15LM / 18-20LM | 250m              | 47*26*28cm | IP65/IP68             |           |  |
| JYH-5050-30LED                                                                     | RGB             | 5000*10*2.5                                                                                                                 | 30          | DC12V | 7.2 W   | m           | 12-15LM / 18-20LM | 250m              | 48*48*28cm | IP65/IP68             |           |  |

|                                                                                    |                 |                                                                                                                              |             |           |         |         |      |                   |          |                    |           |
|------------------------------------------------------------------------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|-------------|-----------|---------|---------|------|-------------------|----------|--------------------|-----------|
| <b>5050 with 60pcs LED</b>                                                         |                 | 5050 SMD Strip, 60led/m, 5M per reel; LED with gold wire and FCP double-sided board; Anti-static aluminum foil bag package   |             |           |         |         |      |                   |          |                    |           |
|   | Model           | Color                                                                                                                        | Size        | LED Qty/M | Voltage | Power/M | Unit | Lumen /pcs        | Qty /ctn | Carton Measurement | IP Rating |
|                                                                                    |                 |                                                                                                                              | (mm)        |           |         |         |      |                   |          |                    |           |
|                                                                                    | JYH-5050-60LED  | Red                                         | 5000*10*2.5 | 60        | DC12V   | 14.4 W  | m    | 12-15LM / 18-20LM | 250m     | 47*26*28cm         | IP65/IP68 |
|                                                                                    | JYH-5050-60LED  | Yellow                                      | 5000*10*2.5 | 60        | DC12V   | 14.4 W  | m    | 12-15LM / 18-20LM | 250m     | 47*26*28cm         | IP65/IP68 |
|                                                                                    | JYH-5050-60LED  | Blue                                        | 5000*10*2.5 | 60        | DC12V   | 14.4 W  | m    | 12-15LM / 18-20LM | 250m     | 47*26*28cm         | IP65/IP68 |
|                                                                                    | JYH-5050-60LED  | Green                                       | 5000*10*2.5 | 60        | DC12V   | 14.4 W  | m    | 12-15LM / 18-20LM | 250m     | 47*26*28cm         | IP65/IP68 |
|                                                                                    | JYH-5050-60LED  | white                                       | 5000*10*2.5 | 60        | DC12V   | 14.4 W  | m    | 12-15LM / 18-20LM | 250m     | 47*26*28cm         | IP65/IP68 |
|                                                                                    | JYH-5050-60LED  | Warm white                                                                                                                   | 5000*10*2.5 | 60        | DC12V   | 14.4 W  | m    | 12-15LM / 18-20LM | 250m     | 47*26*28cm         | IP65/IP68 |
|                                                                                    | JYH-5050-60LED  | RGB                                                                                                                          | 5000*10*2.5 | 60        | DC12V   | 14.4 W  | m    | 12-15LM / 18-20LM | 250m     | 47*26*28cm         | IP65/IP68 |
| <b>5050 with 120pcs LED</b>                                                        |                 | 5050 SMD Strip, 120led/m, 5M per reel ; LED with gold wire and FCP double-sided board; Anti-static aluminum foil bag package |             |           |         |         |      |                   |          |                    |           |
|  | Model           | Color                                                                                                                        | Size        | LED Qty/M | Voltage | Power/M | Unit | Lumen/pcs         | Qty/ctn  | Carton Measurement | IP Rating |
|                                                                                    |                 |                                                                                                                              | (mm)        |           |         |         |      |                   |          |                    |           |
|                                                                                    | JYH-5050-120LED | Red                                         | 5000*15*2.5 | 120       | DC12V   | 28.8 W  | m    | 12-15LM / 18-20LM | 250m     | 48*48*28cm         | IP65/IP68 |
|                                                                                    | JYH-5050-120LED | Yellow                                    | 5000*15*2.5 | 120       | DC12V   | 28.8 W  | m    | 12-15LM / 18-20LM | 250m     | 48*48*28cm         | IP65/IP68 |
|                                                                                    | JYH-5050-120LED | Blue                                      | 5000*15*2.5 | 120       | DC12V   | 28.8 W  | m    | 12-15LM / 18-20LM | 250m     | 48*48*28cm         | IP65/IP68 |
|                                                                                    | JYH-5050-120LED | Green                                     | 5000*15*2.5 | 120       | DC12V   | 28.8 W  | m    | 12-15LM / 18-20LM | 250m     | 48*48*28cm         | IP65/IP68 |
|                                                                                    | JYH-5050-120LED | white                                     | 5000*15*2.5 | 120       | DC12V   | 28.8 W  | m    | 12-15LM / 18-20LM | 250m     | 48*48*28cm         | IP65/IP68 |
|                                                                                    | JYH-5050-120LED | Warm white                                                                                                                   | 5000*15*2.5 | 120       | DC12V   | 28.8 W  | m    | 12-15LM / 18-20LM | 250m     | 48*48*28cm         | IP65/IP68 |
|                                                                                    | JYH-5050-120LED | RGB                                                                                                                          | 5000*15*2.5 | 120       | DC12V   | 28.8 W  | m    | 12-15LM / 18-20LM | 250m     | 48*48*28cm         | IP65/IP68 |

| 5630                                                                               |                | 5630 SMD Strip, 5M per reel; LED with gold wire and FCP double-sided board; Anti-static aluminum foil bag package  |             |           |         |          |                   |                   |            |                    |           |  |
|------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------|-------------|-----------|---------|----------|-------------------|-------------------|------------|--------------------|-----------|--|
|   | Model          | Color                                                                                                              | Size        | LED Qty/M | Voltage | Power/ M | Unit              | Lumen /pcs        | Qty /ctn   | Carton Measurement | IP Rating |  |
|                                                                                    |                |                                                                                                                    | (mm)        |           |         |          |                   |                   |            |                    |           |  |
|                                                                                    | JYH-5630-30LED | White                                                                                                              | 5000*10*2.5 | 30        | DC12V   | 15 W     | m                 | 45-50LM / 55-60LM | 250m       | 47*26*28cm         | IP65/IP68 |  |
|                                                                                    |                | Warm white                                                                                                         | 5000*10*2.5 | 30        | DC12V   | 15 W     | m                 | 45-50LM / 55-60LM | 250m       | 47*26*28cm         | IP65/IP68 |  |
|                                                                                    | JYH-5630-60LED | White                                                                                                              | 5000*10*2.5 | 60        | DC12V   | 30 W     | m                 | 45-50LM / 55-60LM | 250m       | 47*26*28cm         | IP65/IP68 |  |
| Warm white                                                                         |                | 5000*10*2.5                                                                                                        | 60          | DC12V     | 30 W    | m        | 45-50LM / 55-60LM | 250m              | 47*26*28cm | IP65/IP68          |           |  |
|                                                                                    |                |                                                                                                                    |             |           |         |          |                   |                   |            |                    |           |  |
| 2835                                                                               |                | 2835 SMD Strip, 5M per reel ; LED with gold wire and FCP double-sided board; Anti-static aluminum foil bag package |             |           |         |          |                   |                   |            |                    |           |  |
|  | Model          | Color                                                                                                              | Size        | LED Qty/M | Voltage | Power/ M | Unit              | Lumen/pcs         | Qty/ctn    | Carton Measurement | IP Rating |  |
|                                                                                    |                |                                                                                                                    | (mm)        |           |         |          |                   |                   |            |                    |           |  |
|                                                                                    | JYH-2835-30LED | white                                                                                                              | 5000*8*2.5  | 30        | DC12V   | 7.2 W    | m                 | 9-10LM / 19-22LM  | 250m       | 47*26*28cm         | IP65/IP68 |  |
|                                                                                    | JYH-2835-30LED | Warm white                                                                                                         | 5000*8*2.5  | 30        | DC12V   | 7.2 W    | m                 | 9-10LM / 19-22LM  | 250m       | 47*26*28cm         | IP65/IP68 |  |
|                                                                                    | JYH-2835-30LED | white                                                                                                              | 5000*8*2.5  | 60        | DC12V   | 14.4 W   | m                 | 9-10LM / 19-22LM  | 250m       | 47*26*28cm         | IP65/IP68 |  |
|                                                                                    | JYH-2835-30LED | Warm white                                                                                                         | 5000*8*2.5  | 60        | DC12V   | 14.4 W   | m                 | 9-10LM / 19-22LM  | 250m       | 47*26*28cm         | IP65/IP68 |  |
|                                                                                    | JYH-2835-30LED | white                                                                                                              | 5000*10*2.5 | 120       | DC12V   | 28.8 W   | m                 | 9-10LM / 19-22LM  | 250m       | 47*26*28cm         | IP65/IP68 |  |
| JYH-2835-30LED                                                                     | Warm white     | 5000*10*2.5                                                                                                        | 120         | DC12V     | 28.8 W  | m        | 9-10LM / 19-22LM  | 250m              | 47*26*28cm | IP65/IP68          |           |  |

| 3014                                                                              | 3014 SMD Strip, 5M per reel; LED with gold wire and FCP double-sided board; Anti-static aluminum foil bag package |            |              |              |         |             |      |            |          |                       |           |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|------------|--------------|--------------|---------|-------------|------|------------|----------|-----------------------|-----------|
|  | Model                                                                                                             | Color      | Size<br>(mm) | LED<br>Qty/M | Voltage | Power/<br>M | Unit | Lumen /pcs | Qty /ctn | Carton<br>Measurement | IP Rating |
|                                                                                   | JYH-3014-60LED                                                                                                    | White      | 5000*8*2.5   | 60           | DC12V   | 6 W         | m    | 10LM/pcs   | 250m     | 47*26*28cm            | IP20/IP68 |
|                                                                                   | JYH-3014-60LED                                                                                                    | Warm white | 5000*8*2.5   | 60           | DC12V   | 6 W         | m    | 10LM/pcs   | 250m     | 47*26*28cm            | IP20/IP68 |
|                                                                                   | JYH-3014-60LED                                                                                                    | White      | 5000*8*2.5   | 120          | DC12V   | 12 W        | m    | 10LM/pcs   | 250m     | 47*26*28cm            | IP20/IP68 |
|                                                                                   | JYH-3014-60LED                                                                                                    | Warm white | 5000*8*2.5   | 120          | DC12V   | 12 W        | m    | 10LM/pcs   | 250m     | 47*26*28cm            | IP20/IP68 |