

LTE CPE SPECIFICATION

Model: TS-WRT2207



Main Features

- 1) 4G cat4 150Mbps download
- 2) 16 users connection
- 3) Wi-Fi 2.4G 300Mbps

2. Specification

◇ Basic	Item
* Model	LTE indoor CPE
* Platform	√ Main Chipset: 7520V3T

	√ WIFI chipset: 8800
* Physical Parameters	√ Weight: <500g √ Power Consumption: <15W √ Dimensions (LxWxH): √ Power Adapter: 12V/1A
* Environmental Requirements	√ Temperature environment: - 40°C80°C √ Storage temperature: - 40°C85°C √ Humidity environment: <90% Maxton-condensing
* Wireless Interface	√ Operation Mode: FDD TDD √ Frequency Scope: Band 1/3/5/7/8/20/38/40/41 WCDMA B1/ B5/B8 √ Radio Access: 3GPP E-UTRA Release 9 √ Output Power: 21~23dBm √ External Antenna: 6dBi √ Throughput: Category 4
* WiFi Interface	√ Radio Access: 802.11b/g/n √ Frequency: 2.4-2.497GHz √ 8-10 users connection √ Channel Bandwidth: 20MHz √ Output Power: 19dBm √ Antenna: 3dBi √ Security: 64/128 bit WEP, WPA-PSK, WPA2-PSK
	√ IP Address obtain: DHCP

* Network Parameters	√ Network mode:Router Operation √ IP protocol:IPv4,IPv6 √ NTP protocol:NTP support √ PDN support:Multiple PDN interface
* User Interface	√ LAN Interface:1*RJ45 10/100M ETH √ LED Indicators:SYS, LTE, SINGLE, WiFi, LAN,SIM,WPS √ SIM Support:SIM card slot