



Category

- SWITCH
 - ANTI-VANDAL SW
 - ROCKER SW
 - PUSH SW
 - TOGGLE SW
 - MICRO/DETECTOR SW
 - SLIDE SW
 - ROTARY SW
 - DIP SW
 - TACT SW
 - KEYLOCK SW
 - CAPACITANCE SW
 - SAFETY & CONTROL SW
 - VEHICLE SW
 - THERMOSTAT SW
 - BATTERY SW
 - TRIGGER SW

- SOCKET
- INDICATOR
- SENSOR
- ELECTRO-MODULE
- BREAKER
- FUSE HOLDER
- FUSE
- ENCODER
- POTENTIOMETER
- CONNECTOR
- WIRE HARNESS
- BUZZER
- NEW PRODUCT

Products Search



OUR PRODUCT

[Home](#) ▶ [Our Product](#) ▶ [PB-13 Series](#) ▶ [PB-13 Series](#)

SWITCH / PUSH SW

PB-13 Series
Sealed Illuminated Round Mini Push Button Switches

Waterproof Level up to IP67, IP68 & IP69K
5A 28VDC / 1A 115VAC, illuminated or non-illuminated
Momentary function
Plastic round mini push button switches, install by screw mounting
Distinctive Knob Color for Easy Identification

[PDF Download](#)

[Get Information](#)

[Print this page](#)



ZOOM IN

Feature

- 5A 28VDC / 1A 115VAC
 - Contact resistance: 50m Ω(max.) initial
 - Insulation resistance: 100M Ω (min)
 - Dielectric strength : 1,000VAC for 1 minute
 - Mechanical life: 1,000,000 cycles
 - Electrical life: 25,000 cycles
- SPST OFF-(ON)
 - IP67, IP68 & IP69K protection level (Front panel)
 - Non-illuminated, spot marking illuminated
 - M12 bushing, screw mounting
 - Switch actuator / body material: ABS / PA66
 - Solder terminals
 - Operating force: 1.7lbs (770g)
 - Release force: 12oz (340g)

Specification

[How to order](#)




PB-13	— 11 DL B R			
	FUNCTION	CAP STYLE	CASE COLOR	CAP COLOR
11	OFF-(ON) 	H RAISED D DOME DL DOME W/LED	B BLACK	R RED G GREEN B BLACK U BLUE Y YELLOW W WHITE A GRAY O ORANGE

↓

R 2 — 1		
LED COLOR	LED VOLTAGE	TERMINAL
N NO LED W WHITE R RED G GREEN U BLUE	N NO LED 2 2V 3 3V 6 6V 12 12V	1 SOLDER

1. 2V LED (RED/YELLOW/ORANGE)
2. 3V LED (WHITE/GREEN/BLUE)


Panel cut-out




Item




PB-13-11DLBRR2-1




Ø17.5




22
7
11.7
Ø11.9
11.45
2.3±0.15



Ø11.85




Ø11.85



SCHEMATIC


1 2
N.O.
3 4
R




Parts List	
1	NUT
2	GASKET




PB-13-11DBUNN-1




Ø17.5




22
7
11.7
Ø11.9
11.45
2.3±0.15



Ø11.85




Ø11.85



SCHEMATIC






1 2
N.O.



Parts List	
1	NUT
2	GASKET



PB-13-11HBYNN-1



Parts List	
1	NUT
2	GASKET

◀ BACK



5F., No.10, Lane 218, Sec. 2, Zhongxing Rd., Xindian Dist., New Taipei City 23146, R. O. C.
Tel: +886-2-29161263 Fax: +886-2-29117574 canal@c-components.com.tw ©2009 Canal Components Inc. All Rights Reserved