



## Shenzhen JiaWeiHengXin Technology Co.,Ltd

Address: No. 319 Building A, Business Center of QinYe, 6th road Xin'an, Bao'an Center No 82 district, Shenzhen China.

Email: konnwei02@konnwei.com Tel(WhatsApp/WeChat):+86-13923861970 Skype ID: konnwei02 Web: www.konnwei.com

Welcome to be our agent or distributor. OEM& ODM are also available.

| NO. | Model | Function           | LCD Screen Size(Inch)         | Application                                                                          | IC Chip                      | Color      | Product pictures                                                                                                                         | Languages                                                                                                                                  | Support systems                                                                 | Battery function | Support protocols                                                                                                                                                                                       | Package Info                                                                                                                                                                                   |
|-----|-------|--------------------|-------------------------------|--------------------------------------------------------------------------------------|------------------------------|------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1   | KW600 | Car Battery Tester | 2.4 Inchs LCD Colorful Screen | For all 12V cars battery such as vehicles car/ gasoline cars/Hybrid electric vehicle | STM32F103 VCT6 Chip solution | Black only |  <div>独家私模<br/>Private mould<br/>热卖<br/>Hot sell</div>  | 12 Languages:<br>Chinese/ English/<br>German/ French/<br>Japanese/ Dutch/<br>Russian/ Spanish/<br>Italian/ Portuguese /<br>Polish / Korean | XP<br>WIN7<br>WIN8<br>WIN10                                                     | Yes              | Measure Standard<br>2.CCA:100-2000<br>3.BCI:100-2000<br>4.CA:100-2000<br>5.MCA:100-2000<br>6.JIS:26A17-24SH52<br>7.DIN:100-1400<br>8.IEC:100-1400<br>9.EN:100-2000<br>10.SAE:100-2000<br>11.GB:100-1400 | Item Size: 14*11*2.5cm<br>Package Size: 19.5*15*5.8cm<br>Net Weight: 0.29kg<br>Gross Weight: 0.38kg<br>Qty/Ctn: 50pcs/Ctn<br>Carton Size: 49*49*40.5cm<br>Carton Weight: 20.8KG/carton         |
| 2   | KW210 | Car Battery Tester | 2.4Inchs Blackit Screen       |                                                                                      |                              |            |                                                         | 8 Languages: English, German, French, Dutch, Russian, Spanish, Italian, Polish.                                                            | Support Free upgrade system and print data on PC                                | Yes              |                                                                                                                                                                                                         | Item size:12.7*7.8*2.0cm<br>Package size: 18.3*5.3*15.2cm<br>Net weight: 0.336kg<br>Gross weight: 0.394kg<br>qty/cn : 50pcs/ctn<br>Carton size: 52*51*33.5cm<br>Carton Weight : 21.15KG/carton |
| 2   | KW850 | Car engine tester  | 2.8 Inchs Colorful Screen     | Can detect 12V gasoline and diesel cars                                              | STM32F103 VCT6 Chip solution |            |  <div>独家私模<br/>Private mould<br/>热卖<br/>Hot sell</div> | 8 Languages:<br>English/ German/<br>French/Dutch/<br>Russian/ Spanish/<br>Italian/<br>Portuguese                                           | XP<br>WIN7<br>WIN8<br>WIN10<br>Support Free upgrade system and print data on PC | Yes              | ISO 9141<br>KWP2000<br>SAE J1850<br>CAN<br>J1850 VPW<br>J1850 PWM                                                                                                                                       | Item Size: 20*10*3.5cm<br>Package Size: 25*18*8cm<br>Net Seight: 0.62kg<br>Gross Weight: 0.75kg<br>Qty/ Ctn: 25pcs/ Ctn<br>Carton Size: 55*39*46cm<br>Carton Weight: 20KG/carton               |

|   |       |                   |                              |                                         |                              |            |                                                                                                                                                                                                                    |                                                                                                  |                                                                                          |                                         |                                                                   |                                                                                                                                                                                                |
|---|-------|-------------------|------------------------------|-----------------------------------------|------------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------------------------|-------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3 | KW680 | Car engine tester | 2.4 Inches Colorful Screen   | Can detect 12V gasoline and diesel cars | STM32F103 C8T6 Chip solution | Black/ Red | <br><br>独家私模<br>Private mould                   | 8 Languages:<br>English/ German/<br>French/Dutch/<br>Russian/ Spanish/<br>Italian/<br>Portuguese | XP<br>WIN7<br>WIN8<br>WIN10<br>Support Free<br>upgrade system<br>and print data on<br>PC | Yes                                     | ISO 9141<br>KWP2000<br>SAE J1850<br>CAN<br>J1850 VPW<br>J1850 PWM | Item Size: 12.5*7*2cm<br>Package Size: 18.3*5.3*15.2cm<br>Net Weight: 0.3kg<br>Gross Weight: 0.36kg<br>Qty/Ctn: 50pcs/ Ctn<br>Carton Size: 52*51*33.5cm<br>Carton Weight: 19.45KG/ carton      |
| 4 | KW590 | Car engine tester | 2.4inches Black White Screen | Can detect 12V gasoline and diesel cars | STM32F103 C8T6 Chip solution |            | <br><br>独家私模<br>Private mould                   | 7 Languages:<br>English/ German/<br>French/Dutch/<br>Russian/ Spanish/<br>Portuguese             | XP<br>WIN7<br>WIN8<br>WIN10<br>Support Free<br>upgrade system<br>and print data on<br>PC | N/A                                     | ISO 9141<br>KWP2000<br>SAE J1850<br>CAN<br>J1850 VPW<br>J1850 PWM | Item Size: 12.7*7.8*2.0cm<br>Package Size: 18.3*5.3*15.2cm<br>Net Weight: 0.336kg<br>Gross Weight: 0.394kg<br>Qty/Ctn: 50pcs/Ctn<br>Carton Size: 52*51*33.5cm<br>Carton Weight: 21.15kg/carton |
| 5 | KW818 | Car engine tester | 2.8inches Black White Screen | Can detect 12V gasoline and diesel cars | STM32F103 C8T6 Chip solution | Black/ Red | <br><br>热卖<br>Hot sell<br>独家私模<br>Private mould | 6 Languages:<br>English/ German/<br>French/Dutch/<br>Russian/ Spanish/                           | XP<br>WIN7<br>WIN8<br>WIN10<br>Support Free<br>upgrade system<br>and print data on<br>PC | support<br>detect<br>battery<br>voltage | ISO 9141<br>KWP2000<br>SAE J1850<br>CAN<br>J1850 VPW<br>J1850 PWM | Item Size: 20*10*4cm<br>Package Size: 25*18*8cm<br>Net Weight: 0.665kg<br>Gross Weight: 0.77kg<br>Qty/Ctn: 25pcs/Ctn<br>Carton Size: 55*39*46cm<br>Carton Weight: 20KG/ carton                 |
| 6 | KW830 | Car engine tester | 2.8 Inches Colorful Screen   | Can detect 12V gasoline and diesel cars | STM32F103 VCT6 Chip solution |            | <br>独家私模<br>Private mould<br>热卖<br>Hot sell                                                                                      | 8 Languages:<br>English/ German/<br>French/Dutch/<br>Russian/ Spanish/<br>Italian/<br>Portuguese | XP<br>WIN7<br>WIN8<br>WIN10<br>Support Free<br>upgrade system<br>and print data on<br>PC | support<br>detect<br>battery<br>voltage | ISO 9141<br>KWP2000<br>SAE J1850<br>CAN<br>J1850 VPW<br>J1850 PWM | Item Size: 20*10*4cm<br>Package Size: 25*18*8cm<br>Net Weight: 0.627kg<br>Gross Weight: 0.726kg<br>Qty/Ctn: 25pcs/Ctn<br>Carton Size: 53.5*41*35.5cm<br>Carton Weight: 20KG/ carton            |

|    |                     |                   |                               |                                         |                              |                                                                                        |                                                                                     |                                         |                                                                                              |                                                                                                                                                   |                                              |                                                                   |                                                                                                                                                                                         |
|----|---------------------|-------------------|-------------------------------|-----------------------------------------|------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7  | KW820               | Car engine tester | 2.8 Inchs Black& White Screen | Can detect 12V gasoline and diesel cars | STM32F103 C8T6 Chip solution | Black+ Red as image                                                                    |    | 热卖<br>Hot sell<br>独家私模<br>Private mould | 5 Languages:<br>English/ German/<br>French/Dutch/<br>Spanish                                 | upgrade system<br>and print N/A                                                                                                                   | don't<br>support<br>battery test<br>function | ISO 9141<br>KWP2000<br>SAE J1850<br>CAN<br>J1850 VPW<br>J1850 PWM | Item Size: 18*8.7*3.2cm<br>Package Size: 25*18*8cm<br>Net Weight: 0.549kg<br>Gross Weight: 0.667kg<br>Qty/Ctn: 25pcs/Ctn<br>Carton Size: 53.5*41* 35.5cm<br>Carton Weight: 18KG/ carton |
| 8  | KW808               | Car engine tester | 2.8 Inchs Black& White Screen | Can detect 12V gasoline and diesel cars | STM32F103 C8T6 Chip solution |                                                                                        |    | 热卖<br>Hot sell<br>独家私模<br>Private mould | 5 Languages:<br>English/ German/<br>French/Dutch/<br>Spanish                                 | Don't support<br>upgrade system<br>and print                                                                                                      | don't<br>support<br>battery test<br>function | ISO 9141<br>KWP2000<br>SAE J1850<br>CAN<br>J1850 VPW<br>J1850 PWM | Item Size: 20*10*4cm<br>Package Size: 25*18*8cm<br>Net Weight: 0.665kg<br>Gross Weight: 0.77kg<br>Qty/Ctn: 25pcs/Ctn<br>Carton Size: 55*39*46cm<br>Carton Weight: 20KG/carton           |
| 9  | KW901 Bluetooth 3.0 | Car engine tester | with BT logo                  | Can detect 12V gasoline and diesel cars | 25K80 Chip                   | 6 Colors:<br>Black+White/<br>White+Red/<br>Black +Red/<br>Black+Orange/<br>Black/ Red/ |    | 热卖<br>Hot sell<br>独家私模<br>Private mould | English is default language, please select the language you need on phone settings interface | android mobile phone, free software <u>torque</u> ;<br>Don't support upgrade system and print                                                     | don't<br>support<br>battery test<br>function | ISO 9141<br>KWP2000<br>SAE J1850<br>CAN<br>J1850 VPW<br>J1850 PWM | Item Size:<br>Package Size: 12*7.5*4cm<br>Net Weight: 0.028kg<br>Gross Weight: 0.082kg<br>Qty/Ctn: 100pcs/Ctn<br>Carton Size: 39*25.5*36cm<br>Carton Weight: 9.2KG/carton               |
| 10 | KW901 WiFi          | Car engine tester | with wifi logo                | Can detect 12V gasoline and diesel cars | 25K80 Chip                   |                                                                                        |   | 独家私模<br>Private mould                   | English is default language, please select the language you need on phone settings interface | both android and apple are available.<br>Android is free turque but ios is unfree_ <u>dashcommand</u> ;<br>Don't support upgrade system and print | don't<br>support<br>battery test<br>function | ISO 9141<br>KWP2000<br>SAE J1850<br>CAN<br>J1850 VPW<br>J1850 PWM | Item Size:<br>Package Size :12*7.5*4cm<br>Net Weight: 0.028kg<br>Gross Weight: 0.082kg<br>Qty/Ctn: 100pcs/ Ctn<br>Carton Size: 39*25.5*36cm<br>Carton Weight: 9.2KG/carton              |
| 11 | KW902 Bluetooth 3.0 | Car engine tester | with BT logo                  | Can detect 12V gasoline and diesel cars | 25K80 Chip                   | 5 Colors:<br>White/ Red/<br>Green/ Black/                                              |  | 独家私模<br>Private mould                   | English is default language, please select the language you need on phone settings interface | android mobile phone, free software <u>torque</u> ;<br>Don't support upgrade system and print                                                     | don't<br>support<br>battery test<br>function | ISO 9141<br>KWP2000<br>SAE J1850<br>CAN<br>J1850 VPW<br>J1850 PWM | Item Size:<br>Package Size :12*7.5*4cm<br>Net Weight :0.048<br>Gross Weight:0.1kg<br>Qty/Ctn: 100pcs/ Ctn<br>Carton Size: 39*25.5*36cm<br>Carton Weight: 10.65kg/carton                 |



**Konnwei items:**

1 All our automotive diagnostics products support the following 9 protocols

- (1) SAE J1850 PWM(41.6Kbaud);
- (2) SAE J1850 VPW(10.4Kbaud);
- (3) ISO9141-2(5 baud init,10.4Kbaud);
- (4) ISO14230-4 KWP(5 baud init,10.4 Kbaud);
- (5) ISO14230-4 KWP(fast init,10.4 Kbaud);
- (6) ISO15765-4 CAN(11bit ID,500 Kbaud);
- (7) ISO15765-4 CAN(29bit ID,500 Kbaud);
- (8) ISO15765-4 CAN(11bit ID,250 Kbaud);
- (9) ISO15765-4 CAN(29bit ID,250 Kbaud).