

A 15.6-inch touch screen monitor

Specification / configuration

model	CS-T1506
Panel model	15.6" WLED display
touch screen	Ten-points capacitive ouch screen
Compatible system	Windows7 / 10 / 11 / IOS / Android
Number of pixels	1920*1080 or 1366*768
aspect ratio	16: 9 (H:V)
Appearance shape	Plane rectangle
Landscape portrait	Landscape mode
optical mode	TN, often white display, transmission type
Panel brightness	250 cd/m ² (Typ.)
contrast ratio	1000:1 (Typ.) (transmission)
Visual Angle	85/85/80/80 (Typ.) (CR≥10)
reaction time	3.6/1.4 (Typ.) (Tr/Td) ms
display color	16.7M (6-dit+Hi-FRC)
working temperature	0---50°
colour temperature	6485K
working frequency	60Hz
electric source	Output: 12v / 4A Input: 100-240v
Standard packaging	Host machine / power supply / power cord / VGA wire / HDMI wire / USB touch wire Main engine metal base / screws / instruction manual

A 15.6-inch touch screen monitor

IO/Dimension



A 15.6-inch touch screen monitor



A 15.6-inch touch screen monitor

Accessories



Product name: power cable

Length: 1.5M

Can be matched with different national standard power connector



Product name: Touch the USB cable

Length: 1.5M



Product name: VGA

Length: 1.5M



Product name: HDMI

Length: 1.5M



Product Name: DC power supply

Information: Output: 12v / 4A Input: 100-240v



Name: 15.6-inch touch monitor

Weight: N.W. \approx 5.5kg G.W. 6.5kg

Packing size: 485 * 155 * 365MM

A 15.6-ich touch screen monitor