



PERFECT DISPLAY

Model No.:		QW22DFA
Display	Screen Size	21.5"
	Backlight type	
	Aspect Ratio	
	Brightness (Typical)	
	Contrast Ratio (Typical)	
	Resolution (Max.)	
	Response Time (Typical)	
	Viewing Angle (Horizontal/Vertical)	
	Color Support	
Signal input	Video Signal	
	Sync. Signal	
	Connector	
Power	Power Consumption	Typical 15W
	Stand By Power	
	Type	
	Power delivery	PD 65W
Features	Plug & Play	
	Bezeless Design	
	Cabinet Color	
	VESA Mount	75x75mm
	Low Blue Ligth	
	Flicker Free	
	Audio	
Accessories		
MOQ		500

PICTURES






PERFECT DISPLAY TECH

SPECIFICATION WORKING STATION LED HDMI

Updated time: 2022.1

QW24DFA	QW27DFA
23.8"	27"
LED	
16: 9	
250 cd/m ²	
3000:1	
1920 x 1080 @ 75Hz	
8ms(G2G)	
178°/178° (CR>10)	
16.7M, 8Bit, 72% NTSC	
Analog RGB/Digital	
Separate H/V, Composite, SOG	
HDMI + DP+ USB-C	
Typical 18W	Typical 22W
<0.5W	
AC 100-240V 50/60HZ	
PD 65W	PD 45W
Supported	
3 side Bezeless Design	
Matt Black	
75x75mm	100x100mm
Supported	
Supported	
2x2W	
Power cable, user's manual, USB C cable, HDMI cable	
500	500






TECHNOLOGY CO., LTD
QW27DQA MONITOR with PD45W

8.15, valid time: 30 days

QW27DQA
27" VA
4000:1
2560 x 1440 @ 75Hz
Typical 32W
PD 45W
100x100mm
500







PERFECT DISPLAY

Model No.:		QW22DFI
Display	Screen Size	21.5" IPS
	Backlight type	
	Aspect Ratio	
	Brightness (Typical)	
	Contrast Ratio (Typical)	
	Resolution (Max.)	
	Response Time (Typical)	
	Viewing Angle (Horizontal/Vertical)	
	Color Support	
Signal input	Video Signal	
	Sync. Signal	
	Connector	
Power	Power Consumption	Typical 15W
	Stand By Power	
	Type	
	Power delivery	PD 65W
Features	Plug & Play	
	Bezeless Design	
	Cabinet Color	
	VESA Mount	75x75mm
	Low Blue Ligth	
	Flicker Free	
	Audio	
Accessories		
MOQ		500
Price A grade (70:30)		USD 63
Add HAS		Add USD 9

PICTURES





PERI

SPECIFICATION WORKIN

QW24DFI	QW27DFI
23.8" IPS	27" IPS
LED	
16: 9	
250 cd/m ²	
1000:1	
1920 x 1080 @ 75Hz	
8ms(G2G)	
178°/178° (CR>10)	
16.7M, 8Bit, 72% NTSC	
Analog RGB/Digital	
Separate H/V, Composite, SOG	
HDMI + DP+ USB-C	
Typical 18W	Typical 22W
<0.5W	
AC 100-240V 50/60HZ	
PD 65W	PD 45W
Supported	
3 side Bezeless Design	
Matt Black	
75x75mm	100x100mm
Supported	
Supported	
2x2W	
Power cable, user's manual, USB C cable, f	
500	500
USD 68	USD 88
Add USD 9	Add USD 9





FECT DISPLAY TECHNOLOGY CO., LTD
IG STATION LED HDMI MONITOR with PD65/45W

Updated time: 2022.8.15, valid time: 30 days

QW27DQI	QW27DUI
27" IPS	27" IPS

1000:1	1000:1
2560 x 1440 @ 75Hz	3840*2160 @ 60Hz

Typical 32W	Typical 40W
-------------	-------------

PD 45W	PD 45W
--------	--------

100x100mm	100x100mm
-----------	-----------

HDMI cable

500	500
USD 110	USD 135
Add USD 9	Add USD 9



