


C Company Profile

Telemax Technology Co., Ltd is located at Shenzhen of China, founded in 2009, the main products we produced include Fiber Optic Patch cord, Fiber Optic pigtails, MPO/MTP Patch Cord, MPO/MTP Trunk cable, Fiber Optic Patch Panel & ODF; we also supply copper network cabling and network cabinets.




► Fiber Optic Cable ↓



Optical Fiber Cable Indoor breakout type

- Indoor & Breakout type
- 2-48 core is optional
- SM & MM are optional
- OEM is optional




Optical Fiber Cable Outdoor Armored

- Outdoor Armored type
- Single Tube & Multi tubes are optional
- 2-144 cores is optional
- SM & MM are optional
- OEM is optional

► Fiber Optic Patch Cord ↓

LC-LC Duplex MM Fiber Cord



ST-ST Simplex SM Fiber Cord




SC-SC Simplex SM Fiber Cord



► Fiber Optic Patch Panel & ODF ↓

1U 19" Sliding Fiber Optic Patch Panel

- Sliding & Drawing Design
- High Density for Fiber installation and management
- Support SC,LC,FC,ST E2000 connector
- 12-96 Ports is optional
- CE,RoHS,UL rate




IP65 Fiber Enclosure

- Smart Design and Easy for installation
- Support 4xSC
- IP65,UL94V-0 standard

Wall mounting Fiber optic Distribution box

- Wall mounting type
- High Density for Fiber installation and management
- Support SC,LC,FC,ST,E2000 connector
- 12-96 Ports is optional
- CE,RoHS, UL rate



► Fiber Optic Equipment ↓



QX50-MS Single mode & Multimode OTDR

- 6.5-inch TFT touchscreen
- Three Wavelengths: 850nm+1310/1550nm
- OEM & ODM Service Provided
- Trace analyzing software
- Rugged design built for outside plant

FX35 High-End Optical Fiber Fusion Splicer

- Large battery capacity: 350 Splice and Heat
- High precision splicing, Core-Core & Clad-Clad alignment
- Long Electrode lifetime: up to 4000 times
- Auto check & display cleave angle and offset angle
- OEM & ODM is available



KF-52 High Precision Optical Fiber Cleaver

- Cleaved Angle :90 ±0.5 degree
- Simple 2 step operation
- Universal Fiber Holder
- Durable and reliable design
- High capacity waste bin
- 48,000 times long blade life
- Universal fiber holder for 250um, 900um, 3.0mm fiber cable
- Rubber armor protection

TELEMAX[®]



Fiber Solution



SHENZHEN TELEMAX TECHNOLOGY Co., LTD



+86 755 29360200 ext 602



+86 755 29360200 ext 608



sales@telemax.cn



www.telemax.cn



4th Floor, Block C No.4 Road One, Shangxue Industrial Park,
Long gang District, Shenzhen China