

Features

- Full HD1080P, HD720P & 16:9
- ONVIF standard support
- Motion Detection
- 802.11b/g/n Wireless LAN 150M
- 128G Micro-SD slot for onsite recording (Option to customize)
- iPad, iPhone And Android Compatible
- Windows XP/VISTA/7, Linux Compatible
- Extend Long wire 3 meters PSU and 3 meters Extend Cable

Available models

BC2934	BC2934H
720P Standard with Wifi	1080P With Wifi

Product Name	720P 1080P Pinhole Wifi PIR Housing Spy Camera
Camera	
Image device	1/3" CMOS or 1/4" CMOS
Pixels	Full HD 1920X1080 HD720P 1280x720
White Balance	Auto
Exposure mode	Auto
Gain	Auto
Viewing angle	Horizontal:45°, Vertical:45°
Focal length	f=3.6
Aperture	F2.0
Min.Illumination	1.0 Lux
Night Vision Distance	N/A
IR cut filter	N/A
Network	
Image compression	H.264
Image resolution	Full HD 1920X1080 1280x720(HD720P), 640x360, 320x180

	176x144
Max. frame rate	30fps @1920X1080
Audio compression	AMR G.726 PCM
Simultaneous viewers	4
Network protocols	TCP/IP, UDP, DHCP, FTP, SMTP, NTP, UPnP
Stream type	RTSP
Network connection	Ethernet (10BASE-T/100BASE-TX)
Wireless LAN	
Wireless technology	IEEE802.11b/g/n
Transmission speed	150Mbps/54Mbps/22Mbps/11Mbps/5.5Mbps/2Mbps/1Mbps (Auto Switch)
Security	WPA2-PSK(AES/TKIP)
External Port	
Built-in microphone	Electret Condenser Microphone
SD slot	Yes
Advance Function	
Motion Detection	Yes
Recording	Alarm recording and continue recording
P2P	Yes
Security	
Authentication	ID/Password, Administrator/General User (Up to 64)
Authentication type	Basic Authentication
Certificate	Self-signed Certificate
General	
Power requirements	DC 12V
Power consumption	4.5W
Power over Ethernet (POE)	Yes
Operating temperature	-5 to +45 °C (+22 to +113 °F)
Storage temperature	-20 to +60 °C (-4 to +140 °F)
Operating humidity	20~80%RH(Non-condensing)
Storage humidity	20~95%RH(Non-condensing)
Body Dimensions(W x D x H)	120X68X48mm
Body Weight	260g
Package Dimension	24X14X14
Package Weight	0.5Kg
Shipping Q'ty Per Carton	24Pcs
Shipping Carton Size (W x D x H)	50x48x38cm
Shipping Gross Weight	12KG
Supplied accessories	12V1A 3 meters DC adaptor (x1), Stand(x1),

PC system requirements	
Operating system	Windows 2000/XP/Vista/7, Mac OS, Linux
Web browser	Microsoft Internet Explorer Version 6.0 or Later Apple Safari, Mozilla Firefox, Google Chrome

