

Product Specification Sheet

Product Description	Factory Series	Factory Model Number	quote
15 inch LED TV(analog)	A1	LET-15A1	FOB \$24
15 inch LED TV(digital)	A1	LET-15A1	FOB \$31
Product Picture		Main Features	
		RR8501 solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 8 ms response time eliminates blurring High contrast ratio and brightness 1 HDMI (1.4) input delivers a full HDTV experience 1 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General		Display	
Solution	RR8501	Panel Brand	CMI/AUO
TV Vedio System	PAL/SECAM	Panel Grade	A
TV Sound System	BG/DK/I/L/L'	Display Technology	Icd with led back light
Receive Channels	200	Screen Size	15" 4:3
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1024*768
Nicam/A2	Yes	Brightness	250cd/m ²
Teletext	1,000	Contrast	1000:1
Built-in DVD Player	No	Viewing angle	wide
Video Comb Filter	3D	Response Time	8ms
Video Noise Reduction	Yes		
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	1
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	1
Audio		YPbPr/YCbCr	NO
Maximum Audio Output	8Wx2	Earphone Jack	1
Number of Speakers	2	VGA + PC Audio Input	1
Sound Effects	Standard-Music-Movie-Sports-User	S-Video	No
Sound equalizer	Optional	AV In	1*3
		AV Out	/
User Convenience		RF Input	1
Menu OSD	Multi-Languages	Accessories	
Picture Mode	4	Instruction Menu	Yes
Picture Freeze	Yes	AC power cable	Yes
Color Temperature Control	Yes	Remote control	Yes
ON/OFF & Sleep Timer	Yes	Batteries for Remote	No
Packing Details			
Unit Demensin(w/o Base):	493 * 53 *402mm	Weight (Net/Gross):	2.5Kg / 3.3Kg
Carton Demensin:	485*103*385mm	Loading (20GP)	1800pcs
Product Description	Factory Series	Factory Model Number	quote
17 inch LED TV(analog)	A1	LET-A1	FOB \$23
17 inch LED TV(digital)	A1	LET-A1	FOB \$33
Product Picture		Main Features	
		RR8501 solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring High contrast ratio and brightness 1 HDMI (1.4) input delivers a full HDTV experience 1 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General		Display	
Solution	RR8501	Panel Brand	CMI/AUO
TV Vedio System	PAL/SECAM	Panel Grade	A
TV Sound System	BG/DK/I/L/L'	Display Technology	Icd with led back light
Receive Channels	200	Screen Size	17" 4:3
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1280*1024

Nicam/A2	Yes	Brightness	250cd/m ²
Teletext	1,000	Contrast	1000:1
Built-in DVD Player	No	Viewing angle	wide
Video Comb Filter	3D	Response Time	8ms
Video Noise Reduction	Yes		
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	1
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	1
Audio		YPbPr/YCbCr	NO
Maximum Audio Output	8Wx2	Earphone Jack	1
Number of Speakers	2	VGA + PC Audio Input	1
Sound Effects	Standard-Music-Movie-Sports-User	S-Video	No
Sound equalizer	Optional	AV In	1*3
		AV Out	/
User Convenience		RF Input	1
Menu OSD	Multi-Languages	Accessories	
Picture Mode	4	Instruction Menu	Yes
Picture Freeze	Yes	AC power cable	Yes
Color Temperature Control	Yes	Remote control	Yes
ON/OFF & Sleep Timer	Yes	Batteries for Remote	Yes
Packing Details			
Unit Demensin(w/o Base):		Weight (Net/Gross):	3Kg / 3.8Kg
Carton Demensin:	530*105*425mm	Loading (20GP)	1300pcs
Product Description	Factory Series	Factory Model Number	quote
19 inch LED TV(analog)	A1	LET-A1	FOB \$23.5
19 inch LED TV(digital)	A1	LET-A1	FOB \$32
Product Picture		Main Features	
		RR8501solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring High contrast ratio and brightness 1 HDMI (1.4) input delivers a full HDTV experience 1 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General		Display	
Solution	RR8501	Panel Brand	AUO/CMI
TV Vedio System	PAL/SECAM	Panel Grade	A
TV Sound System	BG/DK/I/L/L'	Display Technology	Icd with led back light
Receive Channels	200	Screen Size	19" 4:3
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1280*1024
Nicam/A2	Yes	Brightness	250cd/m ²
Teletext	1,000	Contrast	1000:1
Built-in DVD Player	No	Viewing angle	wide
Video Comb Filter	3D	Response Time	8ms
Video Noise Reduction	Yes		
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	1
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	1
Audio		YPbPr/YCbCr	NO
Maximum Audio Output	8Wx2	Earphone Jack	1
Number of Speakers	2	VGA + PC Audio Input	1
Sound Effects	Standard-Music-Movie-Sports-User	S-Video	No
Sound equalizer	Optional	AV In	1*3
		AV Out	/
User Convenience		RF Input	1
Menu OSD	Multi-Languages	Accessories	
Picture Mode	4	Instruction Menu	Yes
Picture Freeze	Yes	AC power cable	Yes
Color Temperature Control	Yes	Remote control	Yes
ON/OFF & Sleep Timer	Yes	Batteries for Remote	No
Packing Details			

Unit Demensin(w/o Base):		Weight (Net/Gross):	4.5Kg / 5Kg
Carton Demensin:	583*105*425mm	Loading (20GP)	1100pcs
Product Description	Factory Series	Factory Model Number	quote
19 inch LED TV(analog)	A1	LET-A1	FOB \$29
19 inch LED TV(digital)	A1	LET-A1	FOB \$34
Product Picture		Main Features	
		RR8501 solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring High contrast ratio and brightness 1 HDMI (1.4) input delivers a full HDTV experience 1 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General		Display	
Solution	RR8501	Panel Brand	AUO/CMI
TV Vedio System	PAL/SECAM	Panel Grade	A
TV Sound System	BG/DK/I/L/L'	Display Technology	LED Backlight
Receive Channels	200	Screen Size	19" 16: 10/18.5 16:9
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1366(H) x 768(V)
Nicam/A2	Yes	Brightness	250cd/m ²
Teletext	1,000	Contrast	1000:1
Built-in DVD Player	No	Viewing angle	wide
Video Comb Filter	3D	Response Time	5ms
Video Noise Reduction	Yes		
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	1
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	1
Audio		YPbPr/YCbCr	NO
Maximum Audio Output	8Wx2	Earphone Jack	1
Number of Speakers	2	VGA + PC Audio Input	1
Sound Effects	Standard-Music-Movie-Sports-User	S-Video	No
Sound equalizer	Optional	AV In	1*3
		AV Out	/
User Convenience		RF Input	1
Menu OSD	Multi-Languages	Accessories	
Picture Mode	4	Instruction Menu	Yes
Picture Freeze	Yes	AC power cable	Yes
Color Temperature Control	Yes	Remote control	Yes
ON/OFF & Sleep Timer	Yes	Batteries for Remote	NO
Packing Details			
Unit Demensin(w/o Base):		Weight (Net/Gross):	4.5Kg / 5Kg
Carton Demensin:	583*105*425mm	Loading (20GP)	1100pcs
Product Description	Factory Series	Factory Model Number	quote
20 inch LED TV(analog)	B1	LET-20B1	FOB \$43
20 inch LED TV(digital)	B1	LET-20B1	FOB \$48
Product Picture		Main Features	
		RR8501 solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring High contrast ratio and brightness 1 HDMI (1.4) input delivers a full HDTV experience 1 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General		Display	
Solution	RR8501	Panel Brand	AUO/CMI
TV Vedio System	PAL/SECAM	Panel Grade	A
TV Sound System	BG/DK/I/L/L'	Display Technology	LED Backlight
Receive Channels	200	Screen Size	19.5/20" 16: 9
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1600*900

Nicam/A2	Yes	Brightness	250cd/m ²
Teletext	1,000	Contrast	1000:1
Built-in DVD Player	No	Viewing angle	wide
Video Comb Filter	3D	Response Time	5ms
Video Noise Reduction	Yes		
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	1
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	1
Audio		YPbPr/YCbCr	NO
Maximum Audio Output	8Wx2	Earphone Jack	1
Number of Speakers	2	VGA + PC Audio Input	1
Sound Effects	Standard-Music-Movie-Sports-User	S-Video	No
Sound equalizer	Optional	AV In	2*3
		AV Out	/
User Convenience		RF Input	1
Menu OSD	Multi-Languages	Accessories	
Picture Mode	4	Instruction Menu	Yes
Picture Freeze	Yes	AC power cable	Yes
Color Temperature Control	Yes	Remote control	Yes
ON/OFF & Sleep Timer	Yes	Batteries for Remote	Yes
		Wall Mount	Optional
Product Description	Factory Series	Factory Model Number	quote
22 inch LED TV(analog)	B1	LET--20B1	FOB \$32
22 inch LED TV(digital)	B1	LET--20B1	FOB \$40
Product Picture		Main Features	
		RR8501solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring High contrast ratio and brightness 1 HDMI (1.4) input delivers a full HDTV experience 1 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General		Display	
Solution	RR8501	Panel Brand	AUO/CMI
TV Vedio System	PAL/SECAM	Panel Grade	A
TV Sound System	BG/DK/I/L/L'	Display Technology	LED Backlight
Receive Channels	200	Screen Size	22" 16: 10
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1680*1050
Nicam/A2	Yes	Brightness	250cd/m ²
Teletext	1,000	Contrast	wide
Built-in DVD Player	No	Viewing angle	175°/175°
Video Comb Filter	3D	Response Time	5ms
Video Noise Reduction	Yes		
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	1
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	1
Audio		YPbPr/YCbCr	NO
Maximum Audio Output	8Wx2	Earphone Jack	1
Number of Speakers	2	VGA + PC Audio Input	1
Sound Effects	Standard-Music-Movie-Sports-User	S-Video	No
Sound equalizer	Optional	AV In	1*3
		AV Out	/
User Convenience		RF Input	1
Menu OSD	Multi-Languages	Accessories	
Picture Mode	4	Instruction Menu	Yes
Picture Freeze	Yes	AC power cable	Yes
Color Temperature Control	Yes	Remote control	Yes
ON/OFF & Sleep Timer	Yes	Batteries for Remote	Yes
		Wall Mount	Optional
Product Description	Factory Series	Factory Model Number	quote
24 inch LED TV(analog)	B1	LET--24B1	FOB \$39
24 inch LED TV(digital)	B1	LET--24B1	FOB \$47

Product Picture	Main Features		
	RR8501solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring High contrast ratio and brightness 1 HDMI (1.4) input delivers a full HDTV experience 1 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer		

General		Display	
Solution	RR8501	Panel Brand	AUO/CMI
TV Vedio System	PAL/SECAM	Panel Grade	A
TV Sound System	BG/DK/I/L/L'	Display Technology	LED Backlight
Receive Channels	200	Screen Size	23.6 16: 9
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1366*768
Nicam/A2	Yes	Brightness	250cd/m ²
Teletext	1,000	Contrast	1000:1
Built-in DVD Player	No	Viewing angle	wide
Video Comb Filter	3D	Response Time	5ms
Video Noise Reduction	Yes		
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	1
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	1
Audio		YPbPr/YCbCr	NO
Maximum Audio Output	8Wx2	Earphone Jack	1
Number of Speakers	2	VGA + PC Audio Input	1
Sound Effects	Standard-Music-Movie-Sports-User	S-Video	No
Sound equalizer	Optional	AV In	1*3
		AV Out	/
User Convenience		RF Input	1
Menu OSD	Multi-Languages	Accessories	
Picture Mode	4	Instruction Menu	Yes
Picture Freeze	Yes	AC power cable	Yes
Color Temperature Control	Yes	Remote control	Yes
ON/OFF & Sleep Timer	Yes	Batteries for Remote	No

Packing Details			
Unit Demensin(w/o Base):		Weight (Net/Gross):	4Kg / 4.5Kg
Carton Demensin:	602*107*400mm	Loading (20GP)	950pcs
Product Description	Factory Series	Factory Model Number	quote
27 inch ELED TV(analog)	B1	LET--27B1	FOB \$39
27 inch ELED TV(digital)	B1	LET--27B1	FOB \$65

Product Picture	Main Features		
	V56 solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring 1366 x 768 resolution supports signals up to 720P High contrast ratio and brightness 1HDMI (1.3) input delivers a full HDTV experience 1 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer		

General		Display	
Solution	VST.V56	Panel Brand	CMI/AUO...
TV Vedio System	PAL/SECAM	Panel Grade	A
TV Sound System	BG/DK/I/L/L'	Display Technology	ELED
Receive Channels	200	Screen Size	26.1" 16: 9
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1366(H) x 768(V)
Nicam/A2	Yes	Brightness	250cd/m ²
Teletext	1,000	Contrast	1000:1
Built-in DVD Player	No	Viewing angle	175°/175°
Video Comb Filter	3D	Response Time	5ms
Video Noise Reduction	Yes		
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	1

USB Playback Formats		H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	1
Audio			YPbPr/YCbCr	1
Maximum Audio Output	8Wx2		Earphone Jack	No
Number of Speakers	2		VGA + PC Audio Input	1
Sound Effects	Standard-Music-Movie-Sports-User		S-Video	No
Sound equalizer	Optional		AV In	1
			AV Out	No
User Convenience			RF Input	1
Menu OSD	Multi-Languages	Accessories		
Picture Mode	4		Instruction Menu	Yes
Picture Freeze	Yes		AC power cable	Yes
Color Temperature Control	Yes		Remote control	Yes
ON/OFF & Sleep Timer	Yes		Batteries for Remote	No
Packing Details				
Unit Demensin(w/o Base):		Weight (Net/Gross):	8Kg / 10Kg	
Carton Demensin:	700*100*450mm	Loading (40HQ)	2200pcs	
Product Description	Factory Series	Factory Model Number	quote	
32" DLED TV(analog)	B1	LET--32B1	FOB \$50	
32" DLED TV(digital)	B1	LET--32B1	FOB \$61	
32" DLED TV(smart)	01	DLET-03	FOB \$71	
Product Picture		Main Features		
		RR8501 solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring 1366X768 resolution supports signals up to 1080P High contrast ratio and brightness 1 HDMI (1.4) input delivers a full HDTV experience 1 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer		
General		Display		
Solution	RR8501	Panel Brand	AUO/CMI	
TV Vedio System	PAL/SECAM	Panel Grade	A	
TV Sound System	BG/DK/I/L/L'	Display Technology	LED Backlight	
Receive Channels	200	Screen Size	31.5" 16: 9	
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1366*768	
Nicam/A2	Yes	Brightness	250cd/m ²	
Teletext	1,000	Contrast	1000:1	
Built-in DVD Player	No	Viewing angle	175°/175°	
Video Comb Filter	3D	Response Time	5ms	
Video Noise Reduction	Yes			
Power supply	100-240V AC, 50/60HZ	Connections		
Power consumption	65W (<0.5W Standby)	HDMI	1	
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	1	
Audio			YPbPr/YCbCr	1
Maximum Audio Output	10Wx2		Earphone Jack	1
Number of Speakers	2		VGA + PC Audio Input	1
Sound Effects	Standard-Music-Movie-Sports-User		S-Video	No
Sound equalizer	Optional		AV In	2*3
			AV Out	1
User Convenience			RF Input	1
Menu OSD	Multi-Languages	Accessories		
Picture Mode	4		Instruction Menu	Yes
Picture Freeze	Yes		AC power cable	Yes
Color Temperature Control	Yes		Remote control	Yes
ON/OFF & Sleep Timer	Yes		Batteries for Remote	No
Packing Details				
Unit Demensin(w/o Base):		Weight (Net/Gross):	8Kg / 9Kg	
Carton Demensin:	779*133*521mm	Loading (20GP)	600pcs	
Product Description	Factory Series	Factory Model Number	quote	
38" ELED TV(analog)	B1	DLET-01	FOB \$85	
38" ELED TV(digital)	B1	DLET-02	FOB \$90	

38" ELED TV(smart)		01	DLET-03	FOB \$105
Product Picture			Main Features	
			RR8501 solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring High contrast ratio and brightness 2 HDMI (1.4) input delivers a full HDTV experience 2 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General			Display	
Solution	RR8501	Panel Brand	AUO/CMi/SANSUNG/LG...	
TV Vedio System	PAL/SECAM	Panel Grade	A	
TV Sound System	BG/DK/I/L/L'	Display Technology	LED Backlight	
Receive Channels	200	Screen Size	37.1" 16: 9	
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1366*768	
Nicam/A2	Yes	Brightness	250cd/m ²	
Teletext	1,000	Contrast	1000:1	
Built-in DVD Player	No	Viewing angle	175°/175°	
Video Comb Filter	3D	Response Time	5ms	
Video Noise Reduction	Yes			
Power supply	100-240V AC, 50/60HZ	Connections		
Power consumption	65W (<0.5W Standby)	HDMI	2	
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	2	
Audio		YPbPr/YCbCr	1	
Maximum Audio Output	10Wx2	Earphone Jack	1	
Number of Speakers	2	VGA + PC Audio Input	1	
Sound Effects	Standard-Music-Movie-Sports-User	S-Video	No	
Sound equalizer	Optional	AV In	2*3	
		AV Out	1	
User Convenience		RF Input	1	
Menu OSD	Multi-Languages	Accessories		
Picture Mode	4	Instruction Menu	Yes	
Picture Freeze	Yes	AC power cable	Yes	
Color Temperature Control	Yes	Remote control	Yes	
ON/OFF & Sleep Timer	Yes	Batteries for Remote	No	
Packing Details				
Unit Demensin(w/o Base):		Weight (Net/Gross):	13Kg / 14Kg	
Carton Demensin:	1005*160*670mm	Loading (40HQ)	500pcs	
Product Description	Factory Series	Factory Model Number	quote	
38.5" DLED TV(analog)	B1	DLET-01	FOB \$103	
38.5" DLED TV(digital)	B1	DLET-02	FOB \$108	
38.5" DLED TV(smart)	01	DLET-03	FOB \$116	
Product Picture			Main Features	
			RR8501 solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring High contrast ratio and brightness 2 HDMI (1.4) input delivers a full HDTV experience 2 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General			Display	
Solution	RR8501	Panel Brand	AUO/CMi/SANSUNG/LG...	
TV Vedio System	PAL/SECAM	Panel Grade	A	
TV Sound System	BG/DK/I/L/L'	Display Technology	LED Backlight	
Receive Channels	200	Screen Size	38.5" 16: 9	
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1366*768	
Nicam/A2	Yes	Brightness	250cd/m ²	

Teletext	1,000	Contrast	1000:1
Built-in DVD Player	No	Viewing angle	175°/175°
Video Comb Filter	3D	Response Time	5ms
Video Noise Reduction	Yes		
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	2
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	2
Audio		YPbPr/YCbCr	1
Maximum Audio Output	10Wx2	Earphone Jack	1
Number of Speakers	2	VGA + PC Audio Input	1
Sound Effects	Standard-Music-Movie-Sports-User	S-Video	No
Sound equalizer	Optional	AV In	2*3
		AV Out	1
User Convenience		RF Input	1
Menu OSD	Multi-Languages	Accessories	
Picture Mode	4	Instruction Menu	Yes
Picture Freeze	Yes	AC power cable	Yes
Color Temperature Control	Yes	Remote control	Yes
ON/OFF & Sleep Timer	Yes	Batteries for Remote	No
Packing Details			
Unit Demensin(w/o Base):		Weight (Net/Gross):	13Kg / 14Kg
Carton Demensin:	1005*160*670mm	Loading (40HQ)	500pcs
Product Description	Factory Series	Factory Model Number	quote
40" DLED TV(analog)	B1	DLET-01	FOB \$78.5
40" DLED TV(digital)	B1	DLET-02	FOB \$83
40" DLED TV(smart)	01	DLET-03	FOB \$90
Product Picture		Main Features	
		RR8501 solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring High contrast ratio and brightness 2 HDMI (1.4) input delivers a full HDTV experience 2 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General		Display	
Solution	RR8501	Panel Brand	AUO/CM/SANSUNG/LG...
TV Vedio System	PAL/SECAM	Panel Grade	A
TV Sound System	BG/DK/I/L/L'	Display Technology	LED Backlight
Receive Channels	200	Screen Size	39.5" 16: 9
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1366*768
Nicam/A2	Yes	Brightness	250cd/m ²
Teletext	1,000	Contrast	1000:1
Built-in DVD Player	No	Viewing angle	175°/175°
Video Comb Filter	3D	Response Time	5ms
Video Noise Reduction	Yes		
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	2
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	2
Audio		YPbPr/YCbCr	1
Maximum Audio Output	10Wx2	Earphone Jack	1
Number of Speakers	2	VGA + PC Audio Input	1
Sound Effects	Standard-Music-Movie-Sports-User	S-Video	No
Sound equalizer	Optional	AV In	2*3
		AV Out	1
User Convenience		RF Input	1
Menu OSD	Multi-Languages	Accessories	
Picture Mode	4	Instruction Menu	Yes
Picture Freeze	Yes	AC power cable	Yes
Color Temperature Control	Yes	Remote control	Yes
ON/OFF & Sleep Timer	Yes	Batteries for Remote	No

Packing Details			
Unit Demensin(w/o Base):		Weight (Net/Gross):	13Kg / 14Kg
Carton Demensin:	1005*160*670mm	Loading (40HQ)	500pcs
Product Description	Factory Series	Factory Model Number	quote
43" DLED TV(analog)	B1	DLET-01	FOB \$99
43" DLED TV(digital)	B1	DLET-02	FOB \$115
43" DLED TV(smart)	01	DLET-03	FOB \$125
Product Picture		Main Features	
		RR8501solution PAL/SECAM (optional) TV system Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring 1920X1080 resolution supports signals up to 1080P High contrast ratio and brightness 2 HDMI (1.4) input delivers a full HDTV experience 2 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General		Display	
Solution	RR8501	Panel Brand	AUO/CMi/SANSUNG/LG...
TV Vedio System	PAL/SECAM	Panel Grade	A
TV Sound System	BG/DK/I/L/L'	Display Technology	LED Backlight
Receive Channels	200	Screen Size	43" 16: 9
HDTV Compatible	1080P/i, 720P, 576P, 480P	Resolution	1920*1080
Nicam/A2	Yes	Brightness	250cd/m ²
Teletext	1,000	Contrast	1000:1
Built-in DVD Player	No	Viewing angle	175°/175°
Video Comb Filter	3D	Response Time	5ms
Video Noise Reduction	Yes		
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	2
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	2
Audio		YPbPr/YCbCr	1
Maximum Audio Output	10Wx2	Earphone Jack	1
Number of Speakers	2	VGA + PC Audio Input	1
Sound Effects	Standard-Music-Movie-Sports-User	S-Video	No
Sound equalizer	Optional	AV In	2*3
		AV Out	1
User Convenience		RF Input	1
Menu OSD	Multi-Languages	Accessories	
Picture Mode	4	Instruction Menu	Yes
Picture Freeze	Yes	AC power cable	Yes
Color Temperature Control	Yes	Remote control	Yes
ON/OFF & Sleep Timer	Yes	Batteries for Remote	No
Packing Details			
Unit Demensin(w/o Base):		Weight (Net/Gross):	13Kg / 14Kg
Carton Demensin:	1052*160*670mm	Loading (40HQ)	468pcs
Product Description	Factory Series	Factory Model Number	quote
50" DLED TV (analog)	01	DLET-01	FOB \$ 135
50" DLED TV(smart and digital)	01	DLET-02	FOB \$ 140
Product Picture		Main Features	
		Analog and digital TV Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring High contrast ratio and brightness 3 HDMI (1.4) input delivers a full HDTV experience 2 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General		Network Impit	

Solution	P130-638V6.2 Android 6 1/8GB	RJ45	10/100M, DHCP
TV Vedio System	PAL/SECAM,NTSC(Optional)	WIFI (Option)	Communications standard
TV Sound System	BG ,DK ,I, M	Display	
Input Impedance	75 Ω	Panel Brand	SANSUNG/LG...
Receiving Range	48.25MHz~863.25MHz	Panel Grade	A
Max Receive Channel	ATV:200	Display Technology	LED
HDTV Compatible	1080P/i, 720P, 576P, 480P	Screen Size	50" 16: 9
Nicam/A2	Yes	Resolution	1920(H) x 1080(V)
Teletext	1,000	Brightness	320cd/m ²
Built-in DVD Player	No	Contrast	1000:1
Video Comb Filter	3D	Viewing angle	175°/175°
Video Noise Reduction	Yes	Response Time	5ms
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	3
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	2
User Convenience		AV IN	2
Menu OSD	Multi-Languages	TF CARD	1
Picture Mode	4	Mini AV out	1
Picture Freeze	Yes	Coaxial	1
Color Temperature Control	Yes	RJ45 IN	1
ON/OFF & Sleep Timer	Yes	RF Input	1
Wifi	Yes		
Audio Input			
Audio System	Audio System		
PC Audio Input	1 Earphone terminal black color	Accessories	
AV Audio Input	2 RCA terminal white color, red color	Instruction Menu	Yes
Sound equalizer	Optional	AC power cable	Yes
Audio Output		Remote control	Yes
Earphone Output	1 Earphone terminal black color	Batteries for Remote	Yes
Speaker	2*8 W @ 8Ω	Wall Mount	Optional
Packing Details			
Unit Demensin(w/o Base):		Weight (Net/Gross):	14.3Kg / 15Kg
Carton Demensin:	1170*160*790mm	Loading (40HQ)	482pcs
Product Description	Factory Series	Factory Model Number	quote
55" DLED TV(4K)(smart and digital)	01	DLET-02	FOB \$ 160
Product Picture		Main Features	
		4K 1/8GB Analog and digital TV Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring High contrast ratio and brightness 3 HDMI (1.4) input delivers a full HDTV experience 2 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General		Network Impit	
Solution	P130-638V6.2 Android 6 1/8GB	RJ45	10/100M, DHCP
TV Vedio System	PAL/SECAM,NTSC(Optional)	WIFI (Option)	Communications standard
TV Sound System	BG ,DK ,I, M	Display	
Input Impedance	75 Ω	Panel Brand	SANSUNG/LG...
Receiving Range	48.25MHz~863.25MHz	Panel Grade	A
Max Receive Channel	ATV:200	Display Technology	LED
HDTV Compatible	1080P/i, 720P, 576P, 480P	Screen Size	55" 16: 9
Nicam/A2	Yes	Resolution	4K
Teletext	1,000	Brightness	320cd/m ²
Built-in DVD Player	No	Contrast	1000:1
Video Comb Filter	3D	Viewing angle	175°/175°
Video Noise Reduction	Yes	Response Time	5ms
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	3
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	2
User Convenience		AV IN	2

Menu OSD	Multi-Languages	TF CARD	1
Picture Mode	4	Mini AV out	1
Picture Freeze	Yes	Coaxial	1
Color Temperature Control	Yes	RJ45 IN	1
ON/OFF & Sleep Timer	Yes	RF Input	1
Wifi	Yes		
Audio Input			
Audio System	Audio System		
PC Audio Input	1 Earphone terminal black color	Accessories	
AV Audio Input	2 RCA terminal white color, red color	Instruction Menu	Yes
Sound equalizer	Optional	AC power cable	Yes
Audio Output		Remote control	Yes
Earphone Output	1 Earphone terminal black color	Batteries for Remote	Yes
Speaker	2*8 W @ 8Ω	Wall Mount	Optional
Packing Details			
Unit Demensin(w/o Base):		Weight (Net/Gross):	20Kg / 24Kg
Carton Demensin:	1340*160*820mm	Loading (40HQ)	366pcs
Product Description	Factory Series	Factory Model Number	quote
65" DLED TV (4K) (smart and digital)	01	DLET-02	FOB \$ 218
Product Picture		Main Features	
		4K 1/8GB Analog and digital TV Ultraslim design 3D comb filter for an enhanced viewing experience 5 ms response time eliminates blurring High contrast ratio and brightness 3 HDMI (1.4) input delivers a full HDTV experience 2 USB port for MP3/JPEG/AVI/MPEG-4/RMVB playback PC video input for connection of computer	
General		Network Impit	
Solution	P130-638V6.2 Android 6 1/8GB	RJ45	10/100M, DHCP
TV Vedio System	PAL/SECAM,NTSC(Option)	WIFI (Option)	Communications standard
TV Sound System	BG ,DK ,I, M	Display	
Input Impedance	75 Ω	Panel Brand	SANSUNG/LG...
Receiving Range	48.25MHz~863.25MHz	Panel Grade	A
Max Receive Channel	ATV:200	Display Technology	LED
HDTV Compatible	1080P/i, 720P, 576P, 480P	Screen Size	65" 16: 9
Nicam/A2	Yes	Resolution	4K
Teletext	1,000	Brightness	320cd/m ²
Built-in DVD Player	No	Contrast	1000:1
Video Comb Filter	3D	Viewing angle	175°/175°
Video Noise Reduction	Yes	Response Time	5ms
Power supply	100-240V AC, 50/60HZ	Connections	
Power consumption	65W (<0.5W Standby)	HDMI	3
USB Playback Formats	H.264,MPEG-2, MPEG-4, RMVB, JPEG, MP3	USB	2
User Convenience		AV IN	2
Menu OSD	Multi-Languages	TF CARD	1
Picture Mode	4	Mini AV out	1
Picture Freeze	Yes	Coaxial	1
Color Temperature Control	Yes	RJ45 IN	1
ON/OFF & Sleep Timer	Yes	RF Input	1
Wifi	Yes		
Audio Input			
Audio System	Audio System		
PC Audio Input	1 Earphone terminal black color	Accessories	
AV Audio Input	2 RCA terminal white color, red color	Instruction Menu	Yes
Sound equalizer	Optional	AC power cable	Yes
Audio Output		Remote control	Yes
Earphone Output	1 Earphone terminal black color	Batteries for Remote	Yes
Speaker	2*8 W @ 8Ω	Wall Mount	Optional
Packing Details			

Unit Demensin(w/o Base):		Weight (Net/Gross):	22Kg / 26Kg
Carton Demensin:		Loading (40HQ)	266pcs
Re-Marks:			
1.A grade			
2. MOQ: By container order			
3. Term: FOB Guangzhou			
4. Delivery Time: 30 working days after deposit			
5. Warranty:1% for spare(A/D board, Power Supply) ; 2.one year Warranty			
6. Payment: 30% deposit in advance ,70% before shipment			
7. Period of validity: 15 days.			
Remark: 1): The LED-LCD panel's specifications subject to change according to specific source. 2): Our MOQ for tv is 500pcs/size,our panel quality is A grade and support 1 year warranty.			