



Dongguan X-Power Intelligent Technology Co.,Ltd

Green & Smart Battery Pack Solution Provider
Green | Innoviate | Smart

Power House PH500



PH500	Specification
Cell Capacity	18650-3000mAh-6S8P-518.4Wh
Lifecycle	1000 cycles to 80%+ capacity
DC Input	DC5521*1pcs, 12V-24V \approx 5A
DC Output	DC5521*2pcs, 12V-24V \approx 5A
Car Charger Output	12V \approx 5A max
AC Output	Pure Sine Wave 500W AC110V/AC220V \pm 5%,50Hz/60Hz
USB-A Output	USB-A 1 & USB-A2 QC3.0 Max 12V \approx 1.5A
USB-C 1 Output	PD/QC3.0 Max 12V \approx 1.5A
USB-C 2 Input/Output	60W max, 5V \approx 3A, 9V \approx 3A, 15V \approx 3A, 20V \approx 3A
Operating Temperature	32°F-104°F/0°C-40°C
Ambient Temperature	32°F-104°F/0°C-40°C
Size	241*161*178mm/9.48*6.33*7inches
Weight:	4.98KG






Quality & Insurance

Quality System

- √ Approved by ISO9001:2015
- √ Approved by SQP
- √ Approved by BSCI

Certificate & Insurance

- √ GB/T36972-2018
- √ PINGAN Product Liability Insurance
- √ CE
- √ FCC
- √ RoHS
- √ MSDS/UN38.3



Factory Overview.

Lab



Factory Overview.

Production Line



Location.

China

Floor 6 &7, Bulding E, Fengzhimei Industry Zone
Fenggang,Dongguan, Guandong,China

