



Reference ID, could be customized.

General Information

Product	5G MIFI
Model	TS-MS233-EAU
Target Market	China, EMEA, Asia, Operators & Open market
Highlights	MTK 5G 7nm MT6833, stable network performance, good cellular and Wifi throughput, low power consumption.
Certificates	CE/FCC/GCF/PTCRB ability

Specification

OS Version		Andriol 11
Platform	Chipset	MTK MT6833, 7nm 2*A76 (2.0GHz) +6*A55 (2.0GHz) , GPU: Mali Natt MC2
	Memory	LPDDR4X 2GB RAM+EMMC 16GB ROM
	WiFi	MT6631
	BT	Bluetooth 5.1, optional
LCM	LCD	2.4'' TFT MIPI (LCD or LED)
	TP	Support
LED	LED	Red, Green, Blue
Cellular	Protocal	3GPP Rel.15, 5G NR, SA/NSA, Sub 6G/LTE Category 13
	Bands	5G: n1/n3/n5/n7/n8/n20/n28/n40/n41/n77/n78/n79 4G: B1/B3/B5/B7/B8/B20/B28/B34/B38//B39/B40/B41
	Throughput	NR: Downlink/Uplink up to 2.77Gbps/1.25Gbps LTE: Downlink/Uplink up to 391Mbps/150Mbps
	Antenna	4*4 MIMO
	Bands	2.4G, 5.8G, DBSC
	Protocal	802.11 a/b/g/n/ac

WiFi	Throughput	802.11a: Up to 54Mbps 802.11b: Up to 11Mbps 802.11g: Up to 54Mbps 802.11n: Up to 172Mbps 802.11ac:Up to 433Mbps
	Antenna	1*1
	Users	16 users
Interface	SIM card	single SIM card, hot plugging supported
	SIM card	NANO SIM card, eSIM optional
	USB	TYPE-C (USB2.0)
Button	Button	1*Power, 1*Reset
Charge	TYPE-C	5V/3A
Battery	Polymer battery	4000 mAh, could be customized.
Size	Size	125x70x17 mm (could be customized.)
Enviroment	Working Temperature	0℃-55℃
	Storagy Temperature	-20℃-70℃
	Humidity	5%-95%


1



3



2



4

