

线缆夹 Solar Cable Clip













产品规格






















Product Specifications

材料 Material	301 stainless steel	颜色 Color	White
包装 Package	100PCS//bag 500PCS//bag	环境温度范围 Ambient temperature range	-40°C...+85°C(IEC)

图示:

Drawing:

SCC-4S/2(SCC-OD/2)		SCC-ST/2	
			
适配电线 Suitable for cable OD	2*4.0mm ²	适配电线 Suitable for cable OD	2*4.0mm ²
应用于 Application for	Module	应用于 Application for	Module
SCC-6S/2		SCC-US/2	
			
适配电线 Suitable for cable OD	2*6.0mm ²	适配电线 Suitable for cable OD	2*4.0/6.0mm ²
应用于 Application for	Module	应用于 Application for	Module
SCC-4S/4(SCC-OD/4)		SCC-6S/4	
			
适配电线 Suitable for cable OD	4*4.0mm ²	适配电线 Suitable for cable OD	4*6.0mm ²
应用于 Application for	Module	应用于 Application for	Module

SCC-ST/4M		SCC-ST/4	
			
			
适配电线 Suitable for cable OD	4*4.0mm ²	适配电线 Suitable for cable OD	4*4.0mm ²
应用于 Application for	Module	应用于 Application for	Module
SCC-90/4S/2(SCC-NS/2)		SCC-90/6S/2	
			
			
适配电线 Suitable for cable OD	90Degree 2*4.0mm ²	适配电线 Suitable for cable OD	90Degree 2*6.0mm ²
应用于 Application for	Module 90 Degree	应用于 Application for	Module 90 Degree
SCC-90/6S/4		SCC-CT	
			
			
适配电线 Suitable for cable OD	90Degree 2*6.0mm ²	适配 Suitable for	Cable Tie With ≤7mm
应用于 Application for	Module 90 Degree	应用于 Application for	Module Bundle
SCC-SP/2			
			
适配电线 Suitable for cable OD	2*4.0mm ²		
应用于 Application for	Module		


Wire Management Solutions

Engineered for high-quality wire management solutions, Solar Cable Clips management and create a cleaner aesthetic to solar PV arrays. The clips are made of corrosion resistant stainless steel, which makes them a durable, long lasting and reliable solution for all environments, and are designed with coined edges to prevent damage to cable insulation. The design is easy to install and can be reused. The cable clips can be used in wide variety of mounting configurations(including 90 degree) for module and in conjunction with cable ties. Customs designs and package available upon request.

90Degree Cable Clips

Technical Features:


- Holds solar cables perpendicular to the module frame mounting configurations.
- Special tab for easy installation & removal without any tool.
- Coined edges to prevent damage to cable insulation.
- Could be used on modules with a flange thickness of 1.3 to 2.5mm.



Incorrect Solar Cable



Correct Solar Cable



Incorrect Solar Cable



Correct Solar Cable

Cable Clips SCC-SP/2(Specially Designed for thicker module frame and racking)

Engineered for special or thicker module frame or racking profile wire management solutions, The Cable Clips SCC-SP/2 simplify wire management and create a cleaner aesthetic to solar PV arrays. The clip is made of corrosion resistant 301 spring stainless steel, which makes them a durable, long lasting and reliable solution for all environments, and are designed with coined edges to prevent damage to cable insulation. The design is easy to install and can be reused. The cable clip can be used in wide variety of mounting configurations for module and racking structure . Customs designs and package available upon request.

Technical Features:

- Made with corrosion resistant 301 spring high grade stainless steel.
- Two-cable compartments.
- 180 degree mounting configurations.
- Accommodation for a broad range of cable size from 5.5mm to 6.8mm.
- Special tab for easy installation & removal without any tool.
- Coined edges to prevent damage to cable insulation.
- Designed for thicker modules frames as well as racking-accommodates profiles up to 5.2mm thick.

SCC-SP/2




Demostration of Matching Test



Cable Tie Bundle Clip

Technical Features:

- Bundles wires in conjunction with cable ties.
- Max Cable Tie Width: 7mm.
- Holds 5pcs or more solar cables parallel or perpendicular to the module frame.
- Special tab for easy installation & removal without any tool.
- Coined edges to prevent damage to cable insulation.
- Could be used on modules with a flange thickness of 1.3 to 2.5mm.



Package Option-OEM Packaging Available



100PCS/bag



500PCS/bag



1000PCS/bo
x