

LED Portable Luminaries Led

LED T5 Integrated Fixture Light (UL / cUL / CE/FCC/RoHS/DOE/IC)



Light & Parts

1. Standard model/set



2. Optional parts: connect wire/connector



3 . Optional parts: Magnetic clips



4. Optional cable color



5. Different plugs




6. Optional Cover: Clear version



7. Fixture with on/off switch



8. Layout



Model Sheet


Model (型号)	Wattage(功率)	Length (FT)	Length (长度) mm	Length(长度)In
LI-03	3W	0.77FT	234	9.2"
LI-04	4W	1FT	308	11.8"
LI-05	5W	1.33FT	406	16"
LI-08	8W	2FT	570	23.6"
LI-09	9W	2.16FT	660	26"
LI-10	10W	2.36FT	720	28.3"
LI-12	12W	3FT	870	34.3"
LI-14	14W	3.28FT	1000	39.4"
LI-16	16W	4FT	1170	46"
LI-18	18W	4FT	1170	46"
LI-20	20W	5FT	1470	57.9"

Specification Sheet


Input Voltage	AC100V-245V
Operating Frequency	50Hz / 60Hz
Power Factor	>0.9
CRI	>80 / Optional CRI : >90
Power Consumption	3w 4w 5w 8w 9w 10w 12w 14w 16w 18w 20w
Light Efficiency	100lm/W
Type of LED	SMD2538
Color	warm white/white/yellow/blue/green/red
Material	Aluminum alloy and plastic cover
Socket	G5,3 pins; Linkable 2 to 10pcs
Optional Functions	View angle/ On & off switch / Custom Lumen/Triac Dimming
Optional View angle	15D / 30D / 60D / 120D / 140D

产品安装示意图 *The installation of the product*


1、产品接线图



2、产品安装示意图



Different Applications(Samples)




Linkable with wire/connector




Hole Size of Clips

1. Diameter of Hole (Screw:4M)



Width of Clip



Packing



Model	Quantity/carton	Size/Carton	G.W/Carton
LI-03	50	26×22×16 CM	5 KG
LI-04	50	32×22×16 CM	7 KG
LI-05	50	43×22×16 CM	8 KG
LI-08	50	62×22×16 CM	9KG
LI-09	50	68×22×16 CM	10 KG
LI-10	50	74×22×16 CM	11 KG
LI-12	50	92×22×16 CM	12 KG
LI-14	50	102×22×16 CM	13.5 KG
LI-16 /LI-18	50	120×22×16 CM	14.5 KG
LI-20	50	150×22×14 CM	16.5 KG

Contact Information

Banner Industry Co.,Ltd / ;Lintel Industry Co.,Ltd

江门市倍尔诺实业有限公司

Email: sales@bannerlamp.com QQ: 2544426216

Wechat/Phone : 13809689613 Skype : Lily06024 TEL: 0750-3752966